


Model No.M3601 ROUTER



Model No.M3601 ROUTER

Item No.	Parts No.	Description	Interchangability	Q'ty	New/Old	Note1	Note2
001	251878-6	Thumb screw M5X20		1			
003	346007-5	Pressure plate		1			
005	252094-3	Hex. nut M8		1			
006	893386-7	Scale label		1			
007	321948-6	Stopper pole		1			
008	451035-8	Pointer		1			
009A	183E23-4	Housing set		1	*		
C10	263002-9	Rubber pin 4		3	*		
C20	263005-3	Rubber pin 6		1	*		
C30	931202-6	Hex. nut M5		1	*		
009A		INC. 32			*		
009-1 A	183V52-9	Housing set	<	1			
C10	263002-9	Rubber pin 4		3			
C20	263005-3	Rubber pin 6		1			
C30	931202-6	Hex. nut M5		1			
009-1 A		INC. 32					
009-1 B	183V58-7	Housing set		1			
C10	263002-9	Rubber pin 4		3			
C20	263005-3	Rubber pin 6		1			
C30	931202-6	Hex. nut M5		1			
009-1 B		INC. 32					
010	450820-6	Chip deflector		1			
011A	181410-1	Carbon brush CB-106 (2 pcs)		1	*		
011-1 A	194976-2	Carbon brush set CB-106	O	1			
011-1 B	194976-2	Carbon brush set CB-106		1			
012	643601-7	Brush holder 6-10		2			
014	443073-4	Felt		1			
015A	665852-2	Power supply cord 1.0-2-2.0		1	*		
015-1 A	695454-0	Power supply cord 1.0-2-2.0	O	1	*		
015-2 A	665852-2	Power supply cord 1.0-2-2.0	O	1			
015-2 B	665852-2	Power supply cord 1.0-2-2.0		1			
016	682516-3	Cord guard 9.3-85		1			
017	443074-2	Felt		1			
018	687124-5	Strain relief		1			
019	266326-2	Binding head tapping screw 4X18		2			
020	650218-9	Switch FA1-6/1W-1		1			
021	654532-5	Terminal block 1P		1			
022	645200-1	Noise suppressor		1			
023A	594594-0	Field assembly 240V		1	*		
C10	654037-5	Insulated terminal FVWS1.25-M3		2	*		

023-1 A	590054-0	Field assembly 240V	O	1			
C10	654409-4	Insulated terminal VR1.25-3.5LB	O	2			
023-1 B	590054-0	Field assembly 240V		1			
C10	654409-4	Insulated terminal VR1.25-3.5LB		2			
024	210029-0	Ball bearing 608ZZ		1			
025	510205-9	Armature assembly 240V		1			
025		INC. 24,26-28					
026	240123-4	Fan 72		1			
027	267114-0	Flat washer 17		1			
028A	211285-5	Ball bearing 6203DDW		1	*		
028-1 A	210239-9	Ball bearing 6203DDW	O	1			
028-1 B	210239-9	Ball bearing 6203DDW		1			
029	763636-3	Collet cone 6		1			
030	763615-1	Collet nut		1			
031	266326-2	Binding head tapping screw 4X1 8		7			
032A	183E23-4	Housing set		1	*		
C10	263002-9	Rubber pin 4		3	*		
C20	263005-3	Rubber pin 6		1	*		
C30	931202-6	Hex. nut M5		1	*		
032A		INC. 9			*		
032-1 A	183V52-9	Housing set	<	1			
C10	263002-9	Rubber pin 4		3			
C20	263005-3	Rubber pin 6		1			
C30	931202-6	Hex. nut M5		1			
032-1 A		INC. 9					
032-1 B	183V58-7	Housing set		1			
C10	263002-9	Rubber pin 4		3			
C20	263005-3	Rubber pin 6		1			
C30	931202-6	Hex. nut M5		1			
032-1 B		INC. 9					
033	233110-0	Compression spring 8		1			
034	941202-8	Flat washer 8		1			
035	266920-0	Set bolt M8		1			
036	450821-4	Lever 47		1			
037	911213-7	Pan head screw M5X12 WR		1			
038	852C08-6	Name plate M3601		1			
039	962065-9	Retaining ring (INT) round R-15		1			
040	267047-9	Flat washer 10		1			
041	451524-3	Collar HD. pin 10		1			
042	231416-0	Compression spring 10		1			
043	251447-3	Slotted flat head shoulder screw M6		1			
044	265587-1	Hex. head bolt M5X20		1			
045	265586-3	Hex. head bolt M5X14		1			
046	265587-1	Hex. head bolt M5X20		1			
047	135264-8	Stopper assembly		1			

047		INC. 43-46					
048	216022-2	Steel ball 7.0		1			
049	231419-4	Compression spring 5		1			
050	256651-9	Flat fillister HD. pin 10		1			
051	231417-8	Compression spring 10		1			
052	265761-1	Thumb screw M5X16		2			
053	231240-1	Compression spring 7		2			
054	158808-7	Base complete		1			
055	259019-8	Self lock 15		2			
056	452913-5	Base plate		1			
057	912112-6	Countersunk head screw M4X10		4			
A01	164834-6	Straight guide		1			
A02A	781006-4	Wrench 13		1	*		
A02-1 A	781039-9	Wrench 13	O	1			
A02-1 B	781039-9	Wrench 13		1			
A03	781011-1	Wrench 22		1	*		
A03-1	781043-8	Wrench 22	O	1			
A04A	733239-7	Straight bit 6		1	*		
A04-1 A	191Y83-2	Straight bit 6 set	O	1			
A04-1 B	191Y83-2	Straight bit 6 set		1			
A05	194733-8	Dust nozzle set		1			
C10	213022-3	O-ring 3		2			
C20	265774-2	Thumb screw M4X19		1			

Please state Parts No. when your order.

Print Date 24. 10. 2025