
DEWALT
XR
5 AH 18V XR LI-ION
DEWALT

FLIP 'N' DRIVE QUICK CHANGE SYSTEM

FEATURES

- Complete drill drive accessory system for drilling countersink and pilot holes in one action and screwdriving.
- One-handed connector release with push forward collar for easily changing between drilling and screwdriving applications.
- 5/16" (8mm) shank for added durability.

APPLICATIONS

For use in hard and soft wood, composite board and MDF.

Ideal for cabinet making, furniture assembly, remodelling and shop fitting.


FOR USE WITH

Corded and Cordless Drills









HSS PILOT DRILL

Cat. No.	Description	Size	Pack Qty.
DT7608-XJ	Pilot drill bit (2.38mm) for 3mm screws	No 6	3
DT7609-XJ	Pilot drill bit (2.77mm) for 4mm screws	No 8	3
DT7610-XJ	Pilot drill bit (3.17mm) for 5mm screws	No 10	3

PILOT DRILL WITH COUNTERSINK

Cat. No.	Description	Size	Pack Qty.
DT7604-XJ	Pilot drill bit (2.38mm) with countersink for 3mm screws	No 6	1
DT7607-XJ	Pilot drill bit (3.17mm) with countersink for 6mm screws	No 12	1



MAGBOXES

FEATURES

- Compact design for easy storage and portability
- High impact materials for optimum durability
- High strength magnets and built in hooks for increased functionality
- Versatile magnetic storage box in a practical design.

APPLICATIONS

Flexible storage solution fits most common accessories

HIGH PERFORMANCE

Cat. No	Description
DT7918-QZ	15 piece set in magnetic box 25mm: Ph1 / Ph2 / Ph3 / Pz1 / 2x Pz2 / Pz3 T20 / T25 50mm: Ph2 / Pz2 Socket drivers: 7 / 8 / 10mm Magnetic bit tip holder



















RECOMMENDED MATERIALS



Metal


Stainless Steel


Copper


Aluminium



Hardwood


Soft Wood


Wood



Reclaimed Wood with Nails



Veneer



Laminate


Chipboard


MDF


Plywood


Hardboard


Composite Decking



Circular Saw Blades



For cutting premium timbers in a workshop environment where bespoke woodworking is performed.



Optimised for cordless circular saws and stationary saws for first and second fix applications. Delivering maximum productivity from the power available. Also compatible with corded saws where specifications match.



For decorative wooden sections where cut finish is the highest priority



For rough cutting and first fix applications where durability is more important than cut finish.




A range of saw blades for cutting aluminium, steel and stainless steel.



A range of poly-crystalline diamond toothed saw blades for cutting multi materials including fibre cement.

EXTREME® CIRCULAR SAW BLADES

WORKSHOP





- Designed for stationary saws -the first choice for professional workshop operation.
- The hallmark EXTREME® circular saw blades for stationary saws.
- Specially designed to achieve precise cutting and a high quality finish in for use in wood, coated and uncoated wood materials and plastic.



FLAT TOP GRIND (FT)
Tooth geometry, in which the cutting edge of the tooth is ground straight and without any inclination. This tooth form is used for longitudinal cuts and for universal applications if high cutting quality is less important.

TRIPLE CHIP GRIND (TCG)
Tooth geometry, in which a flat tooth is alternately arranged, followed by a slightly higher trapezoidal ground tooth. This higher tooth cuts correspondingly deeper, however, due to its upper edges which are chamfered on both sides, but somewhat narrower than the following flat tooth. This makes the splitting of brittle materials, e.g. laminate is prevented.

ALTERNATE TOP BEVEL (ATB)
Tooth geometry, in which the cutting edges of the teeth are alternately obliquely ground, the angle being from 10° to 20°. For universal use but ideal for cross cuts in hardwood and softwood.


HOLLOW GROUND (HG)
Tooth geometry, in which the teeth have been ground to a concave profile that produces clean cuts in melamine and other coated boards, without the need for scoring.

EXTREME® WORKSHOP CIRCULAR SAW BLADES



SINGLE PACKS - PORTABLE

Cat. No.	Diameter mm	Arbor Diameter mm	Tooth Count	Grind Geometry	Hook Angle	KERF mm	Plate Thickness mm	Harmonic Slots
DT4057-QZ	160	20	36	ATB	10°	2.6	1.8	No
DT4084-QZ	160	16/20	48	TCG	-5°	2.6	1.8	No
DT1089-QZ	165	20	18	FT	18°	2.3	1.6	No
DT4026-QZ	165	20	24	ATB	25°	2.6	1.8	No
DT4027-QZ	165	30	24	ATB	25°	2.6	1.8	No
DT1091-QZ	165	20	40	ATB	-5°	1.9	1.4	No
DT1090-QZ	165	20	48	ATB	5°	2.2	1.6	No
DT1086-QZ	165	20	48	TCG	5°	2.3	1.6	No
DT4087-QZ	165	20	48	TCG	-5°	2.6	1.8	No
DT4088-QZ	165	30	48	TCG	-5°	2.6	1.8	No
DT1087-QZ	165	20	54	MTCG	0°	2.3	1.6	No
DT1088-QZ	165	20	54	TCG	-5°	2.3	1.6	No
DT4031-QZ	184	16	28	ATB	25°	2.6	1.8	No
DT4063-QZ	184	16	40	ATB	10°	2.6	1.4	No
DT4092-QZ	184	16	48	TCG	-5°	2.6	1.8	No
DT4033-QZ	190	30	28	ATB	10°	2.6	1.8	No
DT4064-QZ	190	30	40	ATB	10°	2.6	1.8	No
DT4094-QZ	190	30	48	TCG	-5°	2.6	1.8	No
DT4036-QZ	235	30	28	ATB	25°	3.2	2.2	No
DT4067-QZ	235	30	40	ATB	10°	3.2	2.2	No
DT4097-QZ	235	16/25/30	56	TCG	-5°	3.2	2.2	No




SINGLE PACKS - STATIONARY

Cat. No.		Diameter mm	Arbor Diameter mm	Tooth Count	Grind Geometry	Hook Angle	KERF mm	Plate Thickness mm	Harmonic Slots
DT90263-QZ		184	16/20	48	TCG	5°	3.2	1.75	No
DT4310-QZ	◆	216	30	24	ATB	-5°	2.6	1.8	Yes
DT4320-QZ	◆	216	30	48	ATB	-5°	2.6	1.8	Yes
DT4350-QZ	◆	216	30	60	ATB	-5°	2.6	1.8	Yes
DT4370-QZ	◆	216	30	60	TCG	-5°	2.6	1.8	Yes
DT4286-QZ		216	16/20/25/25.4/30	80	TCG	-5°	2.6	1.8	No
DT4202-QZ		250	30	24	FT	10°	2.8	1.8	No
DT4301-QZ		250	30	24	FT	10°	3.0	2.2	Yes
DT4311-QZ	◆	250	30	24	FT	10°	3.0	2.2	Yes
DT4321-QZ	◆	250	30	30	ATB	10°	3.0	2.2	Yes
DT4226-QZ		250	30	30	ATB	20°	3.0	2.2	No
DT4322-QZ		250	30	40	ATB	20°	3.0	2.2	Yes
DT4323-QZ		250	30	48	ATB	20°	3.0	2.2	Yes
DT4345-QZ		250	30	50	HG	10°	3.2	2.5	Yes
DT4351-QZ	◆	250	30	60	ATB	10°	3.0	2.2	Yes
DT4217-QZ		250	30	60	HG	10°	3.2	2.5	Yes
DT4352-QZ	◆	250	30	60	TCG	-5°	3.0	2.2	Yes
DT4287-QZ		250	30	80	TCG	-5°	3.0	2.2	No
DT90267-QZ		254	16/20/25/25.4/30	80	ATB	5°	3.2	1.75	Yes
DT90266-QZ		254	16/20/25/25.4/30	80	ATB	7°	3.2	1.75	Yes
DT90264-QZ		254	16/20/25/25.4/30	80	TCG	0°	3.6	1.75	No
DT4282-QZ		250	30	96	TCG	-5°	3.0	2.2	No
DT4324-QZ	◆	260	30	48	ATB	10°	2.6	1.8	Yes
DT4280-QZ		260	30	80	TCG	-5°	2.6	1.8	No
DT4281-QZ		300	30	80	TCG	-5°	3.0	2.2	No
DT90265-QZ		305	16/20/25/25.4/30	80	ATB	7°	3.6	1.75	Yes
DT4210-QZ		305	30	32	ATB	-5°	2.6	1.8	No
DT4330-QZ	◆	305	30	36	ATB	-5°	3.0	2.2	Yes
DT4340-QZ	◆	305	30	48	ATB	10°	3.0	2.2	Yes
DT4260-QZ		305	16/20/25/25.4/30	60	ATB	-5°	2.6	1.8	No
DT4331-QZ		305	16/20/25/25.4/30	60	ATB	-5°	3.0	2.2	Yes
DT4346-QZ		305	30	60	HG	10°	3.2	2.5	Yes
DT4218-QZ		305	30	72	HG	10°	3.2	2.5	Yes
DT4283-QZ		305	16/20/25/25.4/30	80	TCG	-5°	2.6	1.8	No
DT4288-QZ		305	30	80	TCG	-5°	3.0	2.2	No
DT4290-QZ		305	16/20/25/25.4/30	96	TCG	-5°	3.0	2.2	No
DT4332-QZ	◆	315	30	48	ATB	10°	3.0	2.2	Yes
DT4305-QZ		350	30	36	FT	10°	3.0	2.2	Yes
DT4291-QZ		350	30	96	TCG	-5°	3.0	2.2	No
DT4317-QZ	◆	400	30	36	ATB	10°	3.0	2.4	Yes
DT4338-QZ		400	30	60	ATB	10°	3.0	2.4	Yes

◆ Marked saw blades have laser lines for vibration and sound insulation or corrosion-protected teeth

EXTREME® CIRCULAR SAW BLADES





FOR USE WITH

Portable and Stationary Circular Saws



SINGLE PACKS

Cat. No.	Blade Ø mm	Bore Ø mm	Blade thickness mm	Kerf thickness mm	Kerf Type	No of teeth	Tooth Direction	Tooth Geometry	Tooth angle	N MAX RPM
DT10624-QZ	165	16/20	0.99	1.65	Thin	24	Clockwise	ATB	18°	7000
DT10640-QZ	165	16/20	0.99	1.65	Thin	40	Clockwise	ATB	18°	7000
DT10300-QZ	165	20	0.99	1.65	Thin	24	Anti-clockwise	ATB	18°	7000
DT10301-QZ	165	20	0.99	1.65	Thin	40	Anti-clockwise	ATB	18°	7000
DT10302-QZ	184	16	0.99	1.65	Thin	24	Anti-clockwise	ATB	18°	7000
DT10303-QZ	184	16	0.99	1.65	Thin	40	Anti-clockwise	ATB	18°	7000
DT1669-QZ	184	16	0.99	1.65	Thin	24	Clockwise	ATB	7°	7000
DT1668-QZ	184	16	0.99	1.65	Thin	40	Clockwise	ATB	7°	7000
DT90257-QZ	184	16/20	0.99	1.65	Thin	24	Anti-clockwise	ATB	18°	7000
DT90259-QZ	184	16/20	0.99	1.65	Thin	40	Anti-clockwise	ATB	18°	7000
DT1670-QZ	184	30	0.99	1.65	Thin	24	Clockwise	ATB	7°	7000
DT10304-QZ	190	30	0.99	1.65	Thin	24	Anti-clockwise	ATB	18°	7000
DT20432-QZ**	210	30	2	2.75	Thin	60	Clockwise	ATB	7°	4800
DT20433-QZ**	210	30	2	2.75	Thin	60	Clockwise	ATB	7°	4800
DT1655-QZ	216	30	1.6	2.35	Thin	60	Clockwise	ATB	7°	7000
DT90262-QZ	216	16/25/30	1.6	2.35	Standard	60	Clockwise	ATB	7°	4800

**Supports the DWE7485 - 210mm Compact Table Saw

SETS

Cat. No.	Description	Blade Ø mm	Bore Ø mm	Blade thickness mm	Kerf thickness mm	Kerf Type	No of teeth	Tooth Direction	Tooth Geometry	Tooth angle	N MAX RPM
DT10397-QZ	2 x (165 x 20 x 24T) 1 x (165 x 20 x 40T)	165	20	0.99	1.65	Thin	24, 40	Anti-clockwise	ATB	18°	7000
DT90260-QZ	1 x (184 x 20 x 24T) 1 x (184 x 20 x 40T)	184	20	0.99	1.65	Thin	24	Anti-clockwise	ATB	18°	7000
DT90261-QZ	3 x (184 x 20 x 24T)	184	20	0.99	1.65	Thin	24	Anti-clockwise	ATB	18°	7000
DT10399-QZ	3 x 190 24T Corded	190	30	0.99	1.65	Thin	24	Anti-clockwise	ATB	18°	7000

BULK

Cat. No.	Description	Blade Ø mm	Bore Ø mm	Blade thickness mm	Kerf thickness mm	Kerf Type	No of teeth	Tooth Direction	Tooth Geometry	Tooth angle	N MAX RPM
DT90258-QZ	(184 x 20 x 24T)	184	20	0.99	1.65	Thin	24	Anti-clockwise	ATB	18°	7000

EXTREME® DEMOLITION SAW BLADE



APPLICATIONS

Nail Tough - ideal for sawing wood with nails.

FOR USE WITH

Compatible with Portable Circular Saws that use a 190mm Blade with a 30mm Bore



SINGLE PACKS

Cat. No.	Blade Ø mm	Bore Ø mm	Blade thickness mm	Kerf thickness mm	Kerf Type	No of teeth	Tooth Direction	Tooth Geometry	Tooth angle	N MAX RPM
DT90254-QZ	184	20	0.99	1.65	Thin	24	Anti-clockwise	ATB	18°	7000

XR EXTREME RUNTIME CIRCULAR SAW BLADES





FOR USE WITH

XR FLEXVOLT® range and all compatible Corded and Cordless Circular Saws, Mitre Saws and Table Saws

XR FLEXVOLT



SINGLE PACKS


Cat. No.	Blade Ø mm	Bore Ø mm	Blade thickness mm	Kerf thickness mm	Kerf Type	No of Teeth	Tooth Direction	Tooth Geometry	Tooth Angle	N MAX RPM
DT99560-QZ	165	20	1.2	1.76	Thin	24	Anti-clockwise	ATB+R	10°	7000
DT99561-QZ	165	20	1.2	1.76	Thin	42	Anti-clockwise	ATB+R	10°	7000
DT99562-QZ	190	30	0.82	1.55	Thin	24	Anti-clockwise	ATB+R	25°	7000
DT99563-QZ	190	30	0.82	1.55	Thin	36	Anti-clockwise	ATB+R	25°	7000
DT99577-QZ	184	20	0.82	1.55	Thin	24	Anti-clockwise	ATB+R	25°	7000
DT99578-QZ	184	20	0.82	1.55	Thin	36	Anti-clockwise	ATB+R	25°	7000
DT99579-QZ	184	20	0.82	1.55	Thin	60	Anti-clockwise	ATB+R	25°	7000
DT99565-QZ	210	30	1.24	1.8	Thin	24	Clockwise	ATB+R	20°	7000
DT99566-QZ	210	30	1.24	1.8	Thin	36	Clockwise	ATB+R	20°	7000
DT99567-QZ	210	30	1.24	1.8	Thin	60	Clockwise	ATB+R	20°	7000
DT99568-QZ	216	30	1.6	2.16	Thin	24	Clockwise	ATB+R	7°	7000
DT99569-QZ	216	30	1.6	2.16	Thin	36	Clockwise	ATB+R	7°	7000
DT99570-QZ	216	30	1.6	2.16	Thin	60	Clockwise	ATB+R	7°	7000
DT99571-QZ	250	30	1.6	2.16	Thin	24	Clockwise	ATB+R	7°	6000
DT99572-QZ	250	30	1.6	2.16	Thin	36	Clockwise	ATB+R	7°	6000
DT99573-QZ	250	30	1.6	2.16	Thin	60	Clockwise	ATB+R	7°	6000
DT99574-QZ	305	30	1.6	2.16	Thin	42	Clockwise	ATB+R	7°	4800
DT99575-QZ	305	16/20/25/25.4/30	1.6	2.16	Thin	60	Clockwise	ATB+R	7°	4800
DT99576-QZ	305	16/20/25/25.4/30	1.6	2.16	Thin	78	Clockwise	ATB+R	7°	4800
DT99595-QZ	305	25.4	1.6	2.16	Thin	60	Clockwise	ATB+R	7°	4800
DT99596-QZ	305	25.4	1.6	2.16	Thin	78	Clockwise	ATB+R	7°	4800



DIAMOND BORE SINGLE PACKS

Cat. No.	Blade Ø mm	Bore Type	Blade thickness mm	Kerf thickness mm	Kerf Type	No of teeth	Tooth Direction	Tooth Geometry	Tooth Angle	N MAX RPM
DT40270	190	♦	1.0	1.55	Thin	24	Clockwise	ATB+R	25°	7000
DT40271	190	♦	1.0	1.55	Thin	36	Clockwise	ATB+R	25°	7000

EXTREME® COMPOSITE DECKING SAW BLADE



APPLICATIONS

Specially designed to cut composite decking.

FOR USE WITH

Compatible with Portable Circular Saws that use a 190mm Blade with a 30mm Bore



SINGLE PACKS

Cat. No.	Blade Ø mm	Bore Type	Blade thickness mm	Kerf thickness mm	Kerf Type	No of teeth	Tooth Direction	Tooth Geometry	Tooth Angle	N MAX RPM
DT90255-QZ	184	20	0.99	1.65	Thin	40	Anti-Clockwise	TCG	7°	7000
DT4394-QZ	190	30	0.99	1.6	Thin	40	Anti-Clockwise	TCG	7°	7,000

DEWALT CONSTRUCTION

CONSTRUCTION BLADES FOR PORTABLE CORDLESS SAWS



C2 CONSTRUCTION GRADE CARBIDE
Resists chipping and cracking.

THIN KERF
Ideal for cordless and less push force required.

FULL KERF
Minimises blade deflection for a straighter cut.

ULTRA-SHARP CUTTING EDGES
For virtually splinter free cuts.








APPLICATIONS

Nail Tough - ideal for sawing wood with nails.

FOR USE WITH

Cordless Saws

SINGLE PACKS

Cat. No.	Description	Blade Ø mm	Bore Ø mm	Blade thickness mm	Kerf thickness mm	Kerf Type	No of Teeth	Tooth Direction	Tooth Geometry	Tooth Angle	N MAX RPM
DT1946-QZ	Cordless - Fast cutting	136	10	1	1.86	Thin	16	Clockwise	ATB	20°	7000
DT1947-QZ	Cordless - Framing	136	10	1	1.86	Thin	24	Clockwise	ATB	20°	7000
DT1948-QZ	Cordless - Fast cutting	165	20	1	1.86	Thin	16	Clockwise	ATB	20°	7000
DT1949-QZ	Cordless - Framing	165	20	1	1.86	Thin	24	Clockwise	ATB	20°	7000
DT1950-QZ	Cordless - Framing	165	20	1	1.86	Thin	36	Clockwise	ATB	20°	7000
DT1951-QZ	Cordless - Framing	184	20	1.13	1.79	Thin	24	Clockwise	ATB	18°	7000





CONSTRUCTION BLADES FOR CORDED PORTABLE HAND SAWS

DEWALT CONSTRUCTION



FEATURES

- Extremely robust, solid construction site sheets for the toughest requirements.
- Designed for rapid cutting of natural woods and composites, as well as formwork.
- Ideal for simple to good transverse and longitudinal cutting results.



SINGLE PACKS


Cat. No.	Description	Blade Ø mm	Bore Ø mm	Blade thickness mm	Kerf thickness mm	Kerf Type	No of Teeth	Tooth Direction	Tooth Geometry	Tooth Angle	N MAX RPM
DT1930-QZ	Portable - Framing	152	20	1.5	2.4	Full	24	Anti-clockwise	ATB	10°	7000
DT1931-QZ	Portable - Fast cut	160	20	1.5	2.4	Full	18	Anti-clockwise	ATB	20°	7000
DT1932-QZ	Portable - General purpose	160	20	1.5	2.4	Full	30	Anti-clockwise	ATB	10°	7000
DT1933-QZ	Portable - Fast cut	165	20	1.5	2.4	Full	18	Anti-clockwise	ATB	20°	7000
DT1934-QZ	Portable - Framing	165	20	1.2	1.8	Thin	24	Anti-clockwise	ATB	10°	7000
DT1935-QZ	Portable - General purpose	165	20	1.5	2.4	Full	30	Anti-clockwise	ATB	10°	7000
DT1936-QZ	Portable - Fast cut	165	30	1.5	2.4	Full	18	Anti-clockwise	ATB	20°	7000
DT1937-QZ	Portable - General purpose	165	30	1.5	2.4	Full	30	Anti-clockwise	ATB	10°	7000
DT1941-QZ	Portable - Fast cut	184	30	1.7	2.6	Full	18	Anti-clockwise	ATB	20°	7000
DT1942-QZ	Portable - General purpose	184	30	1.7	2.6	Full	30	Anti-clockwise	ATB	10°	7000
DT1943-QZ	Portable - Fast cut	190	30	1.7	2.6	Full	18	Anti-clockwise	ATB	20°	7000
DT1944-QZ	Portable - Framing	190	30	1.7	2.6	Full	24	Anti-clockwise	ATB	16°	7000
DT1945-QZ	Portable - General purpose	190	30	1.7	2.6	Full	40	Anti-clockwise	ATB	10°	7000
DT1954-QZ	Portable - Fast rip	235	30	1.7	2.6	Full	24	Anti-clockwise	ATB	20°	5500
DT1955-QZ	Portable - General purpose	235	30	1.7	2.6	Full	40	Anti-clockwise	ATB	10°	5500

PACKS

Cat. No.	Description	Blade Ø mm	Bore Ø mm	Blade thickness mm	Kerf thickness mm	Kerf Type	No of Teeth	Tooth Direction	Tooth Geometry	Tooth Angle	N MAX RPM
DT1965-QZ	165mm 3 pack (2x18T 1x 30T)	165	20	1.5	2.4	Full	18 30	Anti-clockwise	ATB	20°/10°	7000

CONSTRUCTION BLADES FOR STATIONARY SAWS

DEWALT CONSTRUCTION



FEATURES

- Extremely robust, nail-resistant construction saw blades for the toughest requirements.
- Designed for use on stationary circular saws for cutting natural woods and composite materials such as formwork, they enable simple to good lateral and longitudinal cutting results.

FOR USE WITH

Stationary Saws





SINGLE PACKS

Cat. No.	Description	Blade Ø mm	Bore Ø mm	Reduction Ring	Blade thickness mm	Kerf thickness mm	Kerf Type	No of Teeth	Tooth Direction	Tooth Geometry	Tooth Angle	N MAX RPM
DT1938-QZ	Stationary - Fast cut	184	16		1.7	2.6	Full	18	Clockwise	ATB	20°	7000
DT1939-QZ	Stationary - Framing	184	16		1.2	1.8	Thin	24	Clockwise	ATB	16°	7000
DT1940-QZ	Stationary - General purpose	184	16		1.7	2.6	Full	30	Clockwise	ATB	10°	7000
DT90251-QZ	Const. CSB 184x24T (20/16mm)	184	20	16	0.99	1.65	Thin	24	Anti-clockwise	ATB	18°	7000
DT90252-QZ	Const. CSB 184x36T (20/16mm)	184	20	16	0.99	1.65	Thin	36	Anti-clockwise	ATB	15°	7000
DT1952-QZ	Stationary - Fast rip	216	30		1.7	2.6	Full	24	Clockwise	ATB	-5°	7000
DT1953-QZ	Stationary - General purpose	216	30		1.7	2.6	Full	40	Clockwise	ATB	-5°	7000
DT1956-QZ	Stationary - Fast rip	250	30		2	3	Full	24	Clockwise	ATB	10°	6000
DT1957-QZ	Stationary - General purpose	250	30		2	3	Full	48	Clockwise	ATB	10°	6000
DT90249-QZ	Const. CSB 254x40T	254	30	16/25 /25.4	1.75	2.7	Std	40	Clockwise	ATB	7°	4800
DT90250-QZ	Const. CSB 254x60T	254	30	16	1.75	2.7	Std	60	Clockwise	ATB	7°	4800
DT1958-QZ	Stationary - Fast rip	305	30		2	3	Full	24	Clockwise	ATB	-5°	4800
DT1959-QZ	Stationary - General purpose	305	30		2	3	Full	48	Clockwise	ATB	10°	4800
DT1960-QZ	Stationary - Fine finish	305	30		2	3	Full	60	Clockwise	ATB	-5°	4800
DT1961-QZ	Stationary - Fast rip	315	30		2.2	3.2	Full	24	Clockwise	ATB	20°	4800

SETS

Cat. No.	Description	Blade Ø mm	Bore Ø mm	Reduction Ring	Blade thickness mm	Kerf thickness mm	Kerf Type	No of Teeth	Tooth Direction	Tooth Geometry	Tooth Angle	N MAX RPM
DT90253-QZ	2 pack 184x24/36T	184	20	16	0.99	1.65	Thin	24	Anti-clockwise	ATB	18°	7000
DT1962-QZ	216mm 3 pack (2X 24T / 1X 40T)	216	30		1.7	2.6	Full	24/40	Clockwise	ATB	-5°	7000
DT1963-QZ	250mm 3 pack (2X 24T / 1X 48T)	250	30		1.7	2.6	Full	24/48	Clockwise	ATB	10°	6000
DT1964-QZ	305mm 3 pack (1X 24T / 1X 48T / 1X 60T)	305	30		2	3	Full	24/48/60	Clockwise	ATB	10°/- 5°	4800

MULTI MATERIAL CUTTING BLADES



APPLICATIONS

- A multi material blade designed to cut through abrasive materials such as fibre cement or laminate.
- Perfect for cutting through cement fibre board and other dense composite panels.
- In addition this blade performs extremely well on dozens of other applications including: laminated and melamine surfaces, soft and hardwoods, MDF, plywood and chipboard.

FOR USE WITH

Compatible with Stationary and Portable Circular Saws



MULTI MATERIAL - SINGLE PACKS

Cat. No.	Ø Blade mm	Ø Bore mm	Reduction Ring	Blade thickness mm	Kerf thickness mm	Kerf Type	No of teeth	Tooth Direction	Tooth Geometry	Tooth angle	N MAX RPM
DT1470-QZ	160	20		1.4	1.8	Full	4	Anti-clockwise	FTG	12°	7000
DT1471-QZ	165	20		1.4	1.8	Full	4	Anti-clockwise	FTG	12°	7000
DT90256-QZ	184	20	16	1.4	1.8	Full	4	Anti-clockwise	FTG	12°	7000
DT1472-QZ	190	30		1.4	1.8	Full	4	Anti-clockwise	FTG	12°	7000
DT1473-QZ	216	30		1.5	2.0	Full	8	Clockwise	FTG	12°	7000
-QZ	250	30		1.6	2.2	Full	12	Clockwise	FTG	12°	6000
DT1475-QZ	305	30		1.8	2.4	Full	16	Clockwise	FTG	12°	4800

BISCUIT JOINTER BLADES

FOR USE WITH

Jointers



SINGLE PACKS

Cat. No.	Description	Diameter mm	Thickness mm	Bore mm	No of teeth
DT1306-QZ	Straight cutters for DW682K / DW685K	102	4	22	12
DT1307-QZ	Straight cutters for DW685K	105	2	22	30

METAL BLADES

METAL CUTTING



FEATURES

Steel Cutting

- Crafted with 12% titanium carbide, DEWALT® Metal Cutting™ saw blades tackle tough steel cutting applications with ease.
- Modified ATB tooth geometry provides clean, burr-free cuts, and expansion slots dissipate heat, extending blade life. A tri-foil braze boosts the strength of each tooth tip for extreme durability.



STEEL - SINGLE PACKS

Cat. No	Blade Ø mm	Bore Ø mm	Blade thickness mm	Kerf thickness mm	Kerf Type	No of teeth	Tooth Direction	Tooth Geometry	Tooth Angle	N MAX RPM
DT1923-QZ	140	20	1.13	1.0	Full	30	Clockwise	TCG	1.5°	4200
DT1926-QZ	355	25.4	1.95	2.31	Full	66	Clockwise	TCG	1.5°	1800
DT1927-QZ	355	25.4	1.95	2.31	Full	90	Clockwise	TCG	1.5°	1800



Stainless Steel (Inox) Cutting

- Designed to power through stainless steel with ease, DEWALT® stainless steel Metal Cutting™ saw blades are crafted from carbide for long life and less chipping. Each blade is laser-etched and color-coded by material.



STAINLESS STEEL (INOX) - SINGLE PACKS

Cat. No	Blade Ø mm	Bore Ø mm	Blade thickness mm	Kerf thickness mm	Kerf Type	No of teeth	Tooth Direction	Tooth Geometry	Tooth Angle	N MAX RPM
DT1921-QZ	355	25.4	1.75	2.15	Full	70	Anti-clockwise	MTCG+R	10°	1800
DT1922-QZ	355	25.4	1.75	2.15	Full	90	Anti-clockwise	MTCG+R	10°	1800





Aluminium Cutting

- Backed by an ultra-thin kerf blade for fast cutting and helps to increased battery life, DEWALT® Metal Cutting™ saw blades are built to power through aluminum and non-ferrous metals, including brass and copper.
- Heavy-duty tungsten carbide tips maintain a sharp edge for long life, and an anti-stick rim helps to reduce friction and gum-up.



ALUMINIUM - SINGLE PACKS

Cat. No	Blade Ø mm	Bore Ø mm	Blade thickness mm	Kerf thickness mm	Kerf Type	No of teeth	Tooth Direction	Tooth Geometry	Tooth Angle	N MAX RPM
DT1911-QZ	165	20	0.99	1.49	Full	36	Clockwise	FTG	3°	7000
DT1914-QZ	216	30	1.8	2.6	Full	48	Clockwise	TCG	-5°	6000
DT1916-QZ	305	30	2.5	3.2	Full	80	Clockwise	TCG	-5°	4800

CIRCULAR SAW BLADES QUICK REFERENCE CHART - STATIONARY



	Cat.No.	Blade/Bore mm	No. of teeth	Tooth Geometry	Tooth Angle	XR EXTREME® RUNTIME™, EXTREME® or DC	Cutting type	Hardwood	Wood	Reclaimed wood with nails	Soft wood	Plywood	Laminate	MDF	Veneer	Coated panels	Plastic	Aluminum	Metal/ Steel	Composite Decking	Fibre Cement
184	DT1668	184/16	40	ATB	7°	2	FC	✓				✓	✓	✓							
	DT1669	184/16	24	ATB	7°	2	UU	✓				✓	✓	✓							
	DT1670	184/16	60	ATB	7°	2	FC					✓	✓	✓							
	DT1938	184/16	18	ATB	20°	2	EFC		✓	✓		✓	✓	✓							
	DT1939	184/16	24	ATB	16°	2	UU		✓	✓		✓	✓	✓							
	DT1940	184/16	24	ATB	10°	2	UU		✓	✓		✓	✓	✓							
	DT90251	184/20	24	ATB	18°	1	UU		✓	✓		✓	✓	✓							
	DT90252	184/20	36	ATB	15°	1	FC		✓	✓		✓	✓	✓							
	DT90254	184/20	24	ATB	18°	2	UU			✓											
	DT90255	184/20	40	TCG	7°	2	FC													✓	
	DT90256	184/20	40	FTG	12°	2	-														✓
	DT90257	184/20	24	ATB	18°	2	UU	✓				✓	✓	✓							
	DT90259	184/20	60	ATB	18°	2	FC	✓				✓	✓	✓							
	DT90263	184/20	48	TCG	5°	2	FC								✓	✓	✓	✓			
190	DT4394	190/30	40	TCG	7°	2	FC													✓	
210	DT99565	210/30	24	ATB+R	20°	3	UU	✓				✓	✓	✓							
	DT99566	210/30	36	ATB+R	20°	3	FC	✓				✓	✓	✓							
	DT99567	210/30	60	ATB+R	20°	3	XFC	✓				✓	✓	✓							
216	DT1473	216/30	8	FTG	12°	2	-														✓
	DT1655	216/30	60	ATB	7°	1	EFC	✓	✓		✓	✓	✓	✓							
	DT1914	216/30	48	TCG	-5°	1	XFC											✓			
	DT1952	216/30	24	ATB	-5°	1	EFC		✓	✓	✓										
	DT1953	216/30	40	ATB	-5°	1	UU		✓	✓	✓										
	DT4286	216/30	80	TCG	-5°	2	XFC											✓			
	DT4310	216/30	24	ATB	-5°	2	FC	✓	✓		✓	✓	✓	✓							
	DT4320	216/30	48	ATB	-5°	2	XFC	✓	✓		✓	✓	✓	✓							
	DT4350	216/30	60	ATB	-5°	2	XFC	✓	✓		✓	✓	✓	✓							
	DT4370	216/30	60	TCG	-5°	2	XFC	✓	✓		✓	✓	✓	✓	✓	✓					
	DT90262	216/30	60	ATB	7°	2	XFC	✓	✓		✓	✓	✓	✓							
	DT99568	216/30	24	ATB+R	7°	3	UU	✓				✓	✓	✓							
	DT99569	216/30	36	ATB+254	7°	3	FC	✓				✓	✓	✓							
	DT99570	216/30	60	ATB+R	7°	3	XFC	✓				✓	✓	✓							
250	DT1474	250/30	12	FTG	12°	2	-														✓
	DT1956	250/30	24	ATB	10°	1	EFC		✓	✓	✓										
	DT1957	250/30	48	ATB	10°	1	UU		✓	✓	✓										
	DT4202	250/30	24	FTG	10°	2	EFC		✓		✓	✓		✓							
	DT4217	250/30	60	HG	10°	2	XFC									✓					
	DT4226	250/30	30	ATB	20°	2	UU	✓				✓	✓	✓							
	DT4282	250/30	96	TCG	-5°	2	XFC								✓	✓	✓	✓			
	DT4287	250/30	80	TCG	-5°	2	XFC								✓	✓	✓	✓			
	DT4301	250/30	24	FTG	10°	2	XFC	✓	✓		✓	✓	✓	✓							
	DT4311	250/30	24	FTG	10°	2	FC	✓	✓		✓	✓	✓	✓							
	DT4321	250/30	30	ATB	10°	2	FC	✓	✓		✓	✓	✓	✓							
	DT4322	250/30	40	ATB	10°	2	UU	✓				✓	✓	✓							
	DT4323	250/30	48	ATB	20°	2	UU	✓				✓	✓	✓							
	DT4345	250/30	50	HZ	10°	2	XFC								✓	✓	✓				
	DT4351	250/30	60	ATB	10°	2	FC	✓	✓		✓	✓	✓	✓							
	DT4352	250/30	60	TCG	-5°	2	XFC	✓	✓		✓	✓	✓	✓	✓	✓					
	DT99571	250/30	24	ATB+R	7°	3	UU	✓	✓			✓	✓	✓							
	DT99572	250/30	36	ATB+R	7°	3	FC	✓	✓			✓	✓	✓							
	DT99573	250/30	60	ATB+R	7°	3	XFC	✓	✓			✓	✓	✓							

1 = DEWALT Construction (DC) 2 = EXTREME® 3 = XR EXTREME RUNTIME ATB = Alternate Top Bevel ATB+R Alternate Top Bevel + Raker EFC = Extra Fast Cutting FC = Fine Cutting
FTG = Flat Top Grind HG = Hollow Ground TCG = Triple Chip Grind UU = Universal Use XFC = Extra Fine Cutting


CIRCULAR SAW BLADES QUICK REFERENCE CHART - STATIONARY



	Cat.No.	Blade/Bore mm	No. of teeth	Tooth Geometry	Tooth Angle	XR EXTREME® RUNTIME™, EXTREME® or DC	Cutting type	Hardwood	Wood	Reclaimed wood with nails	Soft wood	Plywood	Laminate	MDF	Veneer	Coated panels	Plastic	Aluminum	Metal/ Steel	Stainless steel	Fibre Cement
254	DT90249	254/30	40	ATB	7°	1	FC		✓	✓	✓										
	DT90250	254/30	60	ATB	7°	1	XFC		✓	✓	✓										
	DT90264	254/30	80	TCG	0	2	XFC	✓	✓		✓	✓	✓	✓	✓	✓					
	DT90266	254/30	80	ATB	7°	2	FC	✓	✓		✓	✓	✓	✓							
	DT90267	254/30	80	ATB	5°	2	XFC	✓	✓		✓	✓	✓	✓							
260	DT4280	260/30	80	TCG	-5°	2	XFC								✓	✓	✓	✓			
	DT4324	260/30	48	ATB	10°	2	XFC								✓	✓	✓	✓			
	DT4281	300/30	80	TCG	-5°	2	XFC								✓	✓	✓	✓			
305	DT99595	305/25.4	60	ATB+R	7°	1	EFC	✓	✓			✓	✓	✓							
	DT99596	305/25.4	78	ATB+R	7°	3	EFC	✓	✓			✓	✓	✓							
	DT1042	305/30	60	ATB	7°	3	EFC	✓	✓			✓	✓	✓							
	DT1475	305/30	16	FTG	12°	2	-														✓
	DT1916	305/30	80	TCG	-5°	1	EFC											✓			
	DT1958	305/30	24	ATB	-5°	1	EFC		✓	✓	✓										
	DT1959	305/30	48	ATB	10°	1	UU		✓	✓	✓										
	DT1960	305/30	60	ATB	-5°	1	UU		✓	✓	✓										
	DT4210	305/30	32	ATB	-5°	2	EFC	✓				✓	✓	✓							
	DT4218	305/30	72	HG	10°	2	XFC									✓					
	DT4260	305/30	60	ATB	-5°	2	FC	✓				✓	✓	✓							
	DT4283	305/30	80	TCG	-5°	2	EFC								✓	✓	✓	✓			
	DT4288	305/30	80	TCG	-5°	2	EFC								✓	✓	✓	✓			
	DT4290	305/30	96	TCG	-5°	2	EFC								✓	✓	✓	✓			
	DT4330	305/30	36	ATB	-5°	2	FC	✓	✓			✓									
	DT4331	305/30	60	ATB	-5°	2	FC	✓				✓	✓	✓							
	DT4340	305/30	48	ATB	10°	2	FC	✓	✓			✓	✓	✓							
	DT4346	305/30	60	HG	10°	2	EFC								✓	✓	✓				
	DT90265	305/30	80	ATB	7°	2	EFC	✓	✓			✓	✓	✓							
	DT99574	305/30	42	ATB+R	7°	3	UU	✓				✓	✓	✓							
	DT99575	305/30	60	ATB+R	7°	3	FC	✓				✓	✓	✓							
	DT99576	305/30	80	ATB+R	7°	3	EFC	✓				✓	✓	✓							
315	DT1961	315/30	24	ATB	20°	1	XFC		✓	✓	✓										
	DT4332	315/30	48	ATB	10°	1	XFC	✓	✓			✓	✓	✓							
350	DT4291	350/30	96	TCG	-5°	2	EFC								✓	✓	✓	✓			
	DT4305	350/30	36	FTG	10°	2	UU	✓	✓		✓	✓									
	DT1921	355/25.4	70	TCG	10°	1	EFC													✓	
	DT1922	355/25.4	90	TCG	10°	1	EFC													✓	
	DT1926	355/25.4	66	TCG	1,5°	1	EFC												✓		
	DT1927	355/25.4	90	TCG	1,5°	1	EFC												✓		
400	DT4317	400/30	36	ATB	10°	2	UU	✓				✓	✓	✓							
	DT4338	400/30	60	ATB	10°	2	UU	✓				✓	✓	✓							

1 = DEWALT Construction (DC) 2 = EXTREME® 3 = XR EXTREME RUNTIME ATB = Alternate Top Bevel ATB+R Alternate Top Bevel + Raker EFC = Extra Fast Cutting FC = Fine Cutting
FTG = Flat Top Grind HG = Hollow Ground TCG = Triple Chip Grind UU = Universal Use XFC = Extra Fine Cutting

CIRCULAR SAW BLADES QUICK REFERENCE CHART - PORTABLE



	Cat.No.	Blade/Bore mm	No. of teeth	Tooth Geometry	Tooth Angle	XR EXTREME® RUNTIME™, EXTREME® or DC	Cutting type	Hardwood	Wood	Reclaimed wood with nails	Soft wood	Plywood	Laminate	MDF	Veneer	Coated panels	Plastic	Aluminum	Metal/ Steel	Stainless steel	Fibre Cement
136	DT1946	136/10TK*	16	ATB	20°	1	EFC		✓	✓	✓										
	DT1947	136/10TK*	24	ATB	20°	1	UU		✓	✓	✓										
140	DT1910	140/20	30	FTG	3°	1	FC											✓			
	DT1918	140/20	40	TCG	10°	1	EFC													✓	
	DT1923	140/20	30	TCG	1,5°	1	FC												✓		
152	DT1930	152/20	24	ATB	10°	1	UU		✓	✓	✓										
160	DT1470	160/20	4	FTG	12°	2	-														✓
	DT1931	160/20	18	ATB	20°	1	EFC		✓	✓	✓										
	DT1932	160/20	30	ATB	10°	1	UU		✓	✓	✓										
	DT4057	160/20	36	ATB	10°	2	FC	✓				✓	✓	✓							
	DT4084	160/20	48	TCG	-5°	2	XFC								✓	✓	✓	✓			
165	DT1086	165/20	48	TCG	5°	2	FC	✓	✓		✓	✓	✓	✓							
	DT1087	165/20	54	TCG	0°	2	EFC	✓	✓				✓	✓	✓	✓					
	DT1088	165/20	54	TCG	-5°	2	EFC	✓	✓				✓	✓	✓	✓					
	DT1089	165/20	18	FTG	18°	2	UU	✓	✓		✓										
	DT1090	165/20	48	ATB	5°	2	FC	✓	✓												
	DT1091	165/20	40	ATB	-5°	2	FC	✓	✓				✓	✓	✓	✓					
	DT1471	165/20	4	FTG	12°	2	-														✓
	DT1911	165/20	36	FTG	3°	1	FC											✓			
	DT1933	165/20	18	ATB	20°	1	EFC		✓	✓	✓										
	DT1934	165/20TK*	24	ATB	10°	1	UU		✓	✓	✓										
	DT1935	165/20	30	ATB	10°	1	UU		✓	✓	✓										
	DT1936	165/30	18	ATB	20°	1	EFC		✓	✓	✓										
	DT1937	165/30	30	ATB	10°	1	UU		✓	✓	✓										
	DT1948	165/20TK*	16	ATB	20°	1	EFC		✓	✓	✓										
	DT1949	165/20TK*	24	ATB	20°	1	UU		✓	✓	✓										
	DT1950	165/20TK*	40	ATB	20°	1	FC		✓	✓	✓							✓			
	DT4026	165/20	24	ATB	25°	2	UU	✓				✓	✓	✓							
	DT4027	165/30	24	ATB	25°	2	UU	✓				✓	✓	✓							
	DT4087	165/20	48	TCG	-5°	2	FC	✓	✓				✓	✓	✓						
	DT4088	165/30	48	TCG	-5°	2	XFC								✓	✓	✓	✓			
	DT10300	165/20	24	ATB	18°	2	UU	✓				✓	✓	✓							
	DT10301	165/20	40	ATB	18°	2	FC	✓				✓	✓	✓							
	DT10624	165/20	24	ATB	18°	2	UU	✓				✓	✓	✓							
	DT10640	165/20	40	ATB	18°	2	FC	✓				✓	✓	✓							
	DT99560	165/20	24	ATB+R	10°	3	UU	✓	✓		✓	✓		✓							
	DT99561	165/20	42	ATB+R	10°	3	FC	✓	✓		✓	✓		✓							
184	DT1941	184/30	18	ATB	20°	1	EFC		✓	✓	✓										
	DT1942	184/30	30	ATB	10°	1	UU		✓	✓	✓										
	DT1951	184/20TK*	24	ATB	18°	1	UU		✓	✓	✓										
	DT4031	184/16	28	ATB	25°	2	UU	✓				✓	✓	✓							
	DT4063	184/16	40	ATB	10°	2	FC	✓				✓	✓	✓							
	DT4092	184/16	48	TCG	-5°	2	XFC								✓	✓	✓	✓			
	DT10302	184/16	24	ATB	18°	2	UU	✓				✓	✓	✓							
	DT10303	184/16	40	ATB	18°	2	FC	✓				✓	✓	✓							
	DT99577	184/20	24	ATB+R	25°	3	UU														
	DT99578	184/20	36	ATB+R	25°	3	FC														
	DT99579	184/20	60	ATB+R	25°	3	XFC														
190	DT1472	190/30	4	FTG	12°	2	-														✓
	DT1943	190/30	18	ATB	20°	1	EFC		✓	✓	✓										
	DT1944	190/30TK*	24	ATB	16°	1	UU		✓	✓	✓										
	DT1945	190/30	40	ATB	10°	1	UU		✓	✓	✓										
	DT4033	190/30	28	ATB	10°	2	UU	✓				✓	✓	✓							
	DT4064	190/30	40	ATB	10°	2	FC	✓				✓	✓	✓							
	DT4094	190/30	48	TCG	-5°	2	XFC								✓	✓	✓	✓			
	DT10304	190/30	24	ATB	18°	2	UU	✓				✓	✓	✓				✓			
	DT99562	190/30	24	ATB+R	25°	3	UU	✓			✓	✓	✓	✓							
	DT99563	190/30	36	ATB+R	25°	3	FC	✓			✓	✓	✓	✓							
235	DT1954	235/30	24	ATB	20°	1	EFC	✓				✓	✓	✓							
	DT1955	235/30	40	ATB	10°	1	UU					✓	✓	✓							
	DT4036	235/30	28	ATB	25°	2	UU	✓				✓	✓	✓							
	DT4067	235/30	40	ATB	10°	2	FC	✓				✓	✓	✓							
	DT4097	235/30	56	TCG	-5°	2	XFC								✓	✓	✓	✓			


1 = DEWALT Construction (DC) 2 = EXTREME® 3 = XR EXTREME RUNTIME ATB = Alternate Top Bevel ATB+R Alternate Top Bevel + Raker EFC = Extra Fast Cutting FC = Fine Cutting
FTG = Flat Top Grind HG = Hollow Ground TCG = Triple Chip Grind UU = Universal Use XFC = Extra Fine Cutting * Thin Kerf


DEWALT
DEWALT 5


RECOMMENDED MATERIALS



Metal


Stainless Steel


Nickel


Bronze


Copper


Aluminium


Zinc



Tin


Ceramic Tile



Wood



Reclaimed Wood with Nails



Veneer


Laminate



Chipboard



MDF


Plywood


Hardboard


Plastic


Plexiglass


Concrete



Jigsaw Blades



For increased cut control, burr free cutting, faster cutting, long life and durabilty.



For increased durability and performance.






CROSSED TEETH
For rough and fast cuts in hard and soft wood, plastic and aluminum.



WAVY TEETH
For fine and clean cuts in hardwood and softwood, aluminum, non-ferrous metals and plastics.



INCLINED SHARPENED, CROSSED TEETH
For fast cuts in hardwood and softwood.




STRAIGHT TEETH
For clean cuts in all wood and plastic.

EXTREME JIGSAW BLADES

PRECISION CUT





PATENTED PLUNGE POINT TIP
Specially developed hardened, aggressive front teeth enable improved, low kick-back penetration with easier chip removal, when plunge cutting.

PREMIUM STEEL
For maximum durability and accessory life, reinforced blade body for the best control and precision.

CONICAL BLADE BODY
Better control and clean cutting profile with no burning of work pieces, even in narrow curve cuts.

TOOTH SPACING AND GEOMETRY
Extremely sharp teeth and extra tooth depth for improved chip removal. Reduced slippage and increased cutting speed. Improved control and extended performance life.



FOR USE WITH

Jigsaws (corded and cordless)





PACKS


Cat. No.	Blade Material	Application	Total length mm	Working length mm	Teeth pitch mm	Max. cutting depth mm	Bosch Cat. No.	Pack Qty.
DT2205-QZ	HCS	Clean, precise and fast cuts in wood, plywood and joiner plates, laminates as well as plastic up to 30mm thick.	100	75	2.5	30	T101B	5
DT2207-QZ	HCS	Extremely clean, burr-free cuts in laminates and hardwood up to 40mm thick.	100	75	2.5	40	T101BR	5
DT2209-QZ	HCS	Extremely long durability (impact toothing). Clean, precise and fast cuts in wood, plywood and furniture boards, laminates and plastics to 60mm thick.	100	75	4.2	60	T101D	5
DT2210-QZ	HCS	Clean, fast accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick.	100	75	4.2	60	T101D	20
DT2211-QZ	HCS	Simple, precise cuts in wood, plywood, blockboard, laminates and plastic up to 60mm thick.	100	75	3.1	60	T111C	5
DT2212-QZ	HCS	Coarse, accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick.	100	75	3.1	60	T111C	20
DT2213-QZ	HCS	Fast, precise cuts in wood, plywood, blockboard, laminates and plastic up to 60mm thick.	100	75	4.2	60	T144D	5
DT2214-QZ	HCS	Fast, accurate cutting in wood, chipboard, plywood, laminates and plastic up to 60mm thick.	100	75	4.2	60	T144D	20
DT2216-QZ	HCS	Precise, clean and fast curve cuts in wood, plywood and blockboards, laminates up to 15mm strength and NOT suitable for plunge cuts.	82	54	2	15	T119BO	5
DT2217-QZ	BIM	Clean, fast and precise cuts in hard woods, plywood and blockboards, laminates and plastics up to 30mm thick. Extremely long durability.	100	75	2.5	30	T101BF	3
DT2218-QZ	BIM	Clean, fast and precise cuts in hard woods, plywood and blockboards, laminates and plastics up to 60mm thick. Extremely long durability.	100	75	4	60	T101DF	3
DT2219-QZ	BIM	Extremely clean, burr-free cuts in laminates and hardwood up to 40mm thick. Extremely long durability (impact toothing).	100	75	2.5	40	T101BRF	3
DT2220-QZ	BIM	Fast, precise cuts in hard woods, plywood and furniture boards, laminates and plastics to 60mm thickness. Extremely long durability.	100	75	4	60	T144DF	3
DT2221-QZ	BIM	Extra long life. For fast accurate cutting in aluminium up to 15mm and plastics up to 30mm	100	75	3	30	T127DF	3

SETS

Cat. No.	Description	Contents
DT2296-QZ	10 piece set	DT2209 x2 / DT2205 x2 / DT2213 x2 DT2216 x1 / DT2218 x1 / DT2217 x1 / DT2220 x1
DT2298-QZ	14 piece set	DT2209 x4 / DT2205 x 4 / DT2213 x2 DT2216 x1 / DT2218 x1 / DT2217 x1 / DT2220 x1

EXTREME® BI-METAL FOR METAL





FEATURES

- EXTREME® bi-metal jaw saw blades offer an extended durability in non-ferrous and ferro-alloyed metals.
- Coolant lubricant recommended: cutting oil, emulsion, lubricant / cooling grease (for aluminum, mild steel).

FOR USE WITH

Jigsaws (corded and cordless)





PACKS

Cat. No.	Application	Total length mm	Working length mm	Teeth pitch mm	Max. cutting depth mm	Bosch Cat. No.	Pack Qty.
DT2150-QZ	Quick cuts in steel up to 3mm, also in aluminum, copper, brass and others non-ferrous metals up to 3mm thickness	86	61	1	3	T118AF	3
DT2154-QZ	Fast cuts in steel up to 6mm, also in aluminum, copper, brass and others non-ferrous metals up to 5mm thickness	76	51	1.8	6	T118BF	3
DT2156-QZ	Fast cuts in sheet metal up to 2.5mm	76	51	0.8	2.5	T118GF	3
DT2054-QZ	Curved cuts in metal and thin steel plate	82	55	1.5	4	T118OF	5



EXTREME® BI-METAL FOR WOOD AND METAL





FOR USE WITH

Jigsaws (corded and cordless)





PACKS

Cat. No.	Application	Total length mm	Working length mm	Teeth pitch mm	Max. cutting depth mm	Bosch Cat. No.	Pack Qty.
DT2059-QZ	For applications in wood up to 65mm thick as well as metal pipes and profiles of 3-10mm thick. Particularly suitable for cuts with varying material thickness (pull).	132	101	2.4 - 5	Wood 65, metal 10	T345XF	5

EXTREME® SPECIALIST JIGSAW BLADES










FOR USE WITH

Jigsaws (corded and cordless)
















PACKS

Cat. No.	Application	Total length mm	Working length mm	Teeth pitch mm	Max. cutting depth mm	Bosch Cat. No.	Pack Qty.
DT2055-QZ	Tungsten carbide tipped blade (TCT) for stainless steel sheet metal (Inox) from 1.5-5mm thick.	82	55	1.4	5	T118EHM	1
DT2080-QZ	Clean, straight cuts in all laminates up to 15mm thickness.	82	59	1.7	15	T101BIF	5
DT2081-QZ	Clean curves in all laminates up to 15mm thick.	82	59	1.4	15	T101AOF	3
DT2101-QZ	Stitch saw blade with HM cutting edge for cuts in stainless steel (INOX) and structural steel 1.2-3 mm.	76	47	1	3	T118AHM	1
DT2102-QZ	Tungsten carbide grit blade for ceramic tiles, fibreglass and reinforced plastic up to 10mm thick.	76	50		10	T130RF	1
DT2056-QZ	Carbide-tipped teeth for cuts in GRP and the like. Plastics up to 65mm, plaster as well as cement-bound board materials (up to 80mm).	132	100	4.3	65	T341HM	1
DT2103-QZ	Carbide-tipped teeth for cuts in GRP, such as plastics up to 20mm as well as in cement-bonded board materials.	100	69	4.3	20	T141HM	1
DT2201-QZ	Knife blade for soft materials, rubber, foam & polystyrene up to 100mm thick.	152	125		100	T313AW	5
DT2084-QZ	Straight and curved sections in sandwich materials up to 120mm and medium-strength steel plates.	180	148	2	120	T718BF	5



HSS BLADES FOR METAL



FEATURES

- HSS jigsaw blades offer high durability and best cutting results in steel and non-ferrous metals.
- Consisting of fully hardened, high-speed cut-to-length steel (HSS).
- Coolant lubricant: cutting oil, emulsion, lubricating / cooling grease (for aluminum, mild steel).

FOR USE WITH

Jigsaws (corded and cordless)











PACKS

Cat. No.	Application	Total length mm	Working length mm	Teeth pitch mm	Max. cutting depth mm	Bosch Cat. No.	Pack Qty.
DT2160-QZ	Straight cuts in steel sheet and non-ferrous metals	76	50	1.2	4	T118A	5
DT2161-QZ	Straight cuts in solid material (Steel and non-ferrous metals)	76	50	2	6	T118B	5
DT2162-QZ	Straight cuts in very thin steel plate and non-ferrous metals	76	50	0.7	2	T118G	5
DT2085-QZ	Straight cuts in thin steel sheet, non-ferrous metals 1.5-3mm and aluminum up to 65mm	132	108	1.2	3	T318A	5
DT2163-QZ	Fast, straight cuts in aluminum up to 15mm, steel and non-ferrous metals 3-6mm	100	72	3	ALU 15, Metal 6, Plastic 30	T127D	5
DT2058-QZ	For thin to thick sheets, thin tubes and profiles as well as aluminum up to a thickness of 1.5-10mm	100	74	1.2 - 2.6	10	T123X	5

SETS

Cat. No.	Description	Contents
DT2290-QZ	10 piece jigsaw set - wood cutting	DT2165 x2 / DT2050 x1 / DT2168 x1 / DT2177 x2 DT2166 x2 / DT2075 x2 (Bosch equivelent T101B / T119BO / T101AO / T111C / T144D / T144DP)
DT2292-QZ	10 piece set HSS stitch saws for metal	DT2172 x2 Straight cuts in very thin steel sheet and non-metal DT2160 x3 Straight cuts in steel sheet and non-metal DT2161 x2 Straight cuts in solid material such as steel and non-metal DT2163 x2 Fast, straight cuts in aluminum, steel, non-ferrous metal and PVC DT2054 x1 BiM - Curve cuts in metal and thin steel sheet DT2054 x1 BiM - Curve cuts in metal and thin steel sheet
DT2294-QZ	10 Piece jigsaw set - wood / metal cutting	DT2165 x2 / DT2050 x2 / DT2163 x2 DT2177 x2 / DT2160 x2 (Bosch equivalent T101B / T119BO / T127D / T111C / T118A)



HCS CARBON STEEL BLADES FOR WOOD











FEATURES

- HCS jigsaw blades offer high durability and best cutting results
- Consisting of flexible carbon steel (HCS)
- For use in wood, plastic-coated wood fibre boards and plastics.

FOR USE WITH

Jigsaws (corded and cordless)











PACKS

Cat. No.	Application	Total length mm	Working length mm	Teeth pitch mm	Max. cutting depth mm	Bosch Cat. No.	Pack Qty.
DT2050-QZ	Especially for curved cuts in softwood, plywood, plywood and fibre boards.	76	48	2	15	T119BO	5
DT2052-QZ	Especially for curved cuts in softwood, plywood, plywood and fibre boards.	116	87	3	65	T301CD	5
DT2053-QZ	By reverse gear splinter-free cuts in wood, chipboard, plywood, fibreboard and laminate (bevel).	100	73	2.5	40	T101BR	5
DT2164-QZ	Fast, straight cuts in wood, and wood materials.	100	68	4	60	T101D	5
DT2165-QZ	Straight, fine cuts in wood, wood materials and plastics.	100	73	2.5	30	T101B	5
DT2168-QZ	Fine curve cuts in softwood, plywood and coated boards.	76	47	1.4	30	T101AO	5
DT2049-QZ	Fast, extra straight cuts in wood and chipboard.	100	68	4	60	T101DP	5
DT2051-QZ	Fast, rough cuts in wood, chipboard, plywood and fibre boards.	132	100	4	85	T301DL	5
DT2077-QZ	Fast curve cuts in wood.	100	70	4	60	T244D	5
DT2166-QZ	Fast, straight cuts in wood, chipboard, carpentry and fibre boards.	100	68	4	60	T144D	5
DT2186-QZ	Fast, straight cuts in wood, chipboard, plywood, laminated chipboard and plastic up to 60mm thick.	100	68	4	60	T144D	100
DT2169-QZ	Fast, straight cuts in wood and wood materials.	152	116	4	100	T344D	5
DT2048-QZ	For straight and cuts at accurate angles in wood, chipboard, carpentry and fibre boards	116	87	2.5	65	T301BCP	5
DT2075-QZ	Fast, extra straight and angular cuts in wood, chipboard, carpentry and fibre boards.	100	68	4	60	T144DP	5
DT2076-QZ	Fast, extra straight and angular cuts in wood, chipboard, carpentry and fibre boards.	152	116	4	100	T344DP	5
DT2057-QZ	Quick cuts in varying thicknesses in wood, chipboard, joiner and fibre boards up to 65mm.	116	91	2-3	65	T234X	5
DT2167-QZ	Fast, rough cuts in thick wooden planks up to 120mm thickness.	180	155	4	120	T744D	5
DT2074-QZ	Clean, extra straight and angled cuts in wood, plywood, carpentry and fibre boards for border flush cuts	112	74	2.3	65		1


JIGSAW BLADES - QUICK REFERENCE CHART


		Wood Blades						
		High Carbon Steel						
DOC	Pitch	Laminates / Hardwood	Curved cuts in wood	Wood	Wood / Plywood / Laminates / Plastic	Aluminium / Plastics	Softwood / Plywood / Fibre Boards	Wood / Chipboard / Plywood / Laminate / Fibre Board
15mm	15mm				DT2205			
15mm	2.0mm				DT2216		DT2050	
30mm	1.4mm						DT2168	
30mm	2.5mm				DT2217, DT2165			DT2060 (U Shank)
30mm	3.0mm					DT2221		
40mm	2.5mm	DT2207, DT2219						DT2053
60mm	3.1mm				DT2211, DT2212			
60mm	4.0mm		DT2077	DT2164,DT2049 (U Shank)	DT2218, DT2220			DT2166, DT2075
60mm	4.2mm				DT2209, DT2210, DT2213, DT2214, DT2186			
65mm	2mm & 3mm							DT2057
65mm	2.3mm							DT2074 (Flush cut)
65mm	2.5mm							DT2048
65mm	3.0mm						DT2052	
85mm	4.0mm							DT2051
100mm	4.0mm			DT2169				DT2076
120mm	4.0mm			DT2167				

		Metal Blades			
		Bi-Metal	HSS		
DOC	Pitch	Steel / Non-Ferrous	Steel / Non-Ferrous	Aluminium / Non Ferrous	Multi Material
2.0mm	0.7mm		DT2162		
3.0mm	1.2mm			DT2085	
3.0mm	1.0mm	DT2150			
2.5mm	0.8mm	DT2156			
4.0mm	1.54mm	DT2054			
6.0mm	1.8mm	DT2154			
4.0mm	1.2mm		DT2160		
6.0mm	2.0mm		DT2161		
30mm	3mm				Alu 15mm, Metal, 6mm, Plastic 30mm

		Specialist Blades						
		TCT	TCT	Bi-Metal	TC Grit	Knife Blade	Bi-Metal	Bi-Metal
DOC	Pitch	GRP / Plastic / Plaster	Inox	Laminates	Ceramic / Fibreglass	Soft Materials / Rubber / Foam / Polystyrene	Sandwich Materials / Steel	Wood / Metal
3.0mm	1.0mm		DT2101					
5.0mm	1.4mm		DT2055					
10mm	n/a							
15mm	1.4mm			DT2081				
15mm	1.7mm			DT2080				
20mm	4.3mm	DT2103						
65/10mm	2.4-5mm							DT2059 (Wood 65mm / Metal 10mm)
65mm	4.3mm	DT2056						
100mm	n/a					DT2201		
120mm	2.0mm						DT2084	

RECOMMENDED MATERIALS



Rebar



Metal


Stainless Steel


Copper


Aluminium


Brick


Ceramic Tile



Wood



Reclaimed Wood with Nails


Veneer



Laminate


Chipboard


MDF


Plywood



Hollow Brick



Plastic


Insulation


Fibreglass Roll


Fibreglass Board


Concrete


Plasterboard



Reciprocating and Alligator® Saw Blades



For metal and wood.



For metal and wood.




Optimised for cordless tools. For metal and wood.






For wood, hollow brick and insulation materials.






KNIFE BLADE DESIGN
For clean cuts in fibre insulation, polystyrene, cardboard, carpet, leather and rubber.




CROSSED TEETH
For rough and fast cuts in hard and soft wood, plastic and aluminum.



WAVY TEETH
For fine and clean cuts in hardwood and softwood, aluminum, non-ferrous metals and plastics.



INCLINED SHARPENED, CROSSED TEETH
For fast cuts in hardwood and softwood.




STRAIGHT TEETH
For clean cuts in all wood and plastic.

UNIVERSAL FITTING



Reinforced blade body with aggressive angle ensures high stability and long life.

EXTREME® BI-METAL RECIPROCATING SAW BLADES








FOR USE WITH

Corded and Cordless Reciprocating Saws






PACKS

Cat. No.	Application	Length mm	Pitch mm	TPI	Pack Qty.
DT2407L-QZ	For extremely hard and abrasive metals	152	1.4-1.8	14-18	5
DT2408L-QZ	For extremely hard and abrasive metals	203	1.4-1.8	14-18	5
DT2409L-QZ	For extremely hard and abrasive metals	305	1.4-1.8	14-18	5
DT2300L-QZ	For fast, rough cuts in hard and soft wood with nails,with Plunge Point tip	152	4.2	6	5
DT2307L-QZ	For fast, rough cuts in hard and soft wood with nails, with Plunge Point tip	228	4.2	6	5
DT2314L-QZ	For fast, rough cuts in hard and soft wood with nails, with Plunge Point tip	305	4.2	6	5
DT2301L-QZ	For fast cuts in multi-materials	152	2.5	10	5
DT2308L-QZ	For fast cuts in multi-materials	228	2.5	10	5
DT2316L-QZ	For fast cuts in multi-materials	305	2.5	10	5

BULK PACKS

Cat. No.	Description	Pack Qty.
DT2491-QZ	DT2307L-QZ x25	25
DT2492-QZ	DT2308L-QZ x25	25

SETS

Cat. No.	Description	Contents	Pack Qty.
DT2440L-QZ	6 Piece EXTREME® reciprocating Blade Set	DT2300L x1 / DT2301L x1 / DT2307L x1 DT2308L x1 / DT2315L x1 / DT2407L x1	6
DT2443L-QZ	8 Piece EXTREME® reciprocating Blade Set	DT2300L x3 / DT2407L x3 DT2308L x1 / DT2408L x1	8
DT2441L-QZ	12 Piece EXTREME® reciprocating Blade Set	DT2300L x2 / DT2301L x2 / DT2307L x2 DT2308L x2 / DT2315L x2 DT2407L x1 / DT2408L x1	12



EXTREME® CARBIDE RECIPROCATING SAW BLADES



FEATURES

- FAST MATERIAL REMOVAL. Larger gullets remove material more quickly*, decreasing cutting time.
- FAST CUTS IN DEMANDING DEMOLITION APPLICATIONS
- Titanium coating makes teeth more wear-resistant so they stay sharp for 2x faster* cuts.
- STANDS UP TO TOUGH APPLICATIONS. Tall and thick blade profile adds durability and minimises blade breaks.
- ENGINEERED FOR PERFORMANCE. Each tooth is precision ground to cut through a wide range of metals and nail embedded wood.
- UP TO 10X LONGER LIFE*. High performance carbides are welded to the cutting edge for durability and to help prevent tooth loss.

*Compared to DEWALT bi-metal blades

FOR USE WITH

Corded and Cordless Reciprocating Saws

10X LONG LIFE* 2X FASTER

PACKS

Cat. No.	Application	Length mm	Pitch mm	TPI	Pack Qty.
DT20440-QZ	Carbide Reciprocating Wood Nails	152	4.2	6	1
DT20439-QZ	Carbide Reciprocating Wood Nails	230	4.2	6	1
DT20438-QZ	Carbide Reciprocating Wood Nails	305	1.4-1.8	6	1
DT20437-QZ	Carbide Reciprocating Metal	152	1.4-1.8	8	1
DT20436-QZ	Carbide Reciprocating Metal	102	1.4-1.8	8	1
DT20435-QZ	Carbide Reciprocating Metal	230	1.4-1.8	8	1







XR EXTREME RUNTIME RECIPROCATING SAW BLADES



FEATURES

- Designed for cordless tools to maximise battery life and runtime. Ideally suited for FlexVolt as part of the increased power and runtime story.
- High efficiency design to achieve more cuts per charge.
- Full range - wood and metal cutting saw blades.
- Variable tooth design (increase blade efficiency).
- ToughCoat™ reduces heat and prolongs blade life.
- Up to 2x runtime.
- Up to 2x longer life.

FOR USE WITH

XR FLEXVOLT®, other Corded and Cordless Reciprocating Saws

XR FLEXVOLT



PACKS

Cat. No.	Application	Length mm	Pitch mm	TPI	Pack Qty.
DT99554-QZ	For energy efficient, fast, cutting in hard and soft wood with nails	152	4.2	6	5
DT99555-QZ	For energy efficient, fast, cutting in hard and soft wood with nails	230	4.2	6	5
DT99553-QZ	For energy efficient cutting in extremely hard and abrasive metals	152	1.4-1.8	14-18	5
DT99552-QZ	For energy efficient cutting in extremely hard and abrasive metals	230	1.4-1.8	14-18	5

SETS

Cat. No.	Description	Contents	Pack Qty.
DT99550-QZ	13 piece XR recip blade set	DT99552 x2 / DT99553 x4 DT99554 x5 / DT99555 x2	13
DT99551-QZ	8 piece XR recip blade set	DT99552 x1 / DT99553 x3 DT99554 x3 / DT99555 x1	8



BI-METAL RECIPROCATING SAW BLADES FOR METAL



FEATURES

- Bi-metal construction, as a combination of HCS bodies and cobalt-alloyed HSS-cutting.
- Aggressive tooth geometry with a special angle for a fast and effective removal of material, especially for tensile and abrasive metals.
- Ideal for demolition work.

FOR USE WITH

Reciprocating Saws (corded and cordless)





PACKS

Cat. No.	Application	Length mm	Pitch mm	TPI	Bosch Cat. No.	Pack Qty.
DT2385-QZ	Fine cuts in steel sheet, pipes and profiles up to 1.5mm	152	1.1	23	S922AF	5
DT2384-QZ	Fast cuts in steel sheet, pipes and profiles up to 3mm.	152	1.4	18	S1122EF	5
DT2354-QZ	Fast cuts in steel sheet, pipes and profiles up to 3mm.	203	1.4	18	S1122EF	5
DT2361-QZ	Fast cuts in metals, sheet metal, pipes and profiles (3-8mm).	152	1.8	14	S922BF	5
DT2353-QZ	Fast cuts in metals, sheet metal, pipes and profiles (3-8mm).	203	1.8	14	S1025BF	5
DT2323-QZ	Fast cuts in metals, sheet metal, pipes and profiles	203	1.8	14	S1022BF	100
DT2346-QZ	Steel and non-ferrous metals up to 3mm. Ideal for use in battery-powered devices	152	1.4	18	S922EF	5
DT2404-QZ	Progressor blade for different material thicknesses. Thin to thick sheet metal 1-8mm Thin to thick metal profiles 5-100mm	150	1.4-3.35	8-18	S123XF	5



BI-METAL RECIPROCATING SAW BLADES FOR WOOD



FEATURES

- Bi-metal construction, as a combination of HCS bodies and cobalt-alloyed HSS-cutting.
- Aggressive tooth geometry with a special angle for a fast and effective removal of material, especially for tensile and abrasive metals.
- Ideal for demolition work.

FOR USE WITH

Reciprocating Saws (corded and cordless)






PACKS

Cat. No.	Application	Length mm	Pitch mm	TPI	Bosch Cat. No.	Pack Qty.
DT2351-QZ	Fine, fast curve cuts in wood and plastic. Special Plunge Point tip for fast and accurate plunge cutting into wood materials.	152	4.2	6	S611DF	5
DT2359-QZ	Fast cuts in wood with nails and hard plastic. Newly developed, patented Plunge Point tip for fast and accurate plunge cutting into wood materials.	152	4.2	6	S611VF	5
DT2349-QZ	Fast cuts in wood with nails and hard plastic. Newly developed, patented Plunge Point tip for fast and accurate plunge cutting into wood materials.	228	4.2	6	S1111VF	5
DT2320-QZ	Fast cuts in wood with nails and tough plastics. Plunge Point tip for fast and accurate plunge cutting into wood materials.	228	4.2	6	S1111VF	100
DT2350-QZ	Fast cuts in wood with nails and hard plastic. Newly developed, patented Plunge Point tip for fast and accurate plunge cutting into wood materials.	305	4.2	6	S1411VF	5
DT2344-QZ	Fine, fast curve cuts in wood and plastic. Ideal for use in battery-powered devices	152	3.6	7	S711VF	5

BI-METAL RECIPROCATING SAW BLADES FOR UNIVERSAL USE





FEATURES

- Bi-metal construction, as a combination of HCS body and cobalt-alloyed HSS cutting.
- Cobalt-alloyed M2 HSS cutting edges for increased wear resistance.
- Reinforced tooth shoulder for improved stability.

FOR USE WITH

Reciprocating Saws (corded and cordless)





PACKS

Cat. No.	Application	Length mm	Pitch	TPI	Bosch Cat. No.	Pack Qty.
DT2348-QZ	For sandwich materials up to 100mm, metal up to 10mm	152	1.8-2.5	10-14	S922VF	5
DT2387-QZ	For sandwich materials up to 175mm, metal up to 10mm	203	1.8-2.5	10-14	S1122VF	5
DT2355-QZ	For sandwich materials up to 250mm, metal up to 10mm	305	1.8-2.5	10-14	S1222VF	5
DT2345-QZ	Universal use in wood, wood with nails, aluminum and fibreglass. Ideal for use in battery-powered devices.	152	2.5	10	S922VF	5
DT2406-QZ	Progressor blade for different material thicknesses. wood with nails/metal, chipboard 5-150mm sheet metal, aluminium profiles 3-18mm plastic, fibre glass, reinforced plastic profiles 5-150mm	203	2.4-4.6	5-10	S3456XF	5

BULK PACKS

Cat. No.	Description	Pack Qty.
DT2490-QZ	DT2406-QZ x25	25



HCS RECIPROCATING SAWS BLADES FOR WOOD



FEATURES

- Highly flexible carbon steel (HCS).
- For soft wood, wood materials, plastics and other soft materials
- Universal shank 1/2".

FOR USE WITH

Reciprocating Saws (corded and cordless)





PACKS

Cat. No.	Application	Length mm	Pitch	TPI	Bosch Cat. No.	Pack Qty.
DT2362-QZ	Fine, fast curve cuts in wood and plastics.	152	4.2	6	S611D	5
DT2363-QZ	Construction wood 6-150mm Chipboard and MDF 6-60mm Plywood, plastic 6-150mm Wooden walls up to 175mm Blade thickness 1.25mm.	228	4.2	6	S1544D	5
DT2364-QZ	Fine, fast cuts in wood and plastics.	305	4.2	6	S1344D	5
DT2402-QZ	Progressor blade for different Material thicknesses. Construction timber 6-150mm Chipboard and MDF 6-60mm Plywood, plastic 6-150mm Wooden panels up to 175mm	203	2.4-4	6-10	S2345X	5
DT2352-QZ	For rough wood without nails 15-190mm Living wood and for grouting up to 190mm Firewood 15-190mm Sheet thickness 1.5mm	240	5 - 6.5	4-5	S1531L	5
DT2432-QZ	For rough wood without nails 20-250mm Living wood and for grooving up to 250mm Leaf thickness 1.25mm	305	8.5	3	S1617K	5

BULK PACKS

Cat. No.	Description	Pack Qty.
DT2493-QZ	DT2352-QZ x25	25

SETS

Cat. No.	Description	Contents	Pack Qty.
DT2442-QZ	8 piece recip set	DT2301-QZ x2 / DT2303-QZ x2 / DT2349-QZ x2 DT2353-QZ x2	8
DT2444-QZ	6 piece recip set	DT2345-QZ x2 / DT2349-QZ x2 / DT2353-QZ x2	6
DT2445-QZ	12 piece recip set	DT2345-QZ x1 / DT2349-QZ x3 / DT2359-QZ x2 DT2353-QZ x3 / DT2361-QZ x3	12



SPECIALIST MATERIAL SAW BLADES











FOR USE WITH

Reciprocating Saws (corded and cordless)







PACKS

Cat. No.	Application	Length mm	Pitch	TPI	Bosch Cat. No.	Pack Qty.
DT2356-QZ	Bi-Metal blade for cutting plasterboard.	152	1.8	14	S628DF	5
DT2333-QZ	Wear resistant carbide grit edged blade for cutting light masonry blocks, bricks, abrasive materials, ceramics, fibreglass, mild steel and wood with nails.	228	2	13	S1130RIFF	1
DT2335-QZ	Tungsten carbide toothed blade for cutting light masonry blocks, bricks, abrasive materials.	235	1	25		1
DT2400-QZ	Bi-metal reciprocating saw blade for pallet repair, wood with nails / metal 5-175mm, metal sheets, metal pipes, aluminum profiles 3-12mm, especially for flexible flush cuts, blade thickness 0.9mm.	225	2.5	10	S1122HF	100
DT2420-QZ	Tungsten carbide tipped blade for cutting areated concrete, red brick and fibre cement up to 150mm.	240	12.7	2	S1543HM	1
DT2421-QZ	Tungsten carbide tipped blade for cutting areated concrete, red brick and fibre cement up to 250mm.	305	12.7	2	S1243HM	1
DT2422-QZ	Aerated concrete, brick and fibre cement to 365mm, blade thickness 1.5mm.	457	12.7	2	S2243HM	1



RECIPROCATING SAW BLADES FOR INSULATION MATERIAL





FOR USE WITH

Reciprocating Saws
(corded and cordless)





PACKS

Cat. No.	Application	Length mm	Pitch	TPI	Bosch Cat. No.	Pack Qty.
DT2450-QZ	Precison cuts in fibre insulation material up to 100mm	225	4.2	6	S1113AWP	2
DT2451-QZ	Precison cuts in fibre insulation material up to 100mm	300	4.2	6	S1213AWP	2
DT2452-QZ	Precison cuts in fibre insulation material up to 100mm	400	4.2	6	S2013AWP	1

RECIPROCATING BLADES - QUICK REFERENCE CHART

* bulk pack
■ Plunge Point tip
▼ For cordless


HCS = High Carbon Steel
Bi-M = HCS body with cobalt-alloyed M2 HSS-cutting



Length	152 mm		203 mm		225 mm		228 mm		240 mm		300 mm	305 mm		400 mm	457 mm
Material	HCS	Bi-M	HCS	Bi-M	HCS	Bi-M	HCS	Bi-M	HCS	Bi-M	Bi-M	HCS	Bi-M	HCS	Bi-M
Wood and plastic															
Corded tool															
Clean, fast cuts	DT2362	DT2351					DT2363					DT2364			
Wood with nails		■ DT2359						■ DT2349 ■ DT2320					■ DT2350		
Varying material thickness			DT2402												
Living wood									DT2352 DT2493*			DT2432			
Cordless tool															
Clean, fast cuts		▼ DT2344													
Metal															
Corded tool															
Metal < 1.5 mm		DT2385													
Metal < 3 mm		DT2384 DT2407L DT2417 DT99553		DT2354				DT2408L DT99552					DT2409L		
Metal 3 to 8 mm		DT2361		DT2353 DT2323*											
Metal 1 to 100 mm		DT2404													
Cordless tool															
Metal < 3 mm		▼ DT2346													
Universal															
Corded tool															
Plastics, sandwich materials, tubing		DT2348		DT2387									DT2355		
Metal, rubber, fibreglass, cast iron				DT2406 DT2490*											
Cordless tool															
Wood with nails, aluminum, fibreglass		DT99554						DT99555					DT2345		
Demolition work															
Wood		■ DT2300L						■ DT2307L					■ DT2314L		
Metal, metal profiles, metal piping															
Metal, plastics, sandwich materials		DT2301L						DT2308L					DT2316L		
Other specialist materials															
Plasterboard		DT2356													
Masonry, brick, ceramics, fibreglass								DT2333							
Masonry, brick								DT2335							
Pallet work						DT2400*									
High-brick, brick, fibre cement										DT2420			DT2421		DT2422
INOX, reinforced plastics															
Fibre insulation					DT2450						DT2451			DT2452	

XR EXTREME RUNTIME ALLIGATOR® SAW BLADES





FEATURES

- Designed for cordless tools to maximise battery life and runtime.
- Ideally suited for XR FLEXVOLT®.
- High efficiency design achieves more cuts per charge.

FOR USE WITH

XR FLEXVOLT®, other Corded and Cordless Reciprocating Saws

XR FLEXVOLT



SINGLE PACKS

Cat. No.	Application	Suitable for	Total length mm	Working length mm	Teeth material	Pack Qty.
DT99590-QZ	Fast cutting of thermal building blocks. Course finish. Not for use in concrete, masonry, brick, breeze blocks or metal.	DCS 396 DWE 396	410	295	TCT	1
DT99591-QZ	Fast cutting of thermal brick blocks up to pressure strength class 12 and aerated concrete blocks.	DCS 397 DWE 397 DWE 398 DWE 399	555	430	TCT	1
DT99593-QZ	Fast cutting of hardwood, softwood, hardboard, plasterboard, fibreboard, and logs. Medium finish. Not recommended for cutting chipboard.	DCS 397 DWE 397 DWE 398 DWE 399	555	430	HSS	1



ALLIGATOR® SAW BLADES











FEATURES

- 2-piece blades sheets in HSS quality or hard-metal-matched for optimum performance when used in DEWALT® Alligator® saws.

FOR USE WITH

Alligator® Saws DW390 / 391 / 392 /393





SINGLE PACKS

Cat. No.	Application	Suitable for	Total length mm	Working length mm	Teeth material	Pack Qty.
DT2960-QZ	Drywall, board	DW 390 DW 391	360	275	HSS	1
DT2961-QZ	Hardwood, softwood, plywood	DW 390 DW 391	360	275	HSS	1
DT2962-QZ	Plywood, chipboard, MDF	DW 390 DW 391	360	275	TCT	1
DT2963-QZ	Building block, Class 12 Poroton	DW 390 DW 391	360	275	TCT	1
DT2964-QZ	Building block, Class 12 Poroton	DW 392 DW 393 DW 394	528	425	TCT	1
DT2965-QZ	Building block, gas beton	DW 390 DW 391	528	425	TCT	1
DT2966-QZ	Building block, Class 20 Poroton	DW 390 DW 391	528	425	TCT	1

ALLIGATOR® SAW BLADES












FOR USE WITH

DWE396 / 397 / 398 / 399





SINGLE PACKS

Cat. No.	Application	Suitable for	Total length mm	Working length mm	Teeth material	Pack Qty.
DT2970-QZ	Fine wood cutting	DWE 396	410	295	HSS	1
DT2971-QZ	Rough wood cutting	DWE 396	410	295	HSS	1
DT2972-QZ	Fine wood cutting	DWE 396	410	295	TCT	1
DT2973-QZ	Class 12 Poroton	DWE 396	410	295	TCT	1
DT2977-QZ	Class 20 Poroton	DWE 396	410	295	TCT	1
DT2974-QZ	Class 12 Poroton	DWE 397 DWE 398 DWE 399	555	430	TCT	1
DT2975-QZ	Gas beton white	DWE 397 DWE 398 DWE 399	555	430	TCT	1
DT2976-QZ	Class 20 Poroton	DWE 397 DWE 398 DWE 399	555	430	TCT	1
DT2978-QZ	Rough wood cutting	DWE 397 DWE 398 DWE 399	555	430	HSS	1
DT2979-QZ	Insulation material	DWE 397 DWE 398 DWE 399	555	430	HSS	1

BAND SAW BLADES










FEATURES

- Saw blades made of high quality, tempered steel.
- Extremely sharpened and hardened teeth allow cleanest cuts.
- Specially hardened teeth.

FOR USE WITH

DW738, DW739, DW876 and DCS371



SINGLE PACKS

Cat. No.	Application	Suitable for	Blade Length mm	Cant Angle	Tooth Kerf mm	Blade Thickness mm	Pack Qty.
DT8481-QZ	General purpose blade	DW738 DW739	2095	12	0.6	4.2	1
DT8482-QZ	Wood - thick cuts	DW738 DW739	2095	16	0.6	6.4	1
DT8483-QZ	Wood - contour / scroll	DW738 DW739	2095	6	0.6	3.2	1
DT8486-QZ	Wood, laminate and formica	DW738 DW739	2095	10	0.6	3.2	1



SINGLE PACKS

Cat. No.	Application	Suitable for	Blade Length mm	Cant Angle	Tooth Kerf mm	Blade Thickness mm	Pack Qty.
DT8470-QZ	Wood - Fretsaw blade	DW876	2215	4	0.6	1.8	1
DT8471-QZ	Wood - contour / scroll	DW876	2215	6	0.4	4.2	1
DT8472-QZ	Wood - rip and cross-cut	DW876	2215	10	0.4	4.2	1
DT8473-QZ	Wood - fast rip cuts, medium composites	DW876	2215	16	0.6	6.4	1
DT8474-QZ	Wood - fast rip cuts in thick wood	DW876	2215	20	0.6	6.4	1
DT8475-QZ	Non-ferrous metal - thin steel section cuts	DW876	2215	6	0.6	1.4	1
DT8476-QZ	Non-ferrous metal - thick steel section cuts	DW876	2215	12	0.6	1.8	1





MULTI PACKS

Cat. No.	Application	Suitable for	Blade Length mm	Cant Angle	Tooth Kerf mm	Blade Thickness mm	Pack Qty.
DT8460-QZ	Metal 6.35-9.52mm aluminum, stainless steel, plastic	DCS371	835	12	0.5	1.8	4
DT8461-QZ	Metal 3.97-6.35mm aluminum, stainless steel, plastic	DCS371	835	12	0.5	1.4	4
DT8462-QZ	Metal up to 3.97mm aluminum, stainless steel, plastic	DCS371	835	12	0.5	1.05	4
DT8463-QZ	Metal 6.35-9.52mm aluminum, stainless steel, plastic	DCS371	835	12	0.5	1.8/1.4	4
DT8468-QZ	18TPI Bandsaw Blade	DCS377	690	18	0.5	1.8/1.4	3


RECOMMENDED MATERIALS


Wood



Plywood


Veneer


Hardboard


Laminate



Chipboard


MDF

Wood Shaping







ROUTER BITS





FEATURES

- Double-edged for precise and burr-free edges.

APPLICATIONS

Basic and flank cutting.

For grooving, rebating, long hole milling and drilling.

The ground drilling drill allows drilling.

Can also be used for straight milling applications in laminate.

FOR USE WITH

Top Milling Machines



SINGLE PACKS

Cat. No.	Description	Shank mm (A)	Milling diameter mm (B)	Working length mm (C)	Total length mm	Pack Qty.
DT90001-QZ	Double edged (Z2), HM	8	5	12	50	1
DT90002-QZ	Double edged (Z2), HM	8	6	19	55	1
DT90003-QZ	Double edged (Z2), HM	8	8	20	55	1
DT90004-QZ	Double edged (Z2), HM	8	10	20	52	1
DT90005-QZ	Double edged (Z2), HM	8	12	20	52	1
DT90006-QZ	Double edged (Z2), HM	8	14	20	52	1
DT90007-QZ	Double edged (Z2), HM	8	15	20	52	1
DT90008-QZ	Double edged (Z2), HM	8	16	20	52	1
DT90009-QZ	Double edged (Z2), HM	8	18	20	52	1
DT90010-QZ	Double edged (Z2), HM	8	20	20	52	1
DT90011-QZ	Double edged (Z2), HM	8	22	20	52	1
DT90012-QZ	Double edged (Z2), HM	8	25	20	52	1
DT90013-QZ	Double-edged (Z2), HM	8	22.7	9.5	5	1
DT90014-QZ	Double-edged (Z2), HM	8	24.7	13.5	6	1
DT90015-QZ	Double-edged (Z2), HM	8	31.8	15.9	8	1

SETS

Cat. No.	Description
DT90016-QZ	12pc set inc. storage box with clear lid
DT90017-QZ	22pc set inc. storage box with clear lid

8MM ROUTER BIT SETS





SETS

Cat. No.*	Description and Contents	Ø mm
DT90016-QZ	12 Piece HM milling cutter set incl. storage box with clear cover:	
	Hollow flute cutter	12
	V-slot milling cutter	12.7
	Tine cutter	14.3
	Hollow flute cutter with ball bearing	21.5
	Profile milling cutter with ball bearing	27
	Chamfering mill with ball bearing	28.6
	Groove cutters	8
		12
	Slot milling cutter	16
	Flush end mill cutter with ball bearing	12.7
	Rounding cutters with ball bearing	24.7
		32.7
DT90017-QZ	22 Piece HM milling cutter set incl. storage box with clear cover:	
	Groove cutter	6
	Slot milling cutters	8
		10
	Groove cutter	12
	Slot milling cutters	16
		20
	Tine cutter	14.3
	Hollow flute cutters	8
		12
	V-groove milling cutters	12.7
		12.7
	Quarter-turn milling cutter	21
	Profile milling cutter with ball bearing	22.22
	Chamfering cutter with ball bearing	28.7
	Round milling cutters with ball bearing	22.7
		28.6
	Chamfering cutter with ball bearing	19.9
	Flush end mill cutter with ball bearing	12.7
	Profile milling cutter with ball bearing	27
	Hollow flute cutters with ball bearing	19.5
		25.5
	Folding cutter with ball bearing	31.8

PLANER BLADES



FOR USE WITH

Corded and Cordless Planers






SETS

Cat. No.	Description	Suitable for	Length mm	Width mm	Thickness mm	Pack Qty.
DT3901-QZ	80mm TCT reversible planer blades	DW676	80	5.9	1.2	1 pair
DT3905-QZ	82mm HSS reversible planer blades	DCP580 DW678 DW680 D26500 D26501	82	5.5	1.1	1 pair
DT3906-QZ	82mm TCT reversible planer blades	DCP580 DW678 DW680 D26500 D26501	82	5.5	1.1	1 pair




RECOMMENDED MATERIALS


Metal


Iron


Stainless Steel


Copper


Rust


Wood


Plastic


Fibreglass Board


Wood Filler


Paint and Varnish


Filler


Primer



Coated Abrasives




Abrasive mesh

Support material made of durable nylon braid.

Silicon carbide abrasive grain of the grating by a special composite process is applied to the nylon braid. This reduces the flexibility, but increases the lifetime up to 4x compared to DEWALT® standard abrasives.

Due to the large number of small openings in the grid lines, the suction power is significantly increased since the grinding dust is transported away over a larger surface. This results in a finer finish.

After intensive use, the grinding dust can be simply tapped or blown out.



Standard abrasives

High-quality aluminium oxide grains for a perfect surface finish.



Flap discs

For use with angle grinders.

EXTREME® ABRASIVE MESH




HOOK AND LOOP

EASY PLACEMENT
The open structure of the grid lines eliminates the need for precise positioning.

LONGER DURABILITY
Up to 4x longer life compared to DEWALT® standard abrasive papers by better removal of the sanding dust.

UP TO 25% BETTER SANDING RESULTS
The open weave structure enables a more effective removal of sanding dust. This results in a finer sanding pattern.





FEATURES

The silicon carbide grain is applied to the nylon braid by a special composite process. This reduces the flexibility, but increases the service life up to 4x compared to DEWALT® standard abrasives.

Due to the large number of small openings in the grid lines, the suction capacity is significantly increased as the dust is transported over a significantly larger surface.


APPLICATIONS

For all basic, intermediate and final sanding applications in wood, metal, paints, varnishes, plaster and drywall.




WATER RESISTANT

After intensive use, dust can be easily washed off. After drying, the abrasive mesh is ready for use again







EXTREME® UNIVERSAL ABRASIVE MESH





FEATURES

- Universal ROS (Random Orbit Sander) sheets.

FOR USE WITH

Works with all Dust Extraction Hole Configurations


Universal ROS (Random Orbit Sanders) e.g. suitable for:DEWALT®, Bosch®, Festool®,Makita®, Metabo®, Milwaukee®.





Ø125mm - ROS PACKS

Cat. No.	Grain size	Pack Qty.
DTM8671-QZ	40	5
DTM8560-QZ	60	5
DTM3103-QZ	80	5
DTM3105-QZ	120	5
DTM3107-QZ	240	5
DTM8562-QZ	320	5
DTM8561-QZ	60	10
DTM3113-QZ	80	10
DTM3115-QZ	120	10
DTM3117-QZ	240	10
DTM8563-QZ	320	10
DTM8567-QZ	40	50
DTM8568-QZ	80	50
DTM8569-QZ	120	50
DTM8570-QZ	180	50
DTM8571-QZ	240	50






Ø150mm - ROS PACKS

Cat. No.	Grain size	Pack Qty.
DTM8556-QZ	60	5
DTM3123-QZ	80	5
DTM3125-QZ	120	5
DTM3127-QZ	240	5
DTM8558-QZ	320	5
DTM8557-QZ	60	10
DTM3133-QZ	80	10
DTM3135-QZ	120	10
DTM3137-QZ	240	10
DTM8559-QZ	320	10
DTM8572-QZ	40	50
DTM8573-QZ	80	50
DTM8574-QZ	120	50
DTM8575-QZ	180	50
DTM8576-QZ	240	50

FOR USE WITH

Universal ROS (Random Orbit Sanders) e.g. suitable for: Flex, Festool





Ø225mm - ROS PACKS

Cat. No.	Grain size	Pack Qty.
DTM8680-QZ	60	5
DTM8681-QZ	80	5
DTM8682-QZ	120	5
DTM8684-QZ	150	5
DTM8683-QZ	240	5

EXTREME® ABRASIVE MESH




DETAIL SANDER





FOR USE WITH

Detail Sander or DEWALT® Multi-Tool
DWE315 / DCS355





93 X 93mm PACKS

Cat. No.	Grain size	Pack Qty.
DTM8667-QZ	40	5
DTM8668-QZ	60	5
DTM3092-QZ	80	5
DTM3093-QZ	120	5
DTM3095-QZ	240	5


DELTA SANDER





FOR USE WITH

Delta Sander from Festool®





100 X 150mm PACKS

Cat. No.	Grain size	Pack Qty.
DTM8553-QZ	80	5
DTM8554-QZ	120	5
DTM8555-QZ	240	5

1/3 SHEET





FOR USE WITH

DEWALT®, Makita®



93 X 190 PACKS

Cat. No.	Grain size	Pack Qty.
DTM8655-QZ	40	5
DTM8656-QZ	60	5
DTM8621-QZ	80	5
DTM8622-QZ	120	5
DTM8624-QZ	240	5


EXTREME® ABRASIVE MESH

1/4 SHEET





FOR USE WITH
DEWALT®, Bosch®, Festool®, Metabo





115 X 115mm PACKS


Cat. No.	Grain size	Pack Qty.
DTM8663-QZ	40	5
DTM8664-QZ	60	5
DTM3022-QZ	80	5
DTM3023-QZ	120	5
DTM3025-QZ	240	5

1/2 SHEET





FOR USE WITH
DEWALT®, Bosch®, Festool®, Metabo®





115 X 228mm PACKS

Cat. No.	Grain size	Pack Qty.
DTM8659-QZ	40	5
DTM8660-QZ	60	5
DTM8551-QZ	80	5
DTM8552-QZ	120	5

MULTI-PURPOSE SANDING SHEETS

1/3 SHEETS







93 X 190mm PACKS

Cat. No.	Grain size	Pack Qty.
DT8650-QZ	40	10
DT8620-QZ	60	10
DT8621-QZ	80	10
DT8622-QZ	120	10
DT8623-QZ	180	10
DT8624-QZ	240	10

1/3 SHEETS






93 X 230mm PACKS

Cat. No.	Grain size	Pack Qty.
DT8590-QZ	60	10
DT8591-QZ	80	10
DT8592-QZ	120	10

1/2 SHEETS








115 X 228mm PACKS

Cat. No.	Grain size	Pack Qty.
DT8550-QZ	60	10
DT8551-QZ	80	10
DT8552-QZ	120	10

1/4 SHEETS






115 X 140mm PACKS

Cat. No.	Grain size	Pack Qty.
DT3011-QZ	40	25
DT3012-QZ	60	25
DT3014-QZ	100	25
DT3015-QZ	150	25
DT3017-QZ	220	25

SANDING SHEETS

1/4 SHEET



FEATURES


- Heat resistant resin adhesive bond, ideal for power sanding.
- Tough, durable paper backing ensures longer disc life and performance.
- Stearate coating reduces clogging, excellent for softwoods and painted surfaces.
- Quick fit nylon loop backing allows fast and easy disc changeover.

APPLICATIONS

For all stripping sanding and finishing tasks on wood, metal and painted surfaces.

FOR USE WITH

DEWALT® Multi-Tool
DWE315 / DCS355





115 x 115mm PACKS

Cat. No.	Grain size	Pack Qty.
DT3020-QZ	40	10
DT3021-QZ	60	10
DT3022-QZ	80	10
DT3023-QZ	120	10
DT3024-QZ	180	10
DT3025-QZ	240	10
DT3026-QZ	320	10
DT3030-QZ	40	25
DT3031-QZ	60	25
DT3032-QZ	80	25
DT3033-QZ	120	25
DT3034-QZ	180	25
DT3035-QZ	240	25

SANDING SHEETS





FEATURES


- Industrial grade abrasive paper for all stripping, sanding and finishing tasks on wood, paint and fillers.
- High quality aluminium oxide grain gives superior finish.
- Resin bonding provides excellent grain adhesion and heat resistance for powered sanding.
- Tough, durable ''E" weight backing ensures longer life and performance.

APPLICATIONS

For all sanding and finishing tasks on wood, painted surfaces and fillers.

FOR USE WITH

DEWALT® Multi-Tool
DWE315 / DCS355





DETAIL PACKS

Cat. No.	Grain size	Pack Qty.
DT3090-QZ	40	10
DT3091-QZ	60	10
DT3092-QZ	80	10
DT3093-QZ	120	10
DT3094-QZ	180	10
DT3095-QZ	240	10

WATER RESISTANT ABRASIVE PAPER 230 x 280mm

FULL SHEETS MULTI-PURPOSE





FEATURES
- Multi-purpose wet and dry sanding.
- High-quality, sharp aluminium oxide grains.
- High-strength and flexible, water-resistant latex paper for easier contouring and finishing.

APPLICATIONS
Fine sanding of primers and fillers.

FOR USE WITH
Hand Sanding



230 x 280mm PACKS

Cat. No.	Grain size	Pack Qty.
DT3244-QZ	180	10
DT3245-QZ	240	10
DT3246-QZ	320	10
DT3247-QZ	400	10
DT3248-QZ	1000	10
DT3249-QZ	1200	10

ABRASIVE FABRIC FOR METAL 230 x 280mm

FULL SHEETS







FEATURES
- Industrial aluminium oxide grains for fast and aggressive sanding and abrasion
- Resistant, flexible fabric Class J (J = cotton fabric, light weight).

APPLICATIONS
For sanding and removal work as well as for deburring and de-rusting of metal.

FOR USE WITH
Hand Sanding



230 x 280mm PACKS

Cat. No.	Grain size	Pack Qty.
DT3282-QZ	120	10
DT3283-QZ	180	10
DT3284-QZ	240	10

MULTI-PURPOSE SANDING BELTS





FEATURES

- High-quality aluminium oxide grains for fast and aggressive material removal.
- Heat-resistant and dust-resistant synthetic resin bond for powerful sanding.

APPLICATIONS

For all basic, intermediate and final sanding applications in wood, paints and lacquers as well as metal.

FOR USE WITH

Belt Sanders





45 x 715mm GRINDING BELT PACKS


Cat. No.		Grain size	Pack Qty.
DT3351-QZ		80	3
DT3352-QZ		100	3
DT3353-QZ		120	3
DT3354-QZ		150	3
DT3355-QZ		240	3

64 x 356mm MINI SANDING BELT PACKS

Cat. No.		Grain size	Pack Qty.
DT3661-QZ		60	3
DT3662-QZ		80	3
DT3663-QZ		100	3
DT3664-QZ		150	3
DT3299-QZ		220	3
DT3666-QZ		60	10
DT3667-QZ		80	10
DT3668-QZ		100	10
DT3669-QZ		150	10

75 x 457mm SANDING BELT PACKS

Cat. No.		Grain size	Pack Qty.
DT3640-QZ		40	3
DT3641-QZ		60	3
DT3642-QZ		80	3
DT3643-QZ		100	3
DT3644-QZ	EXTREME®	150	3



75 x 533mm SANDING BELT PACKS

Cat. No.		Grain size	Pack Qty.
DT3300-QZ		40	3
DT3376-QZ		60	3
DT3377-QZ		80	3
DT3628-QZ		100	3
DT3378-QZ		120	3
DT3301-QZ		40	10
DT3302-QZ		60	10
DT3303-QZ		80	10
DT3304-QZ		100	10
DT3629-QZ		120	10
DT3305-QZ	EXTREME®	150	10
DT3307-QZ	EXTREME®	220	10

100 x 560mm SANDING BELT PACKS

Cat. No.		Grain size	Pack Qty.
DT3312-QZ		40	3
DT3314-QZ		60	3
DT3315-QZ		80	3
DT3316-QZ		100	3
DT3318-QZ	EXTREME®	150	3

100 X 610mm SANDING BELT PACKS

Cat. No.		Grain size	Pack Qty.
DT3320-QZ		40	3
DT3321-QZ		60	3
DT3322-QZ		80	3
DT3323-QZ		100	3
DT3324-QZ	EXTREME®	150	3
DT3670-QZ		40	10
DT3671-QZ		60	10
DT3672-QZ		80	10
DT3673-QZ		100	10

SANDING SHEETS



FEATURES

- Multi-purpose.
- High quality aluminium oxide grains for a perfect surface finish.
- Dust repellent resin bond for powerful sanding.
- High strength and flexible paper of class E (250g /m²) for increased durability and performance.

APPLICATIONS

For all basic, intermediate and final sanding applications in wood, paints and varnishes, as well as fillers.

FOR USE WITH

Vibratory Sanders





SINGLE PACKS

Cat. No.	Grain size	Size Length x Width	Pack Qty.
DT3580-QZ	60	5m x 115mm	1
DT3581-QZ	80	5m x 115mm	1
DT3582-QZ	120	5m x 115mm	1
DT3583-QZ	180	5m x 115mm	1
DT3584-QZ	220	5m x 115mm	1
DT3154-QZ	40	5m x 93mm	1
DT3590-QZ	60	5m x 93mm	1
DT3591-QZ	80	5m x 93mm	1
DT3592-QZ	120	5m x 93mm	1
DT3593-QZ	180	5m x 93mm	1
DT3594-QZ	220	5m x 93mm	1
DT3579-QZ	40	25m x 93mm	1
DT3595-QZ	60	25m x 93mm	1
DT3596-QZ	80	25m x 93mm	1
DT3597-QZ	120	25m x 93mm	1
DT3598-QZ	180	25m x 93mm	1
DT3599-QZ	220	25m x 93mm	1

UNIVERSAL ABRASIVE PAPER 230 x 280mm

FULL SHEETS



FEATURES

- High-quality aluminium oxide grains for a perfect surface finish.
- High-strength and flexible paper of the class C / D (110 - 130 g / m²).
- Stearate coating effectively reduces dust and colour particle clogging.

APPLICATIONS

For basic, intermediate and finish sanding in wood, paints and varnishes.

FOR USE WITH

Hand Sanding



MULTIPURPOSE PACKS

Cat. No.	Grain size	Pack Qty.
DT3230-QZ	40	10
DT3231-QZ	60	10
DT3235-QZ	240	10
DT3238-QZ	60	50
DT3242-QZ	240	50



RANDOM ORBIT SANDING SHEETS









FEATURES

- Heat-resistant synthetic resin base and top bond of the abrasive grain ensure the highest grinding performance and durability.
- Robust and flexible carrier.

APPLICATIONS

For all basic, intermediate and final sanding applications in wood, paints and lacquers as well as metal.


Dust-repellent stearate coating permanently prevents the abrasive surface from clogging.

Nylon velor backing for perfect disc adhesion on the hook and loop grinding disc.



SUITABLE FOR

DEWALT®, AEG®, Bosch®, Atlas Copco®, Festool®, Elu®, Fein®, Hitachi®, Kress®, Makita®, Metabo®, Skil®





8-HOLE, Ø125mm PACKS

Cat. No.	Grain size	Pack Qty.
DT3101-QZ	40	10
DT3102-QZ	60	10
DT3103-QZ	80	10
DT3105-QZ	120	10
DT3106-QZ	180	10
DT3107-QZ	240	10
DT3108-QZ	320	10
DT3111-QZ	40	25
DT3112-QZ	60	25
DT3113-QZ	80	25
DT3115-QZ	120	25
DT3116-QZ	180	25
DT3117-QZ	240	25
DT3118-QZ	320	25

SUITABLE FOR

DEWALT®, Bosch®, Hitachi®, Metabo®, Peugeot®





6-HOLE, Ø150mm PACKS

Cat. No.	Grain size	Pack Qty.
DT3121-QZ	40	10
DT3122-QZ	60	10
DT3123-QZ	80	10
DT3125-QZ	120	10
DT3126-QZ	180	10
DT3127-QZ	240	10
DT3128-QZ	320	10
DT3131-QZ	40	25
DT3132-QZ	60	25
DT3133-QZ	80	25
DT3135-QZ	120	25
DT3136-QZ	180	25
DT3137-QZ	240	25
DT3138-QZ	320	25

SANDING SHEETS


ROS DRY WALL SANDER






FEATURES

- Heat resistant resin adhesive bond, ideal for power sanding.
- Tough, durable paper backing ensures longer disc life and performance.
- Stearate coating reduces clogging, excellent for softwoods and painted surfaces (grits 80 or greater).
- Quick fit nylon loop backing allows fast and easy disc changeover.





Ø225mm PACKS

Cat. No.	Grain size	Pack Qty.
DT3164-QZ	60	10
DT3169-QZ	80	10
DT3179-QZ	100	10
DT3170-QZ	120	10

APPLICATIONS

For all stripping sanding and finishing tasks on wood, metal and painted surfaces.



GRINDING AND POLISHING BACKING PLATES

FEATURES

- Thermoplastic backing pad supplied with flange locking nut.

APPLICATIONS

For use with angle grinder fibre discs for grinding and polishing backing pads.

FOR USE WITH

Corded and Cordless Angle Grinders and Polishers

BACKING PAD - SINGLE PACKS

Cat. No.	Max. speed	Diameter mm	Bore	Pack Qty.
DT3610-QZ	13000 U/min	115	M14 (22.2)	1
DT3611-QZ	15000 U/min	125	M14 (22.2)	1
DT3612-QZ		178	M14 (22.2)	1







POLISHING BONNET






FEATURES
- Wool polishing bonnet.

APPLICATIONS
For high-gloss polishing of various materials such as painted surfaces, metal, stone, plastic, etc.

FOR USE WITH
Corded and Cordless Angle Grinders and Polishers

SINGLE PACKS

Cat. No.	Description	Max. speed	Diameter mm	Pack Qty.
DT3621-QZ	Polishing bonnet	13000 U/min	125	1
DT3622-QZ	Polishing bonnet	15000 U/min	178	1
DT3568-QZ	Velcro wool bonnet		180	1







RANDOM ORBIT SANDING PLATTENS



FEATURES
Hook and loop ROS sanding platten.

FOR USE WITH
DEWALT® Random Orbit Sanders

SINGLE PACKS

Cat. No.	Description	Diameter mm	Pack Qty.
DT3600-QZ	For R/O Sander D26453 8-hole	125	1



CORK HAND SANDING BLOCK





SINGLE PACK

Cat. No.	Description	Pack Qty.
DT3199-QZ	40 x 60 x 100mm	1



EXTREME® FLAP DISCS





FEATURES
- Resistant, durable zirconium oxide grain.
- Very robust and resistant, with very high removal rate.
- Zirconium oxide grain allows a 3x faster material removal than conventional resin-bonded fibre discs.
- Type 27 design for grinding angles of 0-15 degrees.

APPLICATIONS
For rust removal, grinding and cleaning of metal.

FOR USE WITH
Corded and Cordless Angle Grinders



SINGLE PACKS

Cat. No.	Description	Diameter mm	Grit	Type	Pack Qty.
DT30601-QZ	115mm x 22.2mm	115	40	Type 27, Flat	1
DT30611-QZ	115mm x 22.2mm	115	60	Type 27, Flat	1
DT30621-QZ	115mm x 22.2mm	115	80	Type 27, Flat	1
DT30622-QZ	125mm x 22.2mm	125	80	Type 27, Flat	1
DT30602-QZ	125mm x 22.2mm	125	40	Type 27, Flat	1
DT30612-QZ	125mm x 22.2mm	125	60	Type 27, Flat	1





STANDARD FLAP DISCS





FEATURES
- Resistant, durable zirconium oxide grain.
- Very robust and resistant, with very high removal rate.
- Type 27 design for grinding angles of 0-15 degrees.
- Type 29 design for grinding angles of 15-25 degrees.

APPLICATIONS
For rust removal, grinding and cleaning of metal.

FOR USE WITH
Corded and Cordless Angle Grinders




PACKS

Cat. No.	Diameter mm	Grit	Type	Pack Qty.
DT3255-QZ	115	36	Type 29, Angled	10
DT3256-QZ	115	60	Type 29, Angled	10
DT3257-QZ	115	80	Type 29, Angled	10
DT3258-QZ	115	120	Type 29, Angled	10
DT3265-QZ	125	36	Type 29, Angled	10
DT3266-QZ	125	60	Type 29, Angled	10
DT3267-QZ	125	80	Type 29, Angled	10
DT3268-QZ	125	120	Type 29, Angled	10
DT3292-QZ	115	36	Type 27, Flat	10
DT3293-QZ	115	60	Type 27, Flat	10
DT3294-QZ	115	80	Type 27, Flat	10
DT3295-QZ	115	120	Type 27, Flat	10
DT3308-QZ	125	36	Type 27, Flat	10
DT3309-QZ	125	60	Type 27, Flat	10
DT3310-QZ	125	80	Type 27, Flat	10



RECOMMENDED MATERIALS


Metal



Iron


Stainless Steel



Copper


Aluminium


Rust


Concrete


Brick


Stone




Bonded Abrasives








CUTTING & GRINDING DISCS





ABRASIVES IDENTIFICATION

DEWALT® uses an industry-recognised colour coding and marking system that helps the user to find the correct grinding disc for a particular application.

Other features such as, the speed, size and thickness of the disc, as well as the bore diameter must also be considered when selecting.







TYPES OF ABRASIVE GRAINS

ALUMINUM OXIDE

Tough durable grain used for cutting, grinding and finishing of metal in bonded abrasives, and metal, wood and coatings in coated abrasives.

TREATED ALUMINUM OXIDE

Aluminum oxide grain with a coating that increases bond strength for harder longer lasting bonded abrasives.

ZIRCONIA

Tough durable grain with fine crystal structure used for rugged stock removal of metal in bonded abrasives, and metal and wood in coated abrasives.

CERAMIC

Tough durable grain with very fine crystal structure to create many more cutting edges in each grain. Used for the highest stock removal of metal in bonded and coated abrasives.

SILICON CARBIDE

Very hard and brittle grain used on concrete and very soft or very hard metals in bonded abrasives, and for very fine finishing of metal and coatings in coated abrasives.

DIAMOND

Very hard and durable grain for use in cutting and grinding concrete and metal.



EXTREME® BONDED DISCS OSA



FEATURES

- Industrial aluminium oxide grain designed to maximise life and performance.
- OSA accredited.
- High density grain concentration for longer life.

APPLICATIONS

For general metal grinding work and cutting on stainless steel, ferrous and non-ferrous metals, including weld and surface preparation.



FOR USE WITH

Corded and Cordless Angle Grinders



Cat. No.	Description	Diameter mm	Thickness mm	Material	Pack Qty
DT3440-QZ	100 x 1 x 16mm EXTREME Cutting INOX	100	1	SS	25
DX7901-AE	100 x 6 x 16 mm EXTREME Grinding METAL	100	6	Metal	10
DT3442-QZ	115 x 1 x 22mm EXTREME Cutting INOX	115	1	SS	25
DT43903-QZ	115 x 1.2 x22mm EXTREME Cutting INOX	115	1.2	SS	25
DT43905-QZ	115 x 1.6 x 22mm EXTREME Cutting INOX	115	1.6	SS	25
DX7927-AE	115 x 3 x 22mm EXTREME Cutting METAL	115	3	Metal	25
DX7921-AE	115 x 6 x 22mm EXTREME Grinding METAL	115	6	Metal	10
DT43902-QZ	125 x 1 x 22mm EXTREME Cutting INOX	125	1	SS	25
DT43904-QZ	125 x 1.2 x 22mm EXTREME Cutting INOX	125	1.2	SS	25
DT43906-QZ	125 x 1.6 x 22mm EXTREME Cutting INOX	125	1.6	SS	25
DT43911-QZ	125 x 3 x 22mm EXTREME Cutting METAL	125	3	Metal	25
DX7941-AE	125 x 6 x 22mm EXTREME Grinding METAL	125	6	Metal	10
DT43907-QZ	150 x 1.6 x 22mm EXTREME Cutting INOX	150	1.6	SS	25
DT43908-QZ	180 x 1.6 x 22mm EXTREME Cutting INOX	180	1.6	SS	25
DX7967-AE	180 x 3 x 22mm EXTREME Cutting METAL	180	3	Metal	25
DX7961-AE	180 x 6 x 22mm EXTREME Grinding METAL	180	6	Metal	10
DT43909-QZ	230 x 2 x 22mm EXTREME Cutting INOX	230	2	SS	25
DX7987-AE	230 x 3 x 22mm EXTREME Cutting METAL	230	3	Metal	25
DT43919-QZ	230 x 6 x22mm EXTREME Grinding METAL	230	6	Metal	10
DX7711-AE	350 x 3 x 25.4mm EXTREME Cutting METAL	350	3	Metal	10



HIGH PERFORMANCE BONDED DISCS



FEATURES

- Professional aluminium oxide grain designed for cordless tools to maximise life and performance.

APPLICATIONS

For general metal grinding work and cutting on stainless steel, ferrous and non-ferrous metals, including weld and surface preparation.



FOR USE WITH

Corded and Cordless Angle Grinders



Cat. No.	Description	Diameter mm	Thickness mm	Material	Pack Qty
DWA8060SIA-AE	100 x 1.0 x 16 inox cutting wheel t1	100	1	SS	25
DT43970-QZ	Thin fast cut 100 x 1 x 16mm (10pcs tin) brown master pack	100	1	SS	10
DT43973-QZ	Thin cut 100 x 1.2 x 16mm (10pcs tin) brown master pack	100	1.2	SS	10
DWA4520IA-AE	100 x 3 x 16 metal cutting t27	100	3	Metal	25
DWA4520SIA-AE	100 x 3 x 16 inox cutting wheel t27	100	3	SS	25
DWA4500IA-AE	100 x 6 x 16 metal grinding wheel t27	100	6	Metal	10
DWA4500SIA-AE	100 x 6 x 16 inox grinding wheel t27	100	6	SS	10
DT3506-QZ	115x1mm cutdisk 10pcs tin (10xtin wide merch)	115	1	SS	10
DT43971-QZ	Thin fast cut 115x1x22.23mm (10pcs tin) brown master pack	115	1	SS	10
DWA8062SIA-AE	115 x 1.2 x 22.23 inox cutting wheel t1	115	1.2	SS	25
DT42335TZ-QZ	115 x 1.2mm thin cut inox 10pcs tin (10xtin cut case)	115	1.2	SS	10
DT43921-QZ	Thin cut 115 x 1.2mm inox 10/tin (10xtin + hang tag bown master pack)	115	1.2	SS	10
DWA8434IA-AE	115 x 3 x 22.23 metal cutting wheel t27	115	3	Metal	25
DWA8434SIA-AE	115 x 3 x 22.23 inox cutting wheel t27	115	3	SS	25
DWA4515SIA-AE	115 x 4 x 22.23 inox cutting wheel t27	115	4	SS	25
DWA4514IA-AE	115 x 6 x 22.23 metal grinding wheel t27	115	6	Metal	25
DWA4514SIA-AE	115 x 6 x 22.23 inox grinding wheel t27	115	6	SS	25
DT3507-QZ	125x1mm cutdisk 10/tin (10tin wide merch)	125	1	SS	10
DT43972-QZ	Thin fast cut 125x1x22.23mm (10pcs tin) brown master pack	125	1	SS	10
DT42340Z-QZ	125 x 1.2 x 22.23mm thin cut inox	125	1.2	SS	25
DT42340TZ-QZ	125 x 1.2mm thin cut inox 10pcs tin (10xtin cut case)	125	1.2	SS	10
DT43922-QZ	Thin cut 125 x 1.2mm inox (10x tin + hang tag bown master pack)	125	1.2	SS	10
DWA4522IA-AE	125 x 3 x 22 metal cutting wheel t27	125	3	Metal	25
DW4543AIA-AE	125 x 6 x 22 metal grinding wheel t27	125	6	Metal	10
DW4543SIA-AE	125 x 6 x 22 inox grinding wheel t27	125	6	SS	10
DT42380Z-QZ	180 x 1.2 x 22.23mm thin cut inox	180	1.2	SS	25
DWA4524IA-AE	180 x 3 x 22 metal cutting wheel t27	180	3	Metal	10
DWA4524SIA-AE	180 x 3 x 22 inox cutting wheel t27	180	3	SS	10
DW4547AIA-AE	180 x 6 x 22 metal grinding wheel t27	180	6	Metal	10
DW4547SIA-AE	180 x 6.3 x 22 inox grinding wheel t27	180	6	SS	10
DWA4525IA-AE	230 x 3 x 22 metal cutting wheel t27	230	3	Metal	10
DWA4525SIA-AE	230 x 3 x 22 inox cutting wheel t27	230	3	SS	10
DW4549AIA-AE	230 x 6 x 22 metal grinding wheel t27	230	6	Metal	10
DWA8011RIA-AE	355 x 3 x 25.4 metal cutting wheel t1	355	3	Metal	10

CHOP SAW DISC



APPLICATION
Cutting metal sections.



SINGLE PACK

Cat. No.	Description	Diameter mm	Thickness mm	Bore mm	Pack Qty
DT3450-QZ	Chop saw disc	355	3.0	25.4	1

GRINDING AND HONING WHEELS



FOR USE WITH
DEWALT® Bench Grinders



PACKS

Cat. No.	Description	Diameter mm	Thickness mm	Bore mm	Pack Qty
DT3380-QZ	Silicon carbide	125	25	20	1

LOCKING GRINDER NUT



LOCKING GRINDER NUT

Cat. No.	Description
DT3559-QZ	M14 Locking Grinder Nut





WIRE BRUSHES





FEATURES

- Highly specified wire grades for optimum material removal.
- High wire content for extra brush durability.



APPLICATIONS

Aggressive twist knot wire wheel and cup brushes for heavy duty cleaning work.

Crimped wire wheel and cup brushes for medium duty cleaning.

Wire wheel and cup brushes for multi purpose cleaning applications in hard to reach areas.

FOR USE WITH

Corded and Cordless Angle Grinders



TWIST KNOT WIRE WHEELS



For the toughest applications:
To remove stubborn paint, heavy rust, cleaning of welds, etc.





SINGLE PACKS

Cat No.	Wire length mm	Diameter mm	Bore mm	Pack Qty.
DT3466-QZ	22	115	M14 (22.2)	1
DT3502-QZ	22	115	M14 (22.2)	1

CRIMPED WIRE CUP BRUSHES



For medium applications:
To remove paint, rust, deposits, surface remediation, deburring, etc.






SINGLE PACKS

Cat No.	Wire length mm	Diameter mm	Bore mm	Pack Qty.
DT3480-QZ	19	65	M14 (22.2)	1
DT3488-QZ	23	75	M14 (22.2)	1
DT3489-QZ	26	100	M14 (22.2)	1

TWIST KNOT WIRE CUP BRUSHES



For the toughest cleaning work.







SINGLE PACKS


Cat No.	Wire length mm	Diameter mm	Bore mm	Pack Qty.
DT3500-QZ	18	65	M14 (22.2)	1
DT3492-QZ	22	75	M14 (22.2)	1
DT3501-QZ	24	100	M14 (22.2)	1

RECOMMENDED MATERIALS


Concrete


Brick



Breeze Block



Granite



Marble


Porcelain



Floor Tile


Ceramic Tile



Steel


Stainless Steel


Rebar


Aluminium


Non Ferrous


Plasterboard



Diamond Cutting, Grinding and Drilling Accessories



For fast cutting of metals with extended blade life.



For metal cutting.



For finishing and preparation of concrete surfaces.



For specific concrete, masonry and tile cutting applications.



For general cutting of masonry, concrete and tiles.





APPLICATIONS

For a range of metals including steel, stainless steel, cast iron, rebar, sheet metal, aluminium and non-ferrous metals.


FOR USE WITH

Corded and Cordless Angle Grinders and Chop Saws

SINGLE PACKS

Cat. No.	Ø mm	Bore mm	Segment thickness mm	Pack Qty.
DT40251-QZ	115	22.23	1.3mm	1
DT40252-QZ	125	22.23	1.3mm	1
DT40253-QZ	150	22.23	1.3mm	1
DT40254-QZ	180	22.23	1.5mm	1
DT40255-QZ	230	22.23	1.5mm	1
DT40256-QZ	305	25.4	3.3mm	1
DT40257-QZ	355	25.4	3.3mm	1







*Average performance of EXTREME® Metal versus 115 x 1mm (Aluminium Oxide) Bonded Abrasive Cutting Disc in 25mm Carbon Steel Tube

EXTREME® DIAMOND EDGE® CHOP SAW BLADE FOR METAL





FEATURES
- Innovative diamond technology with a 100 times longer service life than conventional cutting discs.
- Very robust, laser-welded diamond cutting blades with a balanced ratio of cutting speed and durability.
- 100 times longer durability than conventionally bonded cutting discs.
- Optimal working at 4,000 rpm.

APPLICATIONS
Can be used in place of conventionally bonded cutting blades.

Can be used on all conventional machines that work with bonded cutting blades.

Ideal for cutting metal pipe/profile bundles.

FOR USE WITH
Metal Cutting Abrasive Disc Chop Saws

SINGLE PACK

Cat No.	Diameter mm	Bore mm	Segment height mm	Segment thickness mm	Pack Qty.
DT3752-QZ	355	25.4	3	1.6	1



EXTREME® DIAMOND CUTTING WHEEL





FEATURES
Fast cutting continuous rim diamond wheel.

APPLICATIONS
For cutting construction materials including concrete slabs and curb stones.

FOR USE WITH
54V XR FLEXVOLT® Cut Off Saws

SINGLE PACK

Cat No.	Diameter mm	Bore mm	Segment height mm	Segment thickness mm	Pack Qty.
DT90294-QZ	125	22	12	2.6	1
DT40260-QZ	230	22.23	12	2.6	1





DIAMOND JOINTING DISCS




FEATURES
- Fast removal of mortar and masonry due to the twin wheel construction.
- Laser welded to disc body for tougher applications.

APPLICATIONS
For mortar raking and wall chasing.

FOR USE WITH
Corded and Cordless 125mm Angle Grinders

SINGLE PACK

Cat. No.	Diameter mm	Bore mm	Segment height mm	Segment thickness mm	Pack Qty.
DT3758-QZ	125	22.2	10	6.3	1





LASER-WELDED DIAMOND CUTTING DISCS

PROFESSIONAL 1 UNIVERSAL BUILDING MATERIALS AND CONCRETE











FEATURES

- The best choice of diamond blade for fast, aggressive cuts in most standard construction materials.
- Segments laser welded to the core for use in tougher applications.

APPLICATIONS

For use in standard construction materials including concrete, brick, tiles and paving slabs.

FOR USE WITH

Corded and Cordless Angle Grinders
Diameter 115 - 230mm only for dry cutting

SINGLE PACKS

Cat. No.	Diameter mm	Bore mm	Segment height mm	Segment thickness mm	Pack Qty.
DT3741-XJ	125	22.2	7.5	2	1
DT3743-XJ	230	22.2	8.5	2.4	1



PROFESSIONAL 2 - ABRASIVE MATERIALS AND CONCRETE









FEATURES

- High performance diamond blade providing a balanced combination of cut speed and durability in abrasive materials.
- Segments laser welded to the core for use in tougher applications.

APPLICATIONS

For use in abrasive materials including sandstone, concrete, concrete roof tiles, brick and breeze blocks.

FOR USE WITH

Corded and Cordless Angle Grinders
Diameter 230mm only for dry cutting

SINGLE PACKS

Cat. No.	Diameter mm	Bore mm	Segment height mm	Segment thickness mm	Pack Qty.
DT3773-XJ	230	22.2	7.5	2.4	1





LASER-WELDED DIAMOND CUTTING DISCS

PROFESSIONAL 3 - HARD CONCRETE AND GRANITE









FEATURES

- Manufactured using 'Advanced Bond Technology' which increases blade productivity and operating life.
- A layer of pre-alloyed metal encloses the diamond creating.

APPLICATIONS

These blades achieve optimum speed of cut in granite, reinforced concrete and most construction materials.

FOR USE WITH

Corded and Cordless Angle Grinders

VERY HARD MATERIALS - SINGLE PACKS

Cat. No.	Diameter mm	Bore mm	Segment height mm	Segment thickness mm	Pack Qty.
DT3761-XJ	125	22.2	7.5	2	1
DT3763-XJ	230	22.2	8.5	2.8	1



SINTERED DIAMOND CUTTING DISCS

PROFESSIONAL 4 - TILE & CERAMICS









FEATURES

- Diamond blade containing a high concentration of top quality diamonds with excellent cutting performance in extremely hard materials.
- Continuous rim sintered blade for fine finish and minimal chipping in tiles and ceramics.

APPLICATIONS

For porcelain tiles, floor and wall tiles, slate, concrete tiles, bricks, terracotta etc.

Not recommended for use on wet tile saws.

FOR USE WITH

Corded and Cordless Angle Grinders

SINGLE PACKS

Cat. No.	Diameter mm	Bore mm	Segment height mm	Segment thickness mm	Pack Qty.
DT3736-XJ	125	22.2	7	1.6	1
DT3738-XJ	230	22.2	7	2.1	1





HIGH PERFORMANCE DIAMOND CUTTING DISCS

HIGH PERFORMANCE 2 - TURBO DISC UNIVERSAL CONCRETE

PROFESSIONAL 2







FEATURES
- "Turbo" cutting edge for fast clean cuts.

APPLICATIONS
For clean cuts in all masonry, concrete and tile materials.

FOR USE WITH
Corded and Cordless Angle Grinders

TURBO - SINGLE PACKS

Cat. No.*	Diameter mm	Bore mm	Segment height mm	Segment thickness mm	Pack Qty.
DT3702-QZ	115	22.2	7	2.1	1
DT3712-QZ	125	22.2	7	2.2	1
DT3722-QZ	180	22.2	7	2.4	1
DT3732-QZ	230	22.2	7	2.4	1





HIGH PERFORMANCE 4 - CONTINUOUS RIM DIAMOND CUTTING DISC

PROFESSIONAL 4





APPLICATIONS
Clean cuts in tiles and ceramics materials.

FOR USE WITH
Corded and Cordless Angle Grinders

TURBO - SINGLE PACKS

Cat. No.*	Diameter mm	Bore mm	Segment height mm	Segment thickness mm	Pack Qty.
DT3703-QZ	115	22.2	5	1.6	1
DT3713-QZ	125	22.2	5	1.6	1
DT40206-QZ	180	22.2	5	?	1









HIGH PERFORMANCE DIAMOND CUTTING DISCS

HIGH PERFORMANCE 1 - SEGMENTED DISC UNIVERSAL CONCRETE





FEATURES
- Fast cutting, segmented disc.

APPLICATIONS
General construction material such as building blocks, paving blocks and concrete.

FOR USE WITH
Corded and Cordless Angle Grinders

SINGLE PACKS

Cat. No.	Diameter mm	Bore mm	Segment height mm	Segment thickness mm	Pack Qty.
DT3701-QZ	115	22.2	7	2.1	1
DT3711-QZ	125	22.2	7	2.2	1
DT3721-QZ	180	22.2	7	2.4	1
DT3731-QZ	230	22.2	7	2.4	1





HIGH PERFORMANCE 1 - SEGMENTED WET OR DRY CUTTING DISCS







FEATURES
- Fast cutting segment diamond disc.

APPLICATIONS
For cutting concrete slabs and curb stones.

FOR USE WITH
Petrol Disc Cutters

SINGLE PACKS

Cat. No.	Diameter mm	Bore mm	Segment height mm	Segment thickness mm	Pack Qty.
DT40213-QZ	350	25.4 / 20	10	?	1





DIAMOND TILE CUTTING DISC








FEATURES
- Continuous rim for chip free cuts in tiles and ceramic tiles.

APPLICATIONS
For wet and dry cuts in hard materials such as ceramic tiles, stoneware, granite and marble.

FOR USE WITH
Portable Tile Saw DWC410



SINGLE PACK

Cat. No.	Diameter mm	Bore mm	Segment height mm	Segment thickness mm	Pack Qty.
DT3715-QZ	110	20	8	1.6	1
DT3714-QZ	110	20	5	1.6	1



DIAMOND TILE CUTTING DISCS - STATIONARY SAWS

PROFESSIONAL 4 - STATIONARY








FEATURES
- Continuous rim for chip free cuts in tiles and ceramic tiles.

APPLICATIONS
For wet cuts in hard materials such as ceramic tiles, stoneware, granite and marble.

FOR USE WITH
D24000 and other Stationary Saws





TURBO - SINGLE PACK

Cat. No.*	Diameter mm	Bore mm	Segment height mm	Segment thickness mm	Pack Qty.
DT3734-XJ	250	25.4	5	1.6	1
DT3733-XJ	250	25.4	8	1.6	1



EXTREME® DIAMOND GRINDING CUPS











FEATURES

- Robust diamond segments: turbo cup for fastest results, double cup for quick surface grinding and single cup for general surface grinding.

APPLICATIONS

For smoothing of concrete and masonry.

FOR USE WITH

Corded and Cordless Angle Grinders and Associate Dust Extraction Guard



SINGLE PACK

Cat. No.	Diameter mm	Shank	Segment height mm	Cup	Pack Qty.
DT3796-QZ	125	M14	6	Double	1
DT3797-QZ	125	M14	6	Turbo	1
DT3795-QZ	125	M14	5	Single	1





DIAMOND CUTTING BLADES - QUICK REFERENCE CHART



	PROFESSIONAL				HIGH PERFORMANCE		
	Universal Construction materials Concrete	Abrasive materials Abrasive materials Concrete	Extreme hard materials Granite Concrete	Tiles Hard ceramics	Universal Construction material Concrete	Turbo Construction material Concrete	Tiling Hard ceramics
	1	2	3	4	1	2	4
VERY ABRASIVE AND NOT COMPACT							
Asphalt							
Fresh concrete							
Light bricks (Poroton®, Unipor®, Porotherm®, Argex®, Syporex®)							
Firebricks							
Slag stone							
MEDIUM ABRASIVE AND COMPACT							
Terrazzo, granite							
Cement fibre boards							
Lightweight concreto							
Clay brick (brick, tile)							
Plasterboard							
Natural stone, soft							
Handform brick							
Concrete roof tile							
Sand-lime brick							
ABRASIVE AND VERY COMPACT							
Concrete with soft aggregates (industrial flooring)							
Medium hard sandstone							
Abrasive marble (crystalline)							
Hard-ceramics (clinker, bricks)							
Clay pipe, stoneware pipe							
MEDIUM HARD AND COMPACT							
Natural slate							
Concrete (board and edging stones, blocks)							
Lightweight concrete (reinforced)							
Concrete with medium hard aggregates (industrial flooringwe)							
Treated concrete with medium-hard aggregates							
Hard sandstone							
HARD AND COMPACT							
Hard marble							
Reinforced concrete (window sills)							
Treated concrete with hard aggregates (pebbles)							
Clinker, bricks brick							
Quartzite							
Hardbrand ceramics (clinker brick, brick), medium hard concrete							
Soft granite (black)							
VERY HARD							
Light, reinforced concrete (with pebbles)							
Colorful granite							
Clinker							
OTHER							
Soft tiles, terracotta							
Hard tiles							
Stoneware, porcelain							
Mortar Joints (Facade Restoration)							
KEY							

Especially suitable Suitable

DIAMOND CUTTING BLADES

INTERNAL THREAD FITMENT 1 1/4" UNC (FEMALE) UNIVERSAL







FEATURES:

- Optimised diamond segment design allows the combination of high drilling speeds and long tool path in a variety of materials.
- Laser welded segments prevent segment breakouts during wet drilling.
- For universal and hard materials.

APPLICATIONS

Universal concrete materials.

FOR USE WITH

Wet Diamond Drilling Machines

SINGLE PACKS

Cat. No.	Diamete rmm	Length mm	No. of segments	Pack Qty.
DT9761-QZ	60	400	6	1
DT9765-QZ	82	400	8	1
DT9766-QZ	91	400	9	1
DT9767-QZ	102	400	9	1
DT9771-QZ	127	400	11	1
DT9774-QZ	162	400	13	1





SINGLE PACKS

Cat. No.	Diameter mm	Length mm	Segments	Pack Qty.
DT9778-QZ	212	400	16	1
DT9780-QZ	250	400	17	1



RECOMMENDED MATERIALS


Metal


Concrete


Wood


Reclaimed Wood with Nails


Plasterboard


Plastic



Multi-Tool Accessories





MULTI-TOOL








SAW PACKS

Cat. No.	Description	Application	Pack Qty.
DT20701-QZ	BiM saw blade 43 x 30mm	Wood, wood with nails, plastics and plasterboard	1
DT20702-QZ	BiM-Titan Saw Blade 55 x 44mm	Wood, wood with nails, plastics and plasterboard	1
DT20703-QZ	BiM saw blade 67x 30mm	Hardwood. Suitable for plastics and plasterboard	1
DT20704-QZ	BiM saw blade 43 x 30mm	Fast cuts in wood, plastics and plasterboard. High cutting speed	1
DT20705-QZ	BiM saw blade 43 x 65mm	Fast cuts in wood, plastics and plasterboard. High cutting speed	1
DT20706-QZ	BiM detail saw blade 43 x 10mm	Cut-outs and recesses in wood, plastic and plasterboard	1
DT20707-QZ	Titanium metal saw blade 43x 30mm	Metal, wood, wood with nails, plastics and plasterboard	1
DT20708-QZ	BiM segment saw blade 100mm	Wood, wood with nails, plastics and plasterboard	1
DT20709-QZ	Titanium segment saw blade 100mm	Wood, wood with nails, plastics and plasterboard	1
DT20710-QZ	BiM segment saw blade 100mm, cranked	Flush cuts in wood, wood with nails, plastics and plasterboard	1
DT20711-QZ	Titanium segment saw blade 100mm, cranked	Wood, wood with nails, plastics and plasterboard	1
DT20740-QZ	Japanese saw blade 32mm HCS cut surfaces	Hardwood	1
DT20741-QZ	Japanese saw blade 64mm - HCS surfaces	Hardwood	1
DT20742-QZ	35mm (1-3/8") Carbide Blade	Longer lasting for better results in wood, cutting nails, light gauge metals, grout, plaster etc.	2
DT20743-QZ	35mm (1-3/8") Carbide Blade	Longer lasting for better results in wood, cutting nails, light gauge metals, grout, plaster etc.	1
DT20747-QZ	64mm (2-1/2") Bi Metal Wood w/Nails TiN	Wood, wood with nails, drywall, PVC. The titanium blade has longer life in wood and nails than the non-titanium version.	1
DT20748-QZ	64mm (2-1/2") Bi Metal Wood w/Nails	Wood, wood with nails, drywall, PVC	1

MULTI-TOOL



























CUT/FILL/SCRAPE - SINGLE PACKS

Cat. No.	Description	Application	Pack Qty.
DT20712-QZ	Multi-material cutting blade 100mm	Cutting roof shingles, plastic, foam, rubber, cardboard, leather, carpet floor etc.	1
DT20714-QZ	Solid filler 52mm	Removing adhesive residues, carpeting, tile adhesive, mortar, concrete residues	1
DT20716-QZ	Flexible Scraper Blade 35mm	To remove silicone joints, soft carpet adhesive residues, paint residues	1
DT20750-QZ	Rectangular Scraping (Flush)	Caulk removal in expansion joints	1
DT20751-QZ	Carbide Flush Cut Finger	Coarse sanding of fillers, tile adhesive, concrete, stone and wood.	1

TILE AND JOINTS PROCESSING - SINGLE PACKS

Cat. No.	Description	Application	Pack Qty.
DT20717-QZ	Hard metal Segment saw blade 95mm, 3mm cutting width	Milling fine tile joints and slits in plaster or similar materials.	1
DT20718-QZ	Carbide segment saw blade 95mm, 5mm cutting width	Cutting tile joints and cracks in plaster or similar materials. Carbide edged for extra toughness and durability in harder materials. Faster joint separating.	1
DT20719-QZ	Carbide rasp	Coarse grinding of tile adhesives, concrete, and wood. Optimised carbide grain size for effective material removal.	1
DT20739-QZ	Diamond saw blade 7 5x 60 mm, cutting width 2.4 mm	Tile joints and cracks in plaster or similar materials. Diamond edged for additional blade life and durability.	1
DT20745-QZ	Diamond Half Moon	Tile grout, cutting grooves in plaster, lightweight concrete, and similar construction materials	1
DT20746-QZ	Diamond Flush Cut	Tile grout, cutting grooves in plaster, lightweight concrete, and similar construction materials	1

SANDING PACKS

Cat. No.	Description	Application	Pack Qty.
DT20700-QZ	Sanding plate with suction	Sanding	1
DT3090-QZ	Triangular abrasive paper 93 x 93mm, K40	Sanding	10
DT3091-QZ	Triangular abrasive paper 93 x 93mm, K60	Sanding	10
DT3092-QZ	Triangular abrasive paper 93 x 93mm, K80	Sanding	10
DT3093-QZ	Triangular abrasive paper 93 x 93mm, K120	Sanding	10
DT3094-QZ	Triangular abrasive paper 93 x 93mm, K180	Sanding	10
DT3095-QZ	Triangular abrasive paper 93 x 93mm, K240	Sanding	10
DTM3092-QZ	EXTREME® triangle abrasive mesh 93 x 93mm, K80	Sanding	5
DTM3093-QZ	EXTREME® triangle abrasive mesh 93 x 93mm K120	Sanding	5
DTM3095-QZ	EXTREME® triangle abrasive mesh 93 x 93mm K240	Sanding	5

MULTI-TOOL ACCESSORIES





5 PIECE PACKS

Cat. No.	Description	Application	Pack Qty.
DT20723-QZ	DT20701 x5 Wood with Nails Blade 30 x 43mm	For use in wood, wood with nails, plastics and plasterboard	5
DT20724-QZ	DT20703 x5 Hardwood Blade 30 x 67mm	For use in hardwood. Suitable for plastics and plasterboard	5
DT20725-QZ	DT20704 x5 Fastcut Wood Blade 30 x 43mm	For fast cuts in wood, plastics and plasterboard. High cutting speed	5
DT20726-QZ	DT20706 x5 Wood Detail Blade 10 x 43mm	For cut-outs and recesses in wood, plastic and plasterboard	5
DT20727-QZ	DT20707-QZ x5 Titanium Metal Blade 30 x 43mm	For use in metal, wood, wood with nails, plastics and plasterboard	5
DT20729-QZ	DT20710-QZ x5 Flush Cut Blade 100mm	Suitable for flush cuts in wood, wood with nails, plastics and plasterboard	5



SETS

Cat. No.	Description	Application	Pack Qty.
DT20713-QZ	3 Piece Multi-Tool Accessory Set DT20701 x1 / DT20706 x1 / DT20704 x1	Mixed applications	3
DT20731-QZ	8 Piece Multi-Tool Accessory & Sanding Set DT20700 x1 / DT20701 x1 / DT20704 x1 / DT20705 x1 / DT20710 x1 Detail Sanding Paper x3 (60G, 80G, 120G)	Mixed applications	8
DT20732-QZ	5pc Multi-Tool Oscillating Blade Set	Mixed applications	5





OSCILLATING BLADES - QUICK REFERENCE GUIDE




Cat No.	Wood	Wood with Nails	Drywall	PVC	Metal	Asphalt Roofing Shingles	Carpet	Cardboard	Vinyl Flooring	Foam Insulation	Tile	Adhesives Lacquers Sealants	Brick
DT20700	●		●	●									
DT20701	●	●	●	●									
DT20702	●	●	●	●									
DT20703	●		●	●									
DT20704	●		●	●									
DT20705	●		●	●									
DT20706	●		●	●									
DT20707					●								
DT20708	●	●	●	●									
DT20709	●	●	●	●									
DT20710	●	●	●	●									
DT20711	●	●	●	●									
DT20712						●	●	●	●	●			
DT20713	●	●	●	●									
DT20714												●	
DT20715	●	●	●	●								●	
DT20716												●	
DT20717											●		
DT20718											●		
DT20719												●	
DT20723	●	●	●	●									
DT20724	●		●	●									
DT20725	●		●	●									
DT20726	●		●	●									
DT20727					●								
DT20729	●	●	●	●									
DT20731	●	●	●	●								●	
DT20732	●	●	●	●								●	
DT20739											●		
DT20740	●		●	●									
DT20741	●		●	●									
DT20742	●	●	●	●	●							●	
DT20743	●	●	●	●	●							●	
DT20745			●								●		●
DT20746			●								●		
DT20747	●	●	●	●									
DT20748	●	●	●	●									
DT20750												●	
DT20751	●											●	●

MODULAR STORAGE AND SETS SYSTEM

DESIGNED FOR TSTAK™





IMPROVED BIT HOLDER DESIGN FOR EASY ACCESS

STORAGE COMPATIBILITY FOR SITE, WORKSHOP AND VAN

INTERLOCKING SYSTEM WITH MODULAR EASY-FIT CASES AND CADDY

COMPACT AND VERSATILE

SITE, VAN + WORKSHOP STORAGE



Sets



Screwdriving Sets




Drill Bit Sets



Hole Saw Sets



Blade Sets



T STAK™ Drawer Compatible Sets



Router and Multi-Tool Sets

MASONRY DRILLING SETS



XLR SDS-plus® - FULL HEAD CARBIDE

Cat. No.	Description	Type	Contents	Length (mm)	Pack Quantity
DT8976-QZ	7pc XLR SDS-plus® Drilling Set Full Head Carbide	XLR SDS-plus® FULL HEAD CARBIDE	XLR SDS-plus® FHC Masonry Drill Bits: 5mm x 110mm, 6mm x 110mm, 6mm x 160mm, 8mm x 110mm, 8mm x 160mm, 10mm x 160mm, 12mm x 160mm	110 160	10
DT70752-QZ	10pc Set XLR SDS Plus® Full Head Carbide	XLR SDS-plus® FULL HEAD CARBIDE	SDS-plus® Full Head Carbide Masonry Drill Bits: 5mm x 110mm, 6mm x 110mm x2, 6mm x 160mm x 2, 6.5mm x 160mm, 8mm x 160mm x2, 10mm x 160mm, 12mm x 160mm	110 160	10



EXTREME® 2 SDS-plus®

Cat. No.	Description	Type	Contents	Length (mm)	Pack Quantity
DT70753-QZ	10pc SDS-plus® EXTREME® 2 Set	SDS-plus® EXTREME® 2	SDS-plus® EXTREME® DEWALT 2 Masonry Drill Bits: 5mm x 110mm, 6mm x 110mm x2, 6mm x 160mm x2, 7mm x 160mm, 8mm x 160mm, 9mm x 160mm, 10mm x 160mm, 12mm x 160mm	110 160	4
DT9700-QZ	4pc SDS-plus® EXTREME® 2 Drilling Set	SDS-plus® EXTREME® 2		110 160	7
DT9701-QZ	7pc SDS-plus® EXTREME® 2 Drilling Set	SDS-plus® EXTREME® 2	SDS-plus® EXTREME® 2 Masonry Drill Bits: 5mm x 110mm, 6mm x 110mm, 6mm x 160mm, 8mm x 110mm, 8mm x 160mm, 10mm x 160mm, 12mm x 160mm	110 160	4
DT9702-QZ	4pc SDS-plus® EXTREME® 2 Drilling Set	SDS-plus® EXTREME® 2	SDS-plus® EXTREME® 2 Masonry Drill Bits: 5.5mm x 160mm, 7mm x 160mm, 8mm x 160mm, 10mm x 160mm	160	5
DT7940-QZ	10pc SDS-plus® EXTREME® Drilling Set	SDS-plus® EXTREME®	SDS-plus® EXTREME® Masonry Drill Bits mm: 5mm x 160mm, 5.5mm x 160mm x3, 7mm x 160mm x3, 8mm x 160mm, 10mm x 160mm, 12mm x 160mm	160	8





SDS-plus® DRILLING SETS

Cat. No.	Description	Type	Contents	Length (mm)	Pack Quantity
DT60300-QZ	8pc SDS-plus® Drilling Set	SDS-plus®	SDS-plus® Drill Bits: 6mm x2, 7mm x2, 8mm x2, 10mm x2	160	5
DT60301-QZ	5pc SDS-plus® Drilling Set	SDS-plus®	SDS-plus® Drill Bits: 5mm x 110mm, 6mm x 110mm, 6mm x 160mm, 8mm x 160mm, 10mm x 160mm	110 160	6
DT60302-QZ	6pc SDS-plus® Drilling Set	SDS-plus®	SDS-plus® Drill Bits: 6mm x 160mm x2, 8mm x 160mm x2, 10mm x 160mm x2	160	3
DT9396-QZ	5pc SDS-plus® Drilling Set (12 Set Counter Top Display)	SDS-plus®	SDS-plus® Masonry Drill Bits: 5mm, 6mm x2, 8mm x2, 160mm	160	5
DT9397-QZ	5pc SDS-plus® Drilling Set (12 Set Counter Top Display)	SDS-plus®	SDS-plus® Masonry Drill Bits: 5.5mm x3, 7mm x2, 160mm	160	5
DT9398-QZ	5pc SDS-plus® Drilling Set (12 Set Counter Top Display)	SDS-plus®	SDS-plus® Masonry Drill Bits: 5.5mm x3, 7mm x2	110	5
DT9399-QZ	5pc SDS-plus® Drilling Set (12 Set Counter Top Display)	SDS-plus®	SDS-plus® Masonry Drill Bits: 5mm, 6mm x2, 8mm x2	110	5

SDS-plus® MASONRY DRILLING AND CHISELLING SETS



SDS-plus® DRILLING AND CHISELLING SETS

Cat. No.	Description	Type	Contents	Length (mm)	Pack Quantity
DT60300-QZ	8pc SDS-plus® Drilling Set	SDS-plus®	SDS-plus® Drill Bits: 6mm x2, 7mm x2, 8mm x2, 10mm x2	160	5
DT9670-QZ	15pc SDS-plus® Drill & Chisel Set in ALU case	SDS-plus®	11 x SDS-plus® Masonry Drill Bits: 4mm x 110mm, 5mm x 110mm, 5.5mm x 110mm, 6mm x 110mm, 6mm x 160mm, 7mm x 110mm, 7mm x 160mm x 2, 10mm x 160mm, 12 x 160mm, 14mm x 210mm 4 x SDS-plus® Masonry Chisels: Point Chisel 250mm Flat Chisel 20mm x 250mm Flat Chisel 40mm x 250mm	110 160 210 250	15
DT9679-QZ	15pc SDS-plus® Drill & Chisel Set in ALU case	SDS-plus®	11 x SDS-plus® Masonry Drill Bits: 5mm x110mm, 5.5mm x 110mm, 6mm x 110mm, 6mm x 160mm, 7mm x 110mm, 8mm x 110mm, 8mm x 160mm, 10mm x 110mm, 10mm x 160mm, 12 x 160mm, 14mm x 210mm 4 x SDS-plus® Masonry Chisels: Point Chisel 250mm Flat Chisel 20mm x 250mm Flat Chisel 40mm x 250mm	110 160 210 250	15
DT60331-QZ	6pc SDS-plus® Drill and Chisel Set	SDS-plus®	SDS-plus® Drill Bits: 5.5mm x 160mm, 6mm x 160mm, 7mm x 160mm. Point Chisel 250mm Flat Chisel 250mm x 20mm Flat Chisel 250mm x 40mm	110 160 210 250	15



EXTREME® MASONRY DRILLING SET

Cat. No.	Description	Type	Contents	Length (mm)	Pack Quantity
DT6956-QZ	5pc Drilling Set	EXTREME®	Masonry Drill Bits: 4mm x 75mm, 5mm x 85mm, 6mm x 100mm, 8mm x 120mm, 10mm x 120mm	75 85 100 120	-



HEX SHANK - MULTI MATERIAL / STRAIGHT SHANK - MASONRY

Cat. No.	Description	Type	Contents	Length (mm)	Pack Quantity
DT60099-QZ	5pc Multi-Material Drilling Set	Hex Shank	Multi-Material Drill Bits: 4, 5, 5.5, 6, 8mm	152	5
DT6952-QZ	5pc Drilling Set	Straight Shank	Masonry Drill Bits: 4mm x 75mm, 5mm x 85mm, 6mm x 100mm, 8mm x 120mm, 10mm x 120mm	75 85 100 120	5
DT9288-QZ	8pc Drilling Set	Straight Shank	Masonry Drill Bits: 3mm x 60mm, 4mm x 75mm, 5mm x 85mm, 6mm x 100mm, 7mm x 100mm, 8mm x 120mm, 9mm x 120mm, 10mm x 120mm	60 75 85 100 120	8



SDS-max® CHISEL SET / SDS-plus® CHISEL SET

Cat. No.	Description	Type	Contents	Length (mm)	Pack Quantity
DT9000-QZ	2pc SDS-max® Flat & Pointed Chisel Set	SDS-max®	Point Chisel Flat Chisel	400	2
DT60330-QZ	3pc SDS-plus® Chisel Set	SDS-plus®	Point Chisel Flat Chisel 20mm x 250mm Flat Chisel 40mm x 250mm	250	7

METAL DRILLING SETS



BLACK & GOLD HSS-G DRILL BITS

Cat. No.	Description	Ø mm
DT70727-QZ	14 pc	1 (x1) / 1.5 (x2) / 2 (x2) / 2.5 (x1) / 3 (x2) / 3.5 (x1) / 4 (x2) / 5 (x1) / 6 (x1) / 8 (x1)
DT70728-QZ	19pc	1 (x1) / 1.5 (x1) / 2 (x2) / 2.5 (x2) / 3 (x2) / 3.5 (x2) / 4 (x2) / 5 (x2) / 5.5 (x1) / 6 (x1) / 7 (x1) / 8 (x1) / 10 (x1)
DT70729-QZ	23pc	1 (x2) / 1.5 (x2) / 2 (x2) / 2.5 (x2) / 3 (x2) / 3.5 (x2) / 4 (x2) / 4.5 (x1) / 5 (x2) / 6 (x1) / 7 (x1) / 8 (x1) / 9 (x1) / 10 (x1) / 12 (x1)
DT70755-QZ	21pc	1 / 1.5 / 2 / 2.5 / 3 / 3.2 / 3.3 / 3.5 / 4 / 4.2 / 4.5 / 4.8 / 5 / 5.5 / 6 / 6.5 / 7 / 7.5 / 8 / 10 / 12



COBALT

Cat. No.	Description	Type	Contents	Pack Quantity
DT4956-QZ	6pc Cobalt Set	Cobalt	Cobalt Metal Drill Bits: 2, 3, 4, 5, 6, 8mm	6
DT4957-QZ	29pc Cobalt Drilling Set	Cobalt	Cobalt Metal Drill Bits: 1, 1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13mm	29
DT5935-QZ	10pc Cobalt Drilling Set	Cobalt	Cobalt Metal Drill Bits: 1, 2, 3, 4, 5mm x 86mm, 6mm x 93mm, 7mm x 109mm, 8mm x 117mm, 9mm x 125mm, 10mm x 133mm	10
DT5936-QZ	19pc Cobalt Drilling Set	Cobalt	Cobalt Metal Drill Bits: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5mm x 86mm, 5.5mm x 93mm, 6mm x 93mm, 6.5mm x 101mm, 7mm x 109mm, 7.5mm x 109mm, 8mm x 117mm, 8.5mm x 117mm, 9mm x 125mm, 9.5mm x 125mm, 10mm x 133mm	19
DT4968-QZ	13pc Industrial Cobalt Set	Cobalt	Industrial Cobalt metal Drill Bits: 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7mm	13



TITANIUM

Cat. No.	Description	Type	Contents	Pack Quantity
DT71916-QZ	29pc Titanium Drill Set in Tough Case (Imperial drill bit sizes)	Titanium	1/16" (1.6mm), 5/64" (2.0mm), 3/32" (2.4mm), 7/64" (2.8mm), 1/8" (3.2mm), 9/64" (3.6mm), 5/32" (4.0mm), 11/64" (4.4mm), 3/16" (4.8mm), 13/64" (5.2mm), 7/32" (5.6mm), 15/64" (6.0mm), 1/4" (6.4mm), 17/64" (6.7mm), 9/32" (7.1mm), 19/64" (7.5mm), 5/16" (7.9mm), 21/64" (8.3mm), 11/32" (8.7mm), 23/64" (9.1mm), 3/8" (9.5mm), 25/64" (9.9mm), 13/32" (10.3mm), 27/64" (10.7mm), 7/16" (11.1mm), 29/64" (11.5mm), 15/32" (11.9mm), 31/64" (12.3mm), 1/2" (12.7mm)	29
DT7914-QZ	14pc Titanium Drilling Set (Imperial Sizes)	Titanium	Titanium Metal Drill Bits: 1/16" (1.6mm) x2, 5/64" (2mm), 3/32" (2.4mm), 7/64" (2.8mm), 1/8" (3.2mm) x2, 9/64" (3.6mm), 5/32" (4mm), 3/16" (4.8mm), 1/4" (6.4mm), 5/16" (8mm), 3/8" (9.5mm), 1/2" (12.7)	14



EXTREME® 2

Cat. No.	Description	Type	Contents	Pack Quantity
DT7926-XJ	29pc EXTREME® 2 Drillng Set	EXTREME® 2	EXTREME® 2 Metal Drill Bits: 1, 1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13mm	29



HSS-G

Cat. No.	Description	Type	Contents	Pack Quantity
DT5920-QZ	19pc HSS-G Drilling Set	HSS-G	HSS-G Metal Drill Bits: 1mm x2, 1.5mm x3, 2mm x3, 2.5 x2, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 8mm	19
DT5921-QZ	10pc HSS- G Drilling Set	HSS-G	HSS-G Metal Drill Bits: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10mm	10
DT5922-QZ	13pc HSS-G Drilling Set	HSS-G	HSS-G Metal Drill Bits: 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5 x2, 5.5, 6, 6.5mm	13
DT5923-QZ	19pc HSS-G Drilling Set	HSS-G	HSS-G Metal Drill Bits: 1mm x 34mm, 1.5mm x 40mm, 2mm x 49mm, 2.5mm x 57mm, 3mm x 61mm, 3.5mm x 70mm, 4mm x 75mm, 4.5mm x 80mm, 5mm x 86mm, 5.5mm x 93mm, 6mm x 93mm, 6.5mm x 101mm, 7mm x 109mm 7.5mm x 109mm, 8mm x 117mm, 8.5mm x 117mm, 9mm x 125mm, 9.5mm x 125mm, 10mm x 133mm	19
DT5929-QZ	29pc HSS-G Drilling Set	HSS-G	HSS-G Metal Drill Bits: 1, 1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13mm	29



HSS-R

Cat. No.	Description	Type	Contents	Pack Quantity
DT5911-QZ	10pc HSS-R Drilling Set	HSS-R	HSS-R Metal Drill Bits: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10mm.	10
DT5912-QZ	13pc HSS-R Drilling Set	HSS-R	HSS-R Metal Drill Bits: 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5x2, 5.5, 6, 6.5mm	13
DT5913-QZ	19pc HSS-R Drilling Set	HSS-R	HSS-R Metal Drill Bits: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10mm	19
DT5930-QZ	29pc HSS-R Drilling Set	HSS-R	HSS-R Metal Drill Bits: 1, 1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13mm	29

WOOD DRILL BIT SETS



EXTREME® IMPACT FLATWOOD SET

Cat. No.	Description	Contents	Pack Quantity
DT70751-QZ	9pc EXTREME® Impact Flatwood Set	EXTREME® Flatwood Drill Bits mm: 12, 14, 16, 18, 20, 22, 25, 28, 32. Hex shank	9



EXTREME® TRI-FLUTE BIT SETS

Cat. No.	Description	Ø mm	Total Legnth mm	Pack Quantity
DT90237-QZ	3 piece tri-flute bit set	16 / 20 / 25mm	152	3
DT90238-QZ	6 piece tri-flute bit set	13 / 16 / 20 / 22 / 25 / 32mm	152	6



HIGH PERFORMANCE

Cat. No.	Description	Length (mm)	Contents	Pack Quantity
DT70750-QZ	8pc Flat Wood Set	152mm	Hex shank flat wood Drill Bits: 12, 16, 18, 20, 22, 5, 28, 32mm	8
DT4535-QZ	5pc Brad Point Set		Brad Point Drill Bits: 4, 5, 6, 8, 10mm	5

EXTREME® BI-METAL HOLE SAW SETS



SINGLE PACKS

Cat. No.	Diameter mm
DT90350-QZ	BIM Hole Saw General 13pc
DT90351-QZ	BIM Hole Saw Elec. 11pc
DT90352-QZ	BIM Hole Saw Elec. 11pc
DT90353-QZ	BIM Hole Saw General 11pc
DT90354-QZ	BIM Hole Saw Elec. 11pc
DT90355-QZ	BIM Hole Saw Plumber 11pc
DT90356-QZ	BIM Hole Saw Elec. 11pc
DT90357-QZ	BIM Hole Saw General 10pc
DT90358-QZ	BIM Hole Saw General 10pc
DT90360-QZ	BIM Hole Saw General 12pc
DT90361-QZ	BIM Hole Saw General 13pc

Each set includes: 2x Mandrels and 2x Pilot Bits



HIGH PERFORMANCE

Cat. No.	Description	Contents	Pack Quantity
DT90350-QZ	BIM HoleSaw General 13pc EXTREME® Set	16, 19, 25, 32, 38, 44, 48, 51, 64mm (DT83001-QZ)	13
DT90351-QZ	BIM HoleSaw Elec. 11pc EXTREME® Set	16, 20, 25, 32, 40, 51, 64mm (DT83003-QZ)	11
DT90352-QZ	BIM HoleSaw Elec. 11pc EXTREME® Set	20, 25, 32, 35, 44, 51, 64mm (DT83004-QZ)	11
DT90353-QZ	BIM HoleSaw General 11pc EXTREME® Set	22, 29, 35, 44, 51, 64, 68mm (DT8270L-QZ)	11
DT90354-QZ	BIM HoleSaw Elec. 11pc EXTREME® Set	16, 20, 25, 32, 35, 51, 64mm (DT8273L-QZ)	11
DT90355-QZ	BIM HoleSaw Plumber 11pc EXTREME® Set	19, 22, 29, 38, 44, 51, 57mm (DT8269L-QZ)	11
DT90356-QZ	BIM HoleSaw Elec. 11pc EXTREME® Set	16, 19, 22, 25, 29, 32, 35, 44, 51mm (ANZ new)	11
DT90357-QZ	BIM HoleSaw General 10pc EXTREME® Set	16, 20, 25, 32, 40, 51mm (ANZ new)	10
DT90358-QZ	BIM HoleSaw General 10pc EXTREME® Set	20, 25, 32, 38, 51, 64 (UK new)	10
DT90359-QZ	BIM HoleSaw General 11pc EXTREME® Set	19, 25, 32, 35, 51, 64 (EU new)	11
DT90360-QZ	BIM HoleSaw General 12pc EXTREME® Set	20, 22, 25, 32, 35, 44, 51, 64mm (UK new)	12
DT90361-QZ	BIM HoleSaw General 13pc EXTREME® Set	20, 22, 25, 32, 35, 38, 44, 51, 64mm (EU new)	13

SCREWDRIVER BIT SETS

TSTAK®



EXTREME® FLEXTORQ 25MM BITS - SMALL BULK STORAGE SETS

Cat. No.	Description	Bit Length (mm)	Contents	Pack Quantity
DT70555T-QZ	PH2	25mm	PH2 x25	25
DT70556T-QZ	PZ2	25mm	PZ2 x25	25
DT70557T-QZ	T20	25mm	T20 x25	25
DT70558T-QZ	T25	25mm	T25 x25	25
DT70559T-QZ	T40	25mm	T40 x25	25
DT70618T-QZ	PZ2	25mm	PZ2 x15 Compact Magnetic Drive Guide	16
DT70621T-QZ	PZ2	25mm	PZ2 x25 Compact Magnetic Drive Guide	25
DT70522T-QZ	PZ2, T15, T20, T25	25mm	PZ2 x6, T15 x3, T20 x3, T25 x3 Compact Magnetic Drive Guide	16
DT70564T-QZ	PZ2	25mm	PZ2 x25 Compact Magnetic Drive Guide	26
DT70577T-QZ	PH2, PZ2, T10, T15, T20, T25	25mm	PH2 x3, PZ2 x3, T10 x2, T15, T20 x3, T25 x3 Compact Magnetic Drive Guide	16
DT71910-QZ	PH2	25mm	PH2 x25 Compact Magnetic Drive Guide	26
DT71911-QZ	SQ2	25mm	SQ2 x25 Compact Magnetic Drive Guide	26



57MM FLEXTORQ BITS - KEYRING SETS/MERCHANDISERS

Cat. No.	Description	Contents
DT7275-QZ	10-Piece TORX FlexTorq Bits Keyring (50 Set Cookie Jar Merchandiser)	T20 x3, T25 x4, T30 x6
DT7276-QZ	10-Piece POZI FlexTorq Bits Keyring (50 Set Cookie Jar Merchandiser)	PZ1 x 2, PZ2 x6, PZ3 x2



HIGH PERFORMANCE BITS - SMALL BULK STORAGE SETS

Cat. No.	Description	Bit Length (mm)	Contents	Pack Quantity
DP42-QZ	T20	25mm	T20 x25	25
DP43-QZ	T25	25mm	T25 x25	25
DP44-QZ	T30	25mm	T30 x25	25
DP73-QZ	PZ2	50mm	PZ2 x15	15
DT71521-QZ	PZ2	25mm	PZ2 x25	25
DT71522-QZ	PH2	25mm	PH2 x25	25
DT71560-QZ	PZ2	25mm	PZ2 x25 Compact Magnetic Drive Guide	26
DT71511-QZ	PH2, PZ2, PZ3, T20, T25	25mm	PH2 x2, PZ2 x6, PZ3 x3, T20 x2, T25 x2 Compact Magnetic Drive Guide	16
DT71573-QZ	PH2, PZ2, PZ3,T20, T25	25mm	PH2 x2, PZ2 x2, PZ3,T20 x6, T25 x4 Compact Magnetic Drive Guide	16
DT71910-QZ	PH2	25mm	PH2 Compact Magnetic Drive Guide	25



25MM BITS FOR DRYWALL APPLICATIONS - SMALL BULK STORAGE SETS

Cat. No.	Description	Bit Length (mm)	Contents	Pack Quantity
DT7300-QZ	PR2	25mm	PR2 x25	25

SCREWDRIVER BIT SETS



EXTREME® IMPACT TORSION - 25MM BITS - SLIM POCKET CASE

Cat. No.	Description	Bit Length (mm)	Contents	Pack Quantity
DT70512T-QZ	14pc Set	25mm	25mm: PH1, PH2, PH3, PZ1, PZ2x3, PZ3, SL6, T20, T25, T30, Magnetic drive guides x2 (compact & longer version)	
DT70574T-QZ	14pc Set	25mm	25mm: PH1, PH2x2, T10, T15, T20x2, T25x2, T30, PZ1, PZ2, Magnetic drive guides x2 (compact & longer version)	



HIGH PERFORMANCE - 25MM BITS - SLIM POCKET CASE

Cat. No.	Description	Bit Length (mm)	Contents	Pack Quantity
DT7915-QZ	11pc Set	25mm	PZ1, PZ2, PZ3, PH1, PH2, PH3, SL4.5, SL5.5, SL6.5, SL8, Magnetic bit tip holder	11
DT7916-QZ	11pc Set	25mm	PZ1, PZ2, PZ3, PH1, PH2, PH3, T10, T15, T20, T25, Magnetic bit tip holder	11
DT7917-QZ	11pc Set - Torx	25mm	T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, Magnetic bit tip holder	11
DT71570-QZ	14pc Set	25mm	25mm: PH1, PH2 x2, PZ2, T10, T15 x2,T20 x2, T25 x2, T30, Magnetic drive guides x2 (compact & longer version)	14
DT71502-QZ	14pc Set	25mm	25mm: PH1, PH2, PH3, PZ2 x3, PZ3, SL6, T15, T20, T25, T30, Magnetic drive guides x2 (compact & longer version)	14
DT71908-QZ	14pc Set	25mm	25mm: PH2 x4, SQ2 x4, T15, T20, T25, SL6, Magnetic drive guides x2 (compact & longer version)	14
DT71905-QZ	14pc Set	25mm	25mm: PH2 x4, SQ2 x4, T15, T20, T25, SL6, Magnetic drive guides x2 (compact & longer version)	14

SCREWDRIVER BIT and SOCKET SETS





EXTREME® FLEX TORQ IMPACT TORSION 25MM

Cat. No.	Description	Bit Length (mm)	Contents	Pack Quantity
DT70523T-QZ	32pc Set	25mm	PH1, PH2 x3, PH3, PZ1 x2, PZ2 x5, PZ3 x3, T10 x2, T15 x2, T20 x2, T25 x2, T27, T30, T40, SL6 x2, SL8, PR2 x2, Magnetic bit tip holder	32
DT70523TM-QZ	32pc Set	25mm	PH1, PH2 x3, PH3, PZ1 x2, PZ2 x5, PZ3 x3, T10 x2, T15 x2, T20 x2, T25 x2, T27, T30, T40, SL6 x2, SL8, PR2 x2, Magnetic bit tip holder	32
DT70560T-QZ	32pc Set	25mm	PH1, PH2 x5, PH3 x2, PZ1, PZ2 x10, PZ3 x3, T15, T20, T25 x2, T27, T30 x3, Adapter, Magnetic bit tip holder	32

SCREWDRIVER BIT and SOCKET SETS





HIGH PERFORMANCE 25mm

Cat. No.	Description	Bit Length (mm)	Contents	Pack Quantity
DT7969-QZ	32pc Set	25mm	PH1, PH2 x2, PH3, PZ1, PZ2 x2, PZ3, SL3, SL4, SL5, SL6.5, H3, H4, H5, H6, T10, T15, T20, T25, T27, T30, T40, T10H, T15H, T20H, T25H, T27H, T30H, T40H, Hex to 1/4" adapter, Magnetic bit tip holder	32
DT7969M-QZ	32pc Set	25mm	PH1, PH2 x2, PH3, PZ1, PZ2 x2, PZ3, SL3, SL4, SL5, SL6.5, H3, H4, H5, H6, T10, T15, T20, T25, T27, T30, T40, T10H, T15H, T20H, T25H, T27H, T30H, T40H, Hex to 1/4" adapter, Magnetic bit tip holder	32
DT71562-QZ	32pc Set	25mm	PZ1 x2, PZ2 x7, PZ3 x2, PH1, PH2 x6, PH3 x2, SL3, SL4, SL5, SL6.5, T15, T20, T25, T27, T30, T40, Hex to 1/4" adapter, Magnetic bit tip holder	32
DT7944TS-QZ	31pc Set	25mm	PZ1 x2, PZ2 x3, PZ3, PH1 x2, PH2 x2, PH3, SL4.5, SL5.5, SL6.5, T10 x2, T15 x2, T20 x2, T25 x2, T30 x2, T40 x2, Hex3, Hex4 x2, Hex5, Quick change magnetic bit tip holder	31
DT7944TS-QZ	31pc Set	25mm	PZ1 x2, PZ2 x3, PZ3, PH1 x2, PH2 x2, PH3, SL4.5, SL5.5, SL6.5, T10 x2, T15 x2, T20 x2, T25 x2, T30 x2, T40 x2, Hex3, Hex4 x2, Hex5, Quick change magnetic bit tip holder	31





HIGH PERFORMANCE 25mm

Cat. No.	Description	Bit Length (mm)	Contents	Pack Quantity
DT71516-QZ	24pc Set	25mm	Sockets: 6, 7, 8, 10, 11, 13mm Ratchet 25mm: PZ1, PZ2, PZ3, PH1, PH2, PH3, T10, T15, T20, T25, T30, T40, Hex 4, Hex 5, Hex 6, adapter, Magnetic bit tip holder	24
DT71516M-QZ	24pc Set	25mm	Sockets: 6, 7, 8, 10, 11, 13mm Ratchet 25mm: PZ1, PZ2, PZ3, PH1, PH2, PH3, T10, T15, T20, T25, T30, T40, Hex 4, Hex 5, Hex 6, adapter, Magnetic bit tip holder	24

BIT TIP HOLDER and SCREWDRIVING BIT SETS





EXTREME® IMPACT TORSION

Cat. No.	Description	Bit Length (mm)	Contents	Pack Quantity
DT70518T-QZ	10pc with Pivoting Bit Tip Holder	25mm	25mm: PH2 x2, PZ2 x2, PZ3 x2, T15, T30, SL6 Pivoting bit tip holder	10
DT70578T-QZ	10pc with Pivoting Bit Tip Holder	25mm	25mm: PH2 x2, PZ2, T10, T15, T20 x2, T25, T30 Pivoting bit tip holder	10



HIGH PERFORMANCE

Cat. No.	Description	Bit Length (mm)	Contents	Pack Quantity
DT71514-QZ	6pc Set with Compact Rapid Load	25mm	25mm: PZ2, PZ3, T25 50mm: PZ2, T20 Compact rapid load bit holder	6

FLIP 'N' DRIVE *QUICK CHANGE* SYSTEM



QUICK-CHANGE SET

Cat. No.	Description	Bit Length (mm)	Contents	Pack Quantity
DT7612-XJ	10pc Countersink Flip & Drive Set	25mm	Countersink No 6, 8, 10, 12 countersink and pilot bits 25mm: PZ2 x2, PH2 x2 Allen Key	10

EXTREME® RIGHT ANGLE SCREWDRIVER BIT HOLDER

10X MAGNETIC SCREW LOCK SYSTEM

FEATURES

- 1/4" hexagonal shank
- Max. torque: 40 Nm
- Integrated magnet ring holds screw
- Includes 9 EXTREME® FlexTorq bits.

APPLICATIONS

For screwing and drilling in tight spaces and difficult to access areas.

FOR USE WITH

Impact Drivers and Cordless Drills

Cat. No.	Description	Pack Qty.
DT20503-QZ	Ultra Compact Impact Right Angle Attachment	1
DT20500-QZ	Impact Right Angle Attachment	1
DT20501-QZ	Impact Flexi Attachment	1
DT20502-QZ	Impact Right Angle & Flexi Attachment	1



IMPACT SHEET SHEAR ATTACHMENT









FEATURES

- Extremely powerful: easily cuts up to 1.3mm in metal.
- Faster in straight and curved sections vs. conventional hand-held sheet metal shears.
- 500m cutting capacity in sheet metal, 360° rotating head.

APPLICATIONS

For use in sheet metal (steel, stainless steel, titanium, zinc) panel sections, precision cuts, notches, sheet metal coverings and spiral pipes.

SINGLE PACK

Cat. No.	Description
DT70620-QZ	18ga Cutting Shear Attachment for Impact Drivers



EXTREME® FLEXTORQ® Small TOUGHCASE®+



Cat. No.	Description	Contents
DT70730T-QZ	25pc FLEXTORQ® Screwdriving Set	Compact magnetic drive guide with torsion zone, Cleanable socket driver 8mm

	PH2	PZ2	PZ3	SL6	T20	T25	T30
25mm		7	1	1	2	2	2
57mm	2	2	1				
89mm	1	1			1		



Cat. No.	Description	Contents
DT70731T-QZ	37pc FLEXTORQ® Screwdriving Set	Compact magnetic drive guide with torsion zone, Aluminium magnetic sleeve

	PH1	PH2	PH3	PZ1	PZ2	PZ3	SL4-6	T20	T25	T25 Security
25mm	1	3	1	2	8	3	1	1	1	1
57mm		2		1	5	1		1	1	
85mm		1			1					



Cat. No.	Description	Contents
DT70732T-QZ	37pc FLEXTORQ® Screwdriving Set Tx	Compact magnetic drive guide with torsion zone, Aluminium magnetic sleeve

	PH1	PH2	PZ1	PZ2	T10	T15	T20	T25	T27	T30	T20 Security	T25 Security
25mm	1	1	1	1	2	3	5	4	1	1	1	1
57mm		1		1	1	2	3	3				
85mm							1	1				



Cat. No.	Description	Contents
DT70733T-QZ	38pc FLEXTORQ® Set+Safety Glasses	Bit tip holder, 1/4" hex to 1/4" square adapter, 1/4" hex to 3/8" square adapter, Cleanable socket driver 8mm, Tinted safety glasses

	PH2	PH3	PZ2	PZ3	T10	T15	T20	T25	T30	T40
25mm	1	1	1	1	3	4	8	6	2	1
57mm	1		1			1	1	1		
85mm							1			



Cat. No.	Description	Contents
DT70734T-QZ	29pc FLEXTORQ® Screwdriving Set	Aluminium magnetic sleeve

	PH2	PZ2	PZ3	T10	T15	T20	T25	T30	T20 Security	T25 Security
25mm				1	1	1	1	1	1	1
57mm	1	1	1	2	3	7	5	1		



Cat. No.	Description	Contents
DT70735T-QZ	25pc FLEXTORQ® Drill Drive Set	Socket Drivers: 8mm, 10mm, Magnetic bit tip holder

	PH1	PH2	PH3	PZ2	T10	T15	T20	T25	T30
25mm	1	1	1	1	1	1	5	3	1
57mm		1					1		

Metal Drill Bits	3mm	4mm	5mm	6mm	8mm
Hex shank	1	1	1	1	1

EXTREME® FLEXTORQ® Small TOUGHCASE®+



Cat. No.	Description	Contents
DT70737T-QZ	31pc FLEXTORQ® Screwdriving Set	Magnetic bit tip holder with torsion zone

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T20	T25
25mm	1	2	1	1	6	1	1	1
57mm	1	3		1	6	2	2	1




Cat. No.	Description	Contents
DT70738T-QZ	31pc FLEXTORQ® Screwdriving Set	Magnetic bit tip holder with torsion zone

	PH2	PZ2	T10	T15	T20	T25	T30	T20 Security	T25 Security
25mm	1	1	1	1	4	3	1	1	1
57mm	1	1	2	2	6	4			



Cat. No.	Description	Contents
DT70739T-QZ	31pc FLEXTORQ® Screwdriving Set	Magnetic bit tip holder with torsion zone

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T20	T25	T30
25mm		2	1	1	7	1	1	1	
57mm	1	3		1	7	1	1	1	1



Cat. No.	Description	Contents
DT70740T-QZ	38pc FLEXTORQ® Set+Safety Glasses	Compact magnetic drive guide with torsion zone, 1/4" hex to 1/4" square adapter, 1/4" hex to 3/8" square adapter, Cleanable socket driver 8mm, Tinted safety glasses

	PH2	PH3	PZ1	PZ2	PZ3	SL6	SL8-10	T10	T15	T20	T25	T30
25mm	3	2	1	11	3	1	1	1	1	1	1	2
57mm	1			3	1							
85mm				1								



Cat. No.	Description	Contents
DT70741T-QZ	32pc FLEXTORQ® Drill Drive Set	Magnetic bit tip holder with torsion zone, Cleanable socket driver 8mm

	PH2	PH3	PZ1	PZ2	PZ3	SL6	T15	T20	T25	T30
25mm	1	1	1	8	3	1	1	2	2	2
57mm				2	1					
85mm	1			1						

Metal Drill Bits	5mm	6mm	8mm
Hex shank	1	1	1



Cat. No.	Description	Contents
DT70742T-QZ	33pc FLEXTORQ® Screwdriving Set	Socket Drivers: 8mm, 10mm, Compact magnetic drive guide with torsion zone

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T10	T15	T20	T25	T30
25mm	1	5	1	2	8	2	2	1	3	2	1
57mm		1			1						

EXTREME® FLEXTORQ® Small TOUGHCASE®+



Cat. No.	Description	Contents
DT70743T-QZ	32pc FLEXTORQ® Screwdriving Set	Cleanable socket driver 8mm, Magnetic bit tip holder with torsion zone

	PH2	PZ1	PZ2	PZ3	SL6	T15	T20	T25	T30
25mm	2	1	7	2	1	2	2	3	2
57mm	1		1	1			1		1
85mm	1		1					1	



Cat. No.	Description	Contents
DT70744T-QZ	25pc FLEXTORQ® Screwdriving Set	Compact magnetic drive guide with torsion zone, Cleanable socket driver 8mm

	PH2	PZ2	PZ3	T10	T15	T20	T25	T30
25mm	2	2	1	1		2	5	2
57mm	1	1			1	2	1	
85mm						1	1	



Cat. No.	Description	Contents
DT70745T-QZ	31pc FLEXTORQ® Screwdriving Set Tx	Magnetic bit tip holder with torsion zone

	PH2	PZ2	T10	T15	T20	T25	T30	T20 Security	T25 Security
25mm	1	1	1	2	4	2	1	1	1
57mm	1	1	2	3	5	4			



Cat. No.	Description	Contents
DT70746T-QZ	34pc FLEXTORQ® Screwdriving Set	Aluminium magnetic sleeve

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T20	T25
25mm	1	2	1	1	5	2	1	1
57mm	1	2		1	10	2	2	1



Cat. No.	Description	Contents
DT70747T-QZ	32pc FLEXTORQ® Screwdriving Set	Magnetic bit tip holder with torsion zone, Cleanable socket driver 10mm

	PH2	PZ1	PZ2	PZ3	T10	T15	T20	T25	T30
25mm	1	1	2	1		2	8	5	2
57mm	1		1		1		2	1	1
85mm							1		



Cat. No.	Description	Contents
DT70748T-QZ	24pc FLEXTORQ® Drill Drive Set	

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T20	T25	T30
25mm	1	2	1	1	4	1	2	1	1

Metal Drill Bits	3mm	3.2mm	3.5mm	4mm	5mm	5.5mm	6mm	7mm	8mm	10mm
Hex shank	1	1	1	1	1	1	1	1	1	1



Cat. No.	Description	Contents
DT70749T-QZ	25pc FLEXTORQ® Drill Drive Set	Compact magnetic drive guide with torsion zone

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T20
25mm	1	5	1	1	6	1	
57mm		1			2		1

Metal Drill Bits	3mm	4mm	5mm	6mm	8mm
Hex shank	1	1	1	1	1

EXTREME® MIXED SCREWDRIVING SET

TOUGH CASE+ CONNECTABLE CASES TSTAK®



SMALL TOUGHCASE™ SET

Cat. No.	Description	Contents
DT70712-QZ	19pc Extreme Masonry Drill Drive Set	Compact magnetic drive guide, Magnetic bit holder

	PH2	PZ2	T25
25mm	3	4	1
50mm	1	1	1

Masonry Drill Bits	4mm	5mm	5.5mm	6mm	7mm	8mm
Extreme Masonry	1	1	1	1	1	1

HIGH PERFORMANCE - MIXED SCREWDRIVING SETS

TOUGH CASE+ CONNECTABLE CASES TSTAK®



Cat. No.	Description	Contents
DT70702-QZ	40pc Screwdriving Set	Socket Drivers: 8mm, 10mm, Compact magnetic drive guide

	PH1	PH2	PH3	PZ2	PZ3	T10	T15	T20	T25	T30
25mm	1	2	2	6	3	1	2		2	2
50mm	1	2		4	1		1	1	2	2
89mm		2								



Cat. No.	Description	Contents
DT70703-QZ	47pc Screwdriving Set+Safety Glasses	Bit tip holder, Tinted Safety Glasses

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T20	T25	T30	SL6	T10 Security	T15 Security	T20 Security	T25 Security	T30 Security	T40 Security
25mm	1	5	2	3	14	5	1	2	2	1	1	1	1	1	1	1
50mm		1			1	1		1								



Cat. No.	Description	Contents
DT70704-QZ	47pc Screwdriving Set+Safety Glasses Tx	1/4" hex to 1/4" square adapter, 1/4" hex to 3/8" square adapter, Bit tip holder, Tinted Safety Glasses

	PH1	PH2	PZ1	PZ2	T10	T15	T20	T25	T30	T40	T10 Security	T15 Security	T20 Security	T25 Security	T30 Security
25mm	1	1	1	1	4	4	8	8	3	3	1	1	2	2	2
50mm							1	1							



Cat. No.	Description	Contents
DT70705-QZ	40pc Screwdriving Set Tx	Socket Drivers: 8mm, 10mm, Compact magnetic drive guide, 5 pack IR Drill Taps: M4, M5, M6, M8, M10 (DT50060-QZ)

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T10	T15	T20	T25	T30	SL6
25mm	1	2	1		2	2	2	2	3	3	2	1
50mm	1	2		1	2		1	1	3	3	2	

HIGH PERFORMANCE - MIXED SCREWDRIVING SETS

TOUGH CASE+ CONNECTABLE CASES TSTAK®

SMALL TOUGHCASE™ SETS



Cat. No.	Description	Contents
DT70706M-QZ	25pc Drill Drive Set+Mug	Socket Driver 10mm, Compact magnetic drive guide, Drinking mug

	PH2	PZ2	PZ3	T10	T15	T20	T25	T30
25mm	2	5	2	1	1	1	2	1
50mm	1	1	1				1	
Metal Drill Bits		3mm	4mm	5mm	6mm			
Hex shank		1	1	1	1			



Cat. No.	Description	Contents
DT70707-QZ	25pc Drill Drive Set+Mug	Socket Driver 10mm, Compact magnetic drive guide, Drinking mug

	PH2	PZ2	PZ3	T10	T15	T20	T25	T30
25mm	2	5	2	1	1	1	2	1
50mm	1	1	1				1	
Metal Drill Bits		3mm	4mm	5mm	6mm			
Hex shank		1	1	1	1			



Cat. No.	Description	Contents
DT70708-QZ	25pc Drill Drive Set	Compact rapid load bit holder, Compact magnetic drive guide

	PH2	PZ2	PZ3	T10	T15	T20	T25	T30
25mm	2	5	2	1	1	1	2	1
50mm	1	1					1	1
Metal Drill Bits		3mm	4mm	5mm	6mm			
Hex shank		1	1	1	1			



Cat. No.	Description	Contents
DT70709-QZ	33pc Screwdriving Set	Compact magnetic drive guide, Magnetic bit holder

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T10	T15	T20	T25	T30	T40	SL6	SL8
25mm	1	4	1	1	6	3	1	1	1	4	2	1	1	1
50mm		1			1					1				

Cat. No.	Description	Contents
DT70713-QZ	67pc Drill Drive Set (ANZ)	Compact magnetic drive guide, Pocket case, 2 x small bulk storage cases

	PH2	SQ2	SL6	H5	T15	T20	T25
25mm	24	22	2	2	2	2	2
50mm	2	1					1
Metal Drill Bits		4.5mm	5mm	5.5mm	6mm	6.5mm	7mm
HSS-G Metal		1	1	1	1	1	1

Cat. No.	Description	Contents
DT50050-QZ	10pc Impact Titanium Drill Bit Set	

Metal Drill Bits	3mm	3.2mm	3.5mm	4mm	4.5mm	5mm	6mm	8mm	10mm	12mm
Impact Titanium	1	1	1	1	1	1	1	1	1	1

EXTREME® 2 MIXED SCREWDRIVING SET





SMALL TOUGHCASE™ SET

Cat. No.	Description	Contents
DT70710-QZ	13pc Extreme 2 Metal Drilling Set	Bit tip holder, Tinted Safety Glasses

Metal Drill Bits	1.5mm	2mm	2.5mm	3mm	3.2mm	3.5mm	4mm	4.5mm	5mm	5.5mm	6mm	6.5mm	7mm
Extreme 2 Metal	1	1	1	1	1	1	1	1	1	1	1	1	1

Cat. No.	Description	Contents
DT70711-QZ	19pc Extreme 2 Metal Drill Drive Set	Bit tip holder, Compact Magnetic Drive Guide

	PH2	PZ2	PZ3
25mm	3	4	1
50mm	1	2	

Metal Drill Bits	2mm	3mm	4mm	5mm	6mm	8mm
Extreme 2 Metal	1	1	1	1	1	1

EXTREME® MEDIUM MIXED SETS



EXTREME® MEDIUM TOUGHCASE™

Cat. No.	Description	Contents
DT70756-QZ	57pc Drill Drive Set with Brad Point and EXTREME® Flatwood Drill Bits	1 x Magnetic bit tip holder, 1 x Magnetic drive guide

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T15	T20	T25	T30	T40
25mm	1	3	1	1	3	1	1	22	4	1	1
50mm		1			1			1			

	3mm	4mm	5mm	6mm	8mm	10mm	12mm	14mm	16mm	20mm	22mm	25mm
Brad Point bits	1	1	1	1	1	1	1					
EXTREME® Flatwood bits							1	1	1	1	1	1

Cat. No.	Description	Contents
DT70758-QZ	57pc Drill Drive Set with Brad Point and EXTREME® Flatwood Drill Bits	1 x Magnetic bit tip holder, 1 x Magnetic drive guide

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T15	T20	T25	T30	T40
25mm	1	3	1	1	3	1	1	22	4	1	1
50mm		1			1			1			

	3mm	4mm	5mm	6mm	8mm	10mm	12mm	14mm	16mm	20mm	22mm	25mm
Brad Point bits	1	1	1	1	1	1	1					
EXTREME® Flatwood bits							1	1	1	1	1	1

Cat. No.	Description	Contents
DT70768-QZ	57pc Drill Drive Set with Brad Point and EXTREME® Flatwood Drill Bits	1 x Magnetic bit tip holder, 1 x Magnetic drive guide

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T15	T20	T25	T30	T40
25mm	1	3	1	1	22	1	1	4	3	1	1
50mm		1			1			1			

	3mm	4mm	5mm	6mm	8mm	10mm	12mm	14mm	16mm	20mm	22mm	25mm
Brad Point bits	1	1	1	1	1	1	1					
EXTREME® Flatwood bits							1	1	1	1	1	1

Cat. No.	Description	Contents
DT70759-QZ	63pc Drill Drive Set with EXTREME® Masonry and EXTREME® 2 HSS-G Metal Drill Bits	1 x Magnetic bit tip holder, 1 x Magnetic drive guide

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T15	T20	T25	T30	T40
25mm	1	3	1	1	23	1	1	3	3	1	1
50mm		1			1			1			

	4mm x 75mm	5mm x 85mm	6mm x 100mm	7mm x 100mm	8mm x 120mm
EXTREME® Masonry bits	1	1	2	1	2

	9.11 mm	2mm	2.5mm	3mm	3.5mm	4mm	4.5mm	5mm	5.5mm	6mm	6.5mm	7mm
EXTREME® 2 HSS-G bits	1	1	1	1	1	1	1	1	1	1	1	1

Cat. No.	Description	Contents
DT70761-QZ	72pc Drill Drive Set with EXTREME® Masonry Drill Bits and HSS-G Metal Drill Bits	1 x Magnetic bit tip holder, 1 x Magnetic drive guide

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T15	T20	T25	T30	T40
25mm	1	3	1	1	3	1	1	22	4	1	1
50mm		1			1			1			

	4mm x 75mm	5mm x 85mm	6mm x 100mm	7mm x 100mm	8mm x 120mm
EXTREME® Masonry bits	1	1	2	1	2

	1mm	1.5mm	2mm	2.5mm	3mm	3.2mm	3.3mm	3.5mm	4mm	4.2mm	4.5mm	4.8mm	5mm	5.5mm	6mm	6.5mm	7mm	7.5mm	8mm	10mm	12mm
HSS-G bits	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

MEDIUM MIXED SETS

TOUGH CASE+ CONNECTABLE CASES TSTAK®



EXTREME® 2 MEDIUM TOUGHCASE™

Cat. No.	Description	Contents
DT70754-QZ	19pc SDS Plus EXTREME® Drill Drive Set	

	PH1	PH2	PH3	PZ1	PZ2	PZ3
25mm	1	1	1	1	2	1

	5mm x 160mm	6mm x 160mm	6.5mm x 160mm	7mm x 160mm	8mm x 160mm
SDS Plus EXTREME® 2 Masonry Drill Bits	1	1	1	1	1

	4mm x 75mm	5mm x 85mm	6mm x 100mm	7mm x 100mm	8mm x 120mm
EXTREME® Masonry bits	1	1	2	1	2



Cat. No.	Description	Contents
DT70760-QZ	68pc Drill Drive Set with SDS Plus EXTREME®, EXTREME® 2 Metal, and EXTREME® Masonry Drill Bits	1 x Magnetic bit tip holder 1 x Magnetic drive guide

	PH1	PH2	PH3	PZ1	PZ2	PZ3	T15	T20	T25	T30	T40
25mm	1	3	1	1	3	1	1	22	4	1	1
50mm		1			1			1			

	1.5mm	2mm	2.5mm	3mm	3.5mm	4mm	4.5mm	5mm	5.5mm	6mm	6.5mm	7mm
EXTREME® 2 HSS-G bits	1	1	1	1	1	1	1	1	1	1	1	1

	4mm x 75mm	5mm x 85mm	6mm x 100mm	7mm x 100mm	8mm x 120mm
EXTREME® Masonry bits	1	1	2	1	2

	6mm x 110mm	6mm x 160mm	8mm x 160mm	10mm x 160mm
SDS Plus EXTREME® 2 Masonry Drill Bits	1	2	1	1



HIGH PERFORMANCE

Cat. No.	Description	Contents
DT70757-QZ	55pc Drill Drive Set with PZ2 Small Bulk Storage	Socket Driver: 8mm

	1/4" to 1/4" square	1/4" to 3/8" squar
50mm Adapters	1	1

	PH1	PH2	SL6	SL8	PZ2	PZ3	T15	T20	T25	T30
25mm	2	2	1	1	25	2	3	3	2	2

	3mm	4mm	5mm	6mm	8mm	10mm	12mm	14mm	20mm
HSS-G metal Drill Bits	1	1	1	1	1	1	1		
Flatwood Drill Bits								1	1

LARGE MIXED TOUGHCASE®+ SETS



Cat. No.	Description	Application	Contents	Pack Quantity
DT70762-QZ	85pc Drill Drive Set	Wood drilling	Flatwood Bits: 18, 20, 22, 25, 32mm	85
		Metal drilling	Black & Gold Bits: 2, 3, 4, 5, 6, 8mm	
		Masonry drilling	SDS Plus Bits: 5.5x160, 6x160, 7x160, 8x160, 10x160mm	
		Screw Driving	X2 Small Bulk Storage Sets:	
		Screw driving	25mm: PH1, PH2 x4, PH3, PZ1 x4, PZ2 x 40, PZ3 x4, T10, T15, T20 x4, T25 x2, T30, T40	
		Screw driving	50mm: PZ2 x2	
		Screw driving	8mm nut setter, 10mm nut setter, compact drive guide	



DT70763-QZ	85pc Drill Drive Set	Wood Drilling	Flatwood Bits: 14, 18, 20, 22, 25mm	85
		Metal Drilling	Black & Gold Bits: 2, 3, 4, 5, 6, 8mm	
		Masonry Drilling	SDS Plus Bits: 5x160, 6x160, 8x160, 10x160, 12x160mm	
		Screw Driving	X2 Small Bulk Storage Sets:	
		Screw Driving	25MM: PH2, PZ1, PZ2, PZ3, T10 X2, T15 X6, T20 X 40, T25 X8, T30 X2, T40 X2	
		Screw Driving	50mm: T20, T25	
		Screw Driving	8mm nut setter, 10mm nut setter, compact drive guide	
DT70767-QZ	80pc Drill Drive Set	Wood Drilling	Flatwood Bits: 18, 20, 22, 25, 32mm	80
		Metal Drilling	Black & Gold Bits: 2, 3, 4, 5, 6, 8mm	
		Screw Driving	x2 Small Bulk Storage Sets	
		Screw Driving	25mm: PZ2 x2, T10 x2, T15 x6, T20 x36, T25 x8, T30 x2, T40 x8	
		Screw Driving	50mm: T20, T25	
		Screw Driving	8mm nut setter, 10mm nut setter, Compact Drive Guide	



TSTAK CADDY

Securely stores small bulk storage sets and Small TOUGHCASE®+. Works as a carry case and compatible with the T STAK® storage system for easy in-van and workshop storage.

DT70716-QZ

LARGE MIXED SETS





Cat. No.	Description	Application	Contents	Pack Quantity
DT71563-QZ	100pc Drill Drive set	Screwdriving Masonry Drilling Metal Drilling Wood Drilling Socket / Nut Driving	Brad point Drill Bits: 3 x2, 3.5, 4, 4.5, 5 x2, 5.5, 6, 6.5, 7, 7.5, 8mm Metal Drill Bits: 1.5, 2, 2.5, 3x2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5mm Masonry Drill Bits: 6, 7, 8mm 25mm: PH1x2, PH2x2, PH3x2, PZ1, PZ2x28, PZ3 x2, SL4, SL5, SL7.2, T15, T20, T25, T30, T40, H4, H5, H6, H7 50mm: PH1, PH2x2, PH3, PZ1, PZ2x2, PZ3, SL5, SL6, SL7.2 Socket Drivers 5, 6, 8, 10, 11, 12, 13mm Hole Saws 32, 44mm Hole Saw Mandrel and Pilot Drill Bit Magnetic bit tip holder Countersink	100
DT71566-QZ	100pc Drill Drive set	Screwdriving Masonry Drilling Metal Drilling Wood Drilling Socket / Nut Driving	Brad point Drill Bits: 3, 4, 5, 6, 8mm Metal Drill Bits: 1.5, 2, 2.5, 3 x2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5mm Masonry Drill Bits: 5, 5.5, 6, 7, 8, 10, 12mm 25mm: PH1 x2, PH2 x2, PH3 x2, PZ1, PZ2 x33, PZ3, SL4, SL5, SL7.2, T15, T20, T25, T30, T40, H4, H5, H6, H7 50mm screwdriver bits PH1, PH2x2, PH3, PZ1, PZ2x6, PZ3, SL5, SL6, SL7.2 Socket Drivers 6, 8, 10mm Hole Saws: 32, 44mm Hole Saw Mandrel and Pilot Drill Bit Magnetic bit tip holder Countersink	100
DT7981-QZ	98pc Drill Drive Set - Roll Mat	Screwdriving Masonry Drilling Metal Drilling Wood Drilling Socket / Nut Driving	Brad point Drill Bits: 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8mm Masonry Drill Bits: 3, 5.5, 6, 7, 8, 10mm HSS Tin Drill Bits: 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5mm 25mm: Ph0 x2, Ph1 x2, Ph2 x3, Ph3 x2, Pz0 x2, Pz1 x3, Pz2 x4, Pz3 x2, SL4, SL5 x2, SL6, SL7.2, SQ1, SQ2, SQ3, Hex 3, Hex4 x2, Hex5 x2, Hex6, T10, T15, T20, T25, T27, T30 50mm: Ph0, Ph1, Ph2, Ph3, Pz1, Pz2 x2, Pz3, T10, T15, T20, SL4, SL6, SL7.2 Socket Drivers: 5, 6, 7, 8, 9, 10, 11, 12, 13mm Magnetic bit tip holder Countersink	98

EXTREME® LARGE MIXED SETS



EXTREME® IMPACT TORSION - FIT TSTAK IV DRAWER

Cat. No.	Description	Application	Contents	Pack Quantity
DT70620T-QZ	100pc Drill Drive set Compatible with TSTAK IV drawer	Screwdriving Masonry Drilling Metal Drilling Wood Drilling Socket / Nut Driving	Masonry Drill Bits: 4, 5, 6 x2, 7, 8 x2mm Metal Drill Bits: 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7mm 25mm: PZ1, PZ2 x30, PZ3, PH1 x2, PH2 x27, PH3, T15, T20 x2, T25, T30, SL4/6 x2, SL6/8 x2. Socket Drivers: 6, 8, 10mm Cleanable Socket Driver: 8mm Hole Saws: 32, 38, 44, 54mm Hole Saw Mandrel and Pilot Drill Bit Pivoting Bit Tip Holder	100



HIGH PERFORMANCE - FIT TSTAK IV DRAWER

Cat. No.	Description	Application	Contents	Pack Quantity
DT71583-QZ	102pc Drill Drive Set Compatible with TSTAK IV drawer	Screwdriving Masonry Drilling Metal Drilling Wood Drilling Socket / Nut Driving	Masonry Drill Bits: 5.5 x2, 6 x2, 7 x2, 8 x2, 10 x2mm HSS black Metal Drill Bits: 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7mm 25mm: PZ1 x2, PZ2 x23, PZ3 x2, PH1 x2, PH2 x23, PH3, SL4, SL5, SL6, SL7.2, T10 x2, T15 x2, T20 x2, T25 x2, T27 x2, T30 x2 Socket Drivers: 5, 6, 7, 8, 10mm Hole Saws: 32, 38, 44, 54mm Hole Saw Mandrel and Pilot Drill Bit Magnetic bit tip holder	102
DT71569-QZ	100pc Drill Drive set Compatible with TSTAK IV drawer	Screwdriving Masonry Drilling Metal Drilling Wood Drilling Socket / Nut Driving	Masonry Drill Bits: 4, 5, 5.5, 6 x2, 8 x2, 10mm. HSS black Metal Drill Bits: 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7mm. 25mm: PZ1 x2, PZ2 x29, PZ3 x2, PH1 x2, PH2 x2, PH3, SL4, SL5, SL6, SL7.2, T10 x2, T15 x2, T20 x2, T25 x2, T27 x2, T30 x2. Socket Drivers: 5, 6, 7, 8, 10mm Hole Saws: 32, 38, 44, 54mm Hole Saw Mandrel and Pilot Drill Bit Magnetic bit tip holder	100



JIGSAW BLADE SETS



JIGSAW BLADES

Cat. No.	Description	Application	Contents	Pack Quantity
DT2290-QZ	10pc Wood Cutting Set	Wood Cutting	DT2050, DT2165 x2, DT2168, DT2166 x2, DT2075 x2, DT2177 x2 (Bosch equivalent T101B, T119BO, T101AO, T111C, T144D, T144DP)	10
DT2292-QZ	10pc Metal Cutting Set	Metal Cutting	DT2054, DT2160 x3, DT2161 x2, DT2163 x2, DT2172 x2 (Bosch equivalent T118A, T118G, T118EOF, T118B, T127D)	10
DT2294-QZ	10pc Wood / Metal Cutting Set	Wood / Metal Cutting	DT2050 x2, DT2160 x2, DT2163 x2, DT2165 x2, DT2177 x2 (Bosch equivalent T101B, T119BO, T127D, T111C, T118A)	10
DT2296-QZ	10pc Wood Cutting Set	Wood Cutting	DT2205 x2, DT2209 x2, DT2213 x2, DT2216, DT2217, DT2218, DT2220	10
DT2298-QZ	14pc Wood Cutting Set	Wood Cutting	DT2205 x3, DT2209 x3, DT2213 x3, DT2216 x2, DT2217, DT2218, DT2220	14

RECIPROCATING SAW BLADE SETS



EXTREME® RUNTIME OPTIMISED FOR FLEXVOLT TOOLS

Cat. No.	Description	Application	Contents	Pack Quantity
DT99551-QZ	8pc XR Flexvolt Set + storage case	Mixed applications Wood Metal	DT99552-QZ (203mm) DT99553-QZ x3 (152mm) DT99554-QZ x3 (152mm) DT99555-QZ (230mm)	8
DT99550-QZ	13pc XR Flexvolt Set + storage case	Mixed applications Wood Metal	DT99552-QZ x2 (203mm) DT99553-QZ x4 (152mm) DT99554-QZ x5 (152mm) DT99555-QZ x2 (230mm)	13



EXTREME® 2X LIFE TOOLS

Cat. No.	Description	Application	Contents	Pack Quantity
DT2440L-QZ	6pc Set + storage case	Mixed applications Wood Metal	DT2300L-QZ (152mm) DT2307L-QZ (228mm) DT2315L-QZ (100mm) DT2301L-QZ (152mm) DT2308L-QZ (228mm) DT2407L-QZ (152mm)	6
DT2443L-QZ	8pc Set + storage case	Mixed applications Wood Metal	DT2300L-QZ x3 (152mm) DT2308L-QZ (228mm) DT2407L-QZ x3 (152mm) DT2408L-QZ (203mm)	8
DT2441L-QZ	12pc Set + storage case	Mixed applications Wood Metal	DT2300L-QZ x2 (152mm) DT2307L-QZ x2 (228mm) DT2315L-QZ x2 (100mm) DT2301L-QZ x2 (152mm) DT2308L-QZ x2 (228mm) DT2407L-QZ (152mm) DT2408L-QZ (203mm)	12



BREAK-AWAY RECIP BLADES

Cat. No.	Description	Application	Contents	Pack Quantity
DT2446-QZ	8pc Break-Away Recip Blade Set + storage case	Metal Cutting	DT2416-QZ x2 (228mm) DT2417-QZ x6 (152mm)	8



HIGH PERFORMANCE

Cat. No.	Description	Application	Contents	Pack Quantity
DT2442-QZ	8pc Set + storage case	Mixed applications	DT2301-QZ x2 (152mm) DT2303-QZ x2 (152mm) DT2349-QZ x2 (228mm) DT2353-QZ x2 (203mm)	8
DT2444-QZ	6pc Set + storage case	Mixed applications	DT2345-QZ x2 (152mm) DT2349-QZ x2 (228mm) DT2353-QZ x2 (203mm)	6
DT2445-QZ	12pc Set + storage case	Mixed applications	DT2345-QZ x1 (152mm) DT2349-QZ x3 (228mm) DT2359-QZ x2 (152mm) DT2353-QZ x3 (203mm) DT2361-QZ x3 (152mm)	12



SOCKET SETS



EXTREME® IMPACT

Cat. No.	Description	Contents	Pack Quantity
DT7506-QZ	17pc Socket Set	MM: 6, 8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 24, 27 & 1/4" to 1/2" adapter)	17
DT7507-QZ	9pc Socket Set	MM: 10, 13, 15, 17, 19, 22, 24, 27 & 1/4" to 1/2" ddapter)	9
DT7512-QZ	1/4" to 1/2" Impact Driver Adapter	1/4" to 1/2" Impact Driver Adapter	1

ROUTER SETS



WOOD ROUTER SETS WITH 8mm SHAFT

Cat. No.	Description	Application	Contents	Pack Quantity
DT90016-QZ	12pc Router Bit Set	8mm	Round, V-Groove, Dovetail, Cove, Roman Ogee, Chamfer, Straight x3, Trim, Round Over x2	12
DT90017-QZ	22pc Router Bit Set Fits T-STAK drawer	8mm	Straight x6, Trim, Roman Ogee, Chamfer, Round Over x2, V-Groove x2, Round x2, Dovetail, Cove x2, Guided Trimmer, Guided Rebater, Ogee Panel, Traditonal Torus	22



OSCILLATING BLADE SETS



OSCILLATING BLADE SETS

Cat. No.	Description	Application	Contents	Pack Quantity
DT20713-QZ	3pc Set	Wood + Nails Wood - Fast Cut Wood - Detail	DT20701-QZ, DT20704-QZ, DT20706-QZ	3
DT20731-QZ	8pc Set with sanding paper	Wood Wood + Nails	DT20700-QZ, DT20701, DT20704, DT20705, DT20710 Detail Sanding Paper x 3 (60G, 80G, 120G)	8
DT20732-QZ	6pc Set	Wood + Nails Wood - Fast Cut Wood - Wide Fast Cut Wood - Detail	DT20701-QZ 30mm 20TPI (2) DT20704-QZ 30mm 18TPI (1) DT20705-QZ Blade 65mm 15TPI (1) DT20706-QZ Detail Wood Blade 10mm 18TPI (1) Universal Adapter (1)	6

DEWALT®

HAND TOOLS




GUARANTEED TOUGH.®


DEWALT
DEWALT
DEWALT
DEWALT

WRENCHES

PRECISION: Jaws engineered to facilitate minimal jaw movement between movable and fixed jaws for precise adjustments



MARKINGS: Laser etched markings for precise adjustments

CAPACITY: Extra wide jaw capacity for a larger range of fasteners

ANTI-SLIP: Flared end on the handle helps prevent hand slipping off during use

The product featured is DWHT80269-0.

Full Metric Stubby Ratcheting Combination Wrench Set (7 pcs.)



DWMT19261-0

- The DEWALT® 7 Piece Full Polish Metric Stubby Ratcheting Wrench Set offers a wide variety of stubby ratcheting wrenches.
- Set includes 10/12/13/14/15/17/19mm. These wrenches have 72 teeth for a 5 degree arc swing with direct torque technology.

Technical data:	DWMT19261-0
Dimensions LxWxH	19x4x13 cm
Product weight	0.988 kg

Full Metric Combination Wrench Set (18 pcs.)



DWMT19237-1

- The DEWALT® 18 Piece Full Polish Metric Combination Wrench Set offers a variety of metric combination wrenches for any user need.
- These wrenches have a long panel design to provide more reach during use and the ability to apply more torque to a fastener.
- These wrenches also have DirectTorque™ technology to help prevent the rounding of fasteners.

Technical data:	DWMT19237-1
Dimensions LxWxH	39x16.8x6.5 cm
Product weight	3.3 kg
Set contents:	Metric 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24

10" All Steel Adjustable Wrench



DWHT80268-0

- The DEWALT® 10" All Steel Adjustable Wrench has a refreshed look and design that includes a lighter more balanced weight.
- These wrenches have acomfortable handle to help reduce fatigue over aperiod of use.

Technical data:	DWHT80268
Dimensions LxWxH	33.3x11.4x1.5 cm
Product weight	0.484 kg

12" All Steel Adjustable Wrench



DWHT80269-0

- The DEWALT® 12" All Steel Adjustable Wrench has a refreshed look and design that includes a lighter more balanced weight.
- These wrenches have a comfortable handle to help reduce fatigue over a period of use.

Technical data:	DWHT80269-0
Dimensions LxWxH	38x12.6x1.5 cm
Product weight	0.858 kg

Sockets and Sets

1/2" 6-Point Socket Set (22 pcs.)



DWMT19241-1

- The DEWALT® 22 Piece Metric Socket Set includes a variety of sockets and accessories for your convenience.
- The sockets include DirectTorque™ technology to help prevent rounding of fasteners and to provide better grip.

Technical data:	DWMT19241-1
Dimensions L×W×H	35.5×26.5×8.5 cm
Product weight	4.511 kg
Set contents	17 x 1/2 in. Drive 6 pt. Sockets: Metric 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32 1 x 1/2 in. Drive 72-Tooth Pear Head Ratchet 2 x 1/2 in. Drive Extensions: 5 in. 10 in 1 x 1/2 in. Drive Sliding T-Handle 1 x 1/2 in. Drive Universal Joint

1/4" Full Metric Socket Set (37 pcs.)



DWMT19238-1

- The DEWALT® 37 Piece Metric Socket Set includes a variety of sockets and accessories for your convenience.
- The sockets include DirectTorque™ technology to help prevent rounding of fasteners and to provide better grip.

Technical data:	DWMT19238-1
Dimensions LxWxH	36x26x8.5 cm
Product weight	1.728 kg
Set contents:	1/4 in. Drive 72-Tooth Pear Head Ratchet. 13 x 1/4 in. Drive 6 pt. Sockets: Metric. 1/4 in. Drive 3 in. Extension Bar 1/4 in. Drive 6 in. Extension Bar 18 x 1/4 in. Drive Bits 1/4 in. Drive Sliding T-Handle 1/4 in. Drive Gimbal 1/4 in. Drive Bit Adapter

1/4" NANO Metric/Imperial Socket Set (50 pcs.)



DWMT81610-0

- This DEWALT® 50 Piece 1/4" Set features a versatile assortment of sockets, ratchets, and wrenches crafted from durable chrome vanadium steel. Its polished finish provides corrosion resistance and easy maintenance.
- The set includes an organised, portable case for convenient storage and transport, making it perfect for both professional and home use.

Technical data:	DWMT81610-0
Dimensions LxWxH	36x24.8x5.5 cm
Product weight	1.38 kg
Set contents	1 x 1/4 in. Drive 72-Tooth Pear Head Ratchet 1 x 1/4 in. Drive Spinner Handle 1 x 1/4 in. Drive 3 in. Extension Bar 1 x 1/4 in. Drive 6 in. Extension Bar 12 x 1/4 in. Drive 6 pt. Sockets: Metric 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14. 11 x 1/4 in. Drive 6 pt. Sockets: SAE 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16. 1 x 1/4 in. Drive Bit Adapter 1 x 1/4 in. Drive Bits

1/4" and 3/8" Mechanics Tool Set (84 pcs.)



DWMT81531-1

- The DEWALT® 84 Piece Mechanics Tool Set includes a wide selection of metric and imperial 1/4"& 3/8" sockets and driver bits to help complete most tasks.
- 72-tooth ratchets with quick-release buttons make it easy to quickly change sockets while working.
- Full-polish chrome provides corrosion resistance and gives these tools a classic look.

Technical data:	DWMT81531-1
Dimensions LxWxH	37.5x28x10.2 cm
Product weight	4.7 kg
Set contents	1/4 in. Drive 72-Tooth Pear Head Ratchet 3/8 in. Drive 72-Tooth Pear Head Ratchet 1/4 in. Drive 6 pt. Sockets: SAE 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 1/4 in. Drive 6 pt. Sockets: Metric 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 1/4 in. Drive 6 pt. Deep Sockets: SAE 1/4, 5/16, 11/32, 3/8, 7/16, 1/2 1/4 in. Drive 6 pt. Deep Sockets: Metric 8, 9, 10, 11, 12, 13 3/8 in. Drive 6 pt. Sockets: SAE 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 3/8 in. Drive 6 pt. Sockets: Metric 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 3/8 in. Drive 6 pt. Deep Sockets: SAE 9/16, 5/8, 11/16, 3/4 3/8 in. Drive 6 pt. Deep Sockets: Metric 14, 15, 16, 17 1/4 in. Drive 3 in. Extension Bar 3/8 in. to 1/4 in. Adaptor 3/8 in. Drive 3 in. Extension Bar 3/8 in. Drive Spark Plug Socket: SAE 5/8, 13/16 1/4 in. Drive Bits

1/4" and 1/2" Mechanics Socket Set (89 pcs.)



DWMT73800-1

- With DEWALT® 89 Piece Mechanics Tool Set, with mixed mm/SAE 1/2" and 1/4" sockets and ratchets, you can be sure you have the right tool for the job.
- The set includes two pear head ratchets and a variety of sockets, extensions and adapters, complete with DirectTorque™ technology.

Technical data:	DWMT73800-1
Dimensions LxWxH	39.9x29x6.3 cm
Product weight	5.283 kg
Set contents	1/4 in. in drive ratchet (pear head), 1/4 in. in drive 6 pt metric sockets 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13,mm 1/4 in drive 6 pt deep metric sockets, 9mm, 10mm, 11mm, 12mm, 13mm 1/4 in drive extension bar 6” 1/4 in drive Universal joint 1/2 in. in drive ratchet (pear head), 1/2 in. in drive 6 pt metric sockets 16mm, 17mm, 18mm, 19mm 1/2 in. drive 6 pt deep metric sockets, 16mm, 17mm, 18mm, 19mm 1/2 in. drive extension bar 5” 1/2 in. drive Universal joint Bit set with storage case Bit Driver handle 28 metric/SAE hex keys (14+14) Combination wrench 10mm, 11mm, 13mm, 14mm, 15mm Hexagonal bit

1/4" and 3/8" Mechanic Tool Set (108 pcs.)



DWMT73801-1

- The DEWALT® 108 Piece Mechanics Tool Set includes two pear head ratchets and a variety of 1/4" and 3/8" sockets, extensions and adapters.
- The sockets include DirectTorque™ technology to help prevent rounding of fasteners and to provide better grip.

Technical data:	DWMT73801-1
Dimensions LxWxH	41x32x13 cm
Product weight	5.331 kg
Set contents	8 x 1/4 in. Drive 6 pt. Sockets: SAE 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8 8 x 1/4 in. Drive 6 pt. Sockets: Metric 4, 5, 6, 7, 8, 9, 10, 11 1 x 1/4 in. Drive 3 in. Extension Bar 1 x 1/4 in. Drive 72-Tooth Pear Head Ratchet 1/4 in. Drive 6 pt. Deep Sockets: SAE 11/32, 3/8, 7/16, 1/2 4 x 1/4 in. Drive 6 pt. Deep Sockets: Metric 10, 11, 12, 13 7 x 3/8 in. Drive 6 pt. Sockets: SAE 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 8 x 3/8 in. Drive 6 pt. Sockets: Metric 10, 11, 12, 13, 14, 15, 16, 17 4 x 3/8 in. Drive 6 pt. Deep Sockets: SAE 9/16, 5/8, 11/16, 3/4 4 x 3/8 in. Drive 6 pt. Deep Sockets: Metric 4, 15, 16, 17 3/8 in. Drive 72-Tooth Pear Head Ratchet. 14 x Hex Keys Set. 5 x Nut Driver Bits: SAE 5/32, 3/16, 7/32, 1/4, 9/32 22 x Vinyl Grip Multi Driver

1/4" and 3/8" Mechanic Tool Set (142 pcs.)



DWMT73802-1

- The DEWALT® 142 Piece Mechanics Tool Set includes with two pear head ratchets, a variety of metric and imperial 1/4" and 3/8" sockets, extensions, universal joints and adapters and comes in a durable case featuring metal latches for added security.
- The sockets included DirectTorque™ technology to help prevent rounding of fasteners and provide better grip.

Technical data:	DWMT73802-1
Dimensions LxWxH	49.7x36.8x12 cm
Product weight	8.32 kg
Set contents	11/4 in. Drive 72-Tooth Pear Head Ratchet 1x3/8 in. Drive 72-Tooth Pear Head Ratchet 9 x 1/4 in. Drive 6 pt. Sockets: SAE 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2. 11 x 1/4 in. Drive 6 pt. Sockets: Metric 5, 6, 7, 8, 9, 10, 11, 12, 13 5 x 1/4 in. Drive 6 pt. Deep Sockets: SAE 5/16, 11/32, 3/8, 7/16, 1/2 5 x 1/4 in. Drive 6 pt. Deep Sockets: Metric 9, 10, 11, 12, 13 10 x 3/8 in. Drive 6 pt. Sockets: SAE 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 10 x 3/8 in. Drive 6 pt. Sockets: Metric 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 5 x 3/8 in. Drive 6 pt. Deep Sockets: SAE 5/8, 11/16, 3/4, 13/16, 7/8 4 x 3/8 in. Drive 6 pt. Deep Sockets: Metric 16, 17, 18, 19 5 x Combination Wrenches: SAE 3/8, 7/16, 1/2, 9/16, 5/8 5 x Combination Wrenches: Metric 10, 11, 12, 13, 14, 15 1 x 3/8 in. to 1/4 in. Adaptor 1 x 1/4 in. to 3/8 in. Adaptor 1 x 3/8 in. Drive Spark Plug Socket: SAE 5/8 1 x 1/4 in. Drive 6 in. Extension Bar 1 x 3/8 in. Drive 6 in. Extension Bar 1 x 1/4 in. Universal Joint 1 x 3/8 in. Universal Joint 15 x 1/4 in. Drive Bits 14 x Hex Keys Set: SAE 14 x Hex Keys Set: Metric 22 x 1/4 in. Drive Power Tools Bits 1 x 1/4 in. Drive Spinner Handle

1/4" and 3/8" Mechanic Tool Set (205 pcs.)



DWMT81534-1

- This DEWALT® 205 Piece Tool Set includes the ratchets and sockets you need for almost any mechanical job.
- This set includes 1/4" and 3/8" pieces, built to meet the demands of hard-working professionals with a full-polish finish that provides corrosion resistance.

Technical data:	DWMT81534-1
Dimensions L×W×H	52×39.6×13 cm
Product weight	12.146 kg
Set contents	1 x 1/4 in. Drive 72-Tooth Pear Head Ratchet 1 x 3/8 in. Drive 72-Tooth Pear Head Ratchet 1 x 1/2 in. Drive 72-Tooth Pear Head Ratchet 1/4 in. Drive 6 pt. Sockets: SAE 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 1/4 in. Drive 6 pt. Sockets: Metric 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm 1/4 in. Drive 6 pt. Deep Sockets: SAE 5/32, 3/16, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 1/4 in. Drive 6 pt. Deep Sockets: Metric 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm 3/8 in. Drive 6 pt. Sockets: SAE 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 3/8 in. Drive 6 pt. Sockets: Metric 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm 3/8 in. Drive 6 pt. Deep Sockets: SAE 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 3/8 in. Drive 6 pt. Deep Sockets: Metric 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm 1/2 in. Drive 6 pt. Sockets: SAE 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 1/2 in. Drive 6 pt. Sockets: Metric 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm 5 x Combination Wrenches: SAE 5/16, 3/8, 7/16, 1/2, 9/16 Combination Wrenches: Metric 10, 12, 13, 14, 15mm 1/4 in. Drive 3 in. Extension Bar 1/4 in. Drive 6 in. Extension Bar 3/8 in. Drive Spark Plug Socket: SAE 5/8, 13/16 3/8 in. to 1/4 in. Adaptor 1/2 in. Drive 5 in. Extension Bar Nut Bits: SAE 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 Nut Bits: Metric 4, 5, 6, 7, 8, 9, 10, 11mm 33 x 1/4 in. Drive Bits 1/4 in. Drive Spinner Handle 28 x Hex Keys Set

1/4" and 3/8" Mechanic Tool Set (247 pcs.)



DWMT81535-1

- This DEWALT® 247 Piece Mechanics Tool Set includes ratchets and sockets (mixed mm/SAE 1/4" and 3/8") a bit driver with specialty and nut bits, combination wrenches, and hex keys to handle most jobs under the hood or elsewhere.
- These tools feature a full polish chrome finish for corrosion resistance.

Technical data:	DWMT81535-1
Dimensions LxWxH	56.3×43×12 cm
Product weight	15.843 kg
Set contents	(1) 1/4 in. Drive 6-point sockets: (sae) - 5/32 in, 3/16 in, 7/32 in, 1/4 in, 9/32 in, 5/16 in, 11/32 in, 3/8 in, 7/16 in, 1/2 in, 9/16 in (mm) - 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm (1) Nut bits: (SAE) - 5/32 in., 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in.(mm) - 4mm, 5mm, 6mm, 7mm, 8mm, 10mm (1) Specialty bits driver / adapter: 28 hex keys, 44 specialty bits, 1 bit driver (1) Ratchets: 1/4 in., 3/8 in. & 1/2 in. drive pear head ratchet (1) 1/4 in. Drive 6-point deep sockets: (sae) - 5/32 in, 3/16 in, 1/4 in, 9/32 in, 5/16 in, 11/32 in, 3/8 in, 7/16 in, 1/2 in (mm) - 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm (1) 3/8 in. Drive 6-point sockets: (sae) - 1/4 in, 5/16 in, 3/8 in, 7/16 in, 1/2 in, 9/16 in, 5/8 in, 11/16 in, 3/4 in, 13/16 in, 7/8 in (mm) - 10mm, 11mm, 12mm,13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm (1) 3/8 in. Drive 6-point deep sockets: (sae) - 1/4 in, 5/16 in, 3/8 in, 7/16 in, 1/2 in, 9/16 in, 5/8 in, 11/16 in, 3/4 in, 13/16 in, 7/8 in (mm) - 10mm, 11mm, 12mm,13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm (1) 3/8 in. Drive bit sockets: hex (sae) - 5/32 in, 3/16 in,1/4 in, 5/16 in hex (mm) - 4mm, 5mm, 6mm, 7mm, 8mm torx - # 10, 15, 20, 25, 27, 30, 40, 45 (1) 1/2 in. Drive 6-point sockets: (sae) - 7/16 in, 1/2 in, 9/16 in, 5/8 in, 11/16 in, 3/4 in, 13/16 in, 7/8 in, 15/16 in, 1 in (mm) – 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm (1) 1/2 in. Drive 6-point deep sockets: (sae) - 11/16 in, 3/4 in, 13/16 in, 7/8 in, 15/16 in (mm.) - 17mm, 18mm, 19mm, 21mm, 22mm (1) Combination wrenches: (SAE) - 11/32 in, 3/8 in, 7/16 in, 1/2 in, 9/16 in, 5/8 in (mm) - 10mm, 11mm, 13mm, 14mm, 15mm, 16mm (1) Accessories: 1/4 in. Drive 3 in. & 6 in. extension bars, 1/4 in. drive female to 3/8 in. drive male adapter 3/8 in. drive 3 in. & 6 in. extension bars (1) 3/8 in. drive 5/8 in., 3/4 in. & 13/16 in. spark plug sockets 3/8 in. drive female to 1/4 in. drive male adapter 1/2 in. drive 5 in. extension bars, 1/2 in. drive female to 3/8 in. drive male adapter.

1/4" and 3/8" Mechanics Tool Set (341 pcs.)



DWMT45341-1

- This DEWALT® 341 Piece Set is a robust collection of mechancial sockets, ratchets, and wrenches made from durable chrome vanadium steel.
- Its polished finish resists corrosion, ensuring longevity.
- The set includes an organised carrying case for easy transport and storage, making it ideal for both professional mechanics and DIY enthusiasts.

Technical data:	DWMT45341-1
Dimensions LxWxH	60×33×23.5 cm
Product weight	19.81 kg
Set contents	Pear Head Ratchets: ¼", 3/8", & 1/2" 1/4 in. Drive 6 pt. Sockets: (SAE) – 5/32 in., 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., (MM) – 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm 1/4"" Drive 6 pt. Deep Sockets: (SAE) – 5/32"", 3/16"", 1/4"", 9/32"", 5/16", 11/32", 3/8"", 7/16"", 1/2", 9/16", (MM) – 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm 1/4"" Drive 12 pt. Sockets: (SAE) – 5/32"", 3/16"", 7/32"", 1/4"", 9/32"", 5/16"", 11/32"", 3/8"", 7/16"", 1/2", 9/16", (MM) –4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm 3/8"" Drive 6 pt. Sockets: (SAE) – 1/4"", 5/16"", 3/8"", 7/16"", 1/2"", 9/16"", 5/8"", 11/16"", 3/4", 13/16", 7/8", (MM) – 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm 3/8"" Drive 6 pt. Deep Sockets: (SAE) – 1/4"", 5/16"", 3/8"", 7/16"", 1/2"", 9/16"", 5/8"", 11/16"", 3/4", 13/16", 7/8", (MM) – 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm 3/8"" Drive 12 pt. Sockets: (SAE) – 1/4"", 5/16"", 3/8"", 7/16"", 1/2"", 9/16"", 5/8"", 11/16"", 3/4", 13/16", 7/8", (MM) –10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm 1/2"" Drive 6 pt. Sockets: (SAE) – 1/2"", 9/16"", 5/8"", 11/16"", 3/4", 13/16", 7/8", 15/16", 1in, (MM) – 14mm, 15mm, 16mm,17mm, 18mm, 19mm, 21mm, 22mm, 24mm 1/2"" Drive 6 pt. Deep Sockets: (SAE) –1/2", 9/16", 5/8". 11/16"", 3/4", 13/16", 7/8", 15/16", 1in, (MM) –14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm 1/2"" Drive 12 pt. Sockets: (SAE) –1/2", 9/16", 5/8". 11/16"", 3/4", 13/16", 7/8", 15/16", 1in, (MM) – 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm Combination Wrenches: (SAE) – ¼", 9/32", 5/16", 3/8", 7/16", ½", 9/16", 5/8", (MM) – 6mm, 7mm, 8mm, 10mm, 12mm, 13mm, 14mm, 15mm Extensions: 1/4" Drive 3" & 6" Extension Bars, 3/8" Drive 3" & 6" Extension Bars, 1/2" Drive 5" Extension Bars Spark Plug Sockets: 3/8" Drive 5/8" & 13/16" Spark Plug Sockets Universal Joints: 1/4" Drive, 3/8" Drive, 1/2" Drive28 Hex Keys, 99 Specialty Bits, 1 Spinner Handle, 1 Bit Adapter

1/2" 6-point Long Impact Socket Set (7 pcs.)



DWMT74737-0

- The DEWALT® 7 Piece Deep Impact Socket Set offers a variety of 1/2" impact sockets for any user need.
- The set comes in a lockable stacking case for easy storage.
- These sockets have DirectTorque™ technology to help prevent rounding of fasteners and provide better grip.

Technical data:	DWMT74737-0
Dimensions L×W×H	34×20×6.7 cm
Product weight	2.5 kg
Set contents	7 x 1/2 in. Drive 6 pt. Impact Deep Sockets: Metric 17, 18, 19, 20, 21, 22, 24

1/2" 6-point Impact Socket Set (8 pcs.)




DWMT86090-0

- With the DEWALT® 7 Piece Impact Socket Set, you can be sure you have the right tool for the job.
- The set includes a variety of 1/2" sockets.
- These durable sockets include DirectTorque™ technology to help prevent rounding of fasteners and to provide better grip.

Technical data:	DWMT86090-0
Dimensions L×W×H	41.1×15×4.6 cm
Product weight	2.097 kg
Set contents	1/2 in. Drive 6 pt. Deep Impact Sockets: Metric 17, 18, 19, 20, 21, 22, 24

TORQUE



The product featured is DWMT75462-0.

1/2" Torque Wrench (13 Nm to 135 Nm)



DWMT75462-0

- The DEWALT® 1/2" Torque Wrench features abi-material grip for comfort and is ASME/ISO/TAA compliant, ensuring quality and safety standards.
- It offers forward and reverse torque capability with increments of 1 ft-lb and 1.35 Nm.
- The heavy-duty storage case provides easy carrying and protection, enhancing durability and convenience during storage.

Technical data:	DWMT75462-0
Dimensions L×W×H	77×9.5×7 cm
Product weight	2.8 kg


3/8" Torque Wrench (13 Nm to 135 Nm)



DWMT75463-0

- The DEWALT® 3/8" Torque Wrench features abi-material grip for comfort and is ASME/ISO/TAA compliant, ensuring quality and safety standards.
- It offers forward and reverse torque capability with increments of 1 ft-lb and 1.35 Nm.
- The heavy-duty storage case provides easy carrying and protection, enhancing durability and convenience during storage.

Technical data:	DWMT75463-0
Dimensions L×W×H	52×9×7.5 cm
Product weight	1.6 kg



SCREWDRIVERS

PROFESSIONAL-GRADE DURABILITY: Bend resistance with S2 steel bar

QUADRILOBULAR HANDLE: For comfort and optimal clamping capacity



10X BETTER CORROSION RESISTANCE: With black chrome plating and nickel-coated tips

MAX FIT BIT TIP: For maximum fit in fasteners and elimination of stripped screws.

The product featured is DWHT62056-0.

Fullfit Screwdriver Set (6 pcs.)



DWHT62056-0

- The DEWALT® Full Fit 6 Piece Screwdriver Set with magnetic screw lock system securely holds screws for one-handed fitment.
- CNC machined tips with Full Fit design provides greater contact with the fastner to limit stripped screws,and the ergonomic quad-lobe, bi-material handle design gives comfort and maximum torque.

Technical data:	DWHT62056-0
Dimensions L×W×H	37×24.7×4.2 cm
Product weight	0.857 kg
Set contents	Flared (5.5 x 125, 6.5 x 150 and 8 x 150), PH1 x 100, PH2 x 125 and PH3 x 125mm

Fullfit Screwdriver Set (2 pcs.)



DWHT62057-0

- The DEWALT® Full Fit 2 Piece Screwdriver Set with magnetic screw lock system securely holds screws for one-handed fitment.
- CNC machined tips with Full Fit design provides greater contact with the fastner to limit stripped screws.
- Torsion zone flexes, reduce cam-out.
- And the ergonomic quad-lobe, bi-material handle design gives comfort and maximum torque.

Technical data:	DWHT62057-0
Dimensions L×W×H	34×14×4 cm
Product weight	0.287 kg
Set contents	125mm screwdrivers (PH2 and SL8)

TOUGHSERIES™ Demo Screwdriver Set (2 pcs.)



DWHT65100-0

- The DEWALT MAX FIT® 2 Piece Demo Screwdriver Set is designed for durability, featuring a black chrome finish and nickelcoated tips. Made from S2 steel, it resists bending.
- Precision-machined MAX FIT® tips enhance fastener contact, while metal end-caps and through-tang shafts ensure efficient force transfer.
- Soft grips provide comfort and high torque.

Technical data:	DWHT65100-0
Dimensions L×W×H	32.5×10.3×3.9 cm
Product weight	0.43 kg
Set contents	125mm screwdrivers (PH2 and SL8)

TOUGHSERIES™ Demo Screwdriver Set (8 pcs.)



DWHT65102-0

- The DEWALT® MAX FIT® 8 Piece Screwdriver Set engineered for 10x greater corrosion and rust reassurance.
- Designed to reduce slippage and stripping and engineered with MAX FIT® tips, manufactured for enhanced contact with fasteners.

Technical data:	DWHT65102-0
Dimensions L×W×H	36.8×28.9×3.5 cm
Product weight	1.043 kg
Set contents	1 x PH1 x 3 in; 1 x PH2 x 4 in; 1 x PH3 x 6 in; 1 x SL3/16 in. x 4 in.; 1 x SL3/16 in. x 4 in.; 1 x SL5/16 in. x 6 in.; 1 x SQ1 x 3 in; 1 x SQ2 x 4 in.

MAX FIT® 10-in-1 Telescoping Multi-Bit Screwdriver Set (10 pcs.)



DWHT68001-0

- This is the MAX FIT® Telescoping Multi-Bit Screwdriver Set.
- Included is the ratcheting screwdriver, designed to optimise fastener fit for reduced slippage and stripping of screws.
- Its bi-material grip is engineered for less hand strain and high torque to help you comfortably tackle multiple projects with bits stored conveniently in the handle.

Technical data:	DWHT68001-0
Dimensions L×W×H	29.6×12×3.7 cm
Product weight	0.303 kg
Set contents:	1 x 1 in. Bits: SL 3/16 in, SL 1/4 in, PH1, PH2, SQ2; 1 x 2 in. Bits: SL 3/16 in, SL 1/4 in, PH1, PH2, SQ2; 1 x 25mm hex bit - PH2; 1 x 25mm hex bit - 4mm Slotted; 1 x 25mm hex bit - 6mm Slotted; 1 x 25mm hex bit - SQ2; 1 x 50mm hex bit - PH1; 1 x 50mm hex bit - PH2; 1 x 50mm hex bit - 4mm Slotted; 1 x 50mm hex bit - 6mm Slotted; 1 x 50mm hex bit - SQ2.

MAX FIT® 6-in-1 Multi-Bit Screwdriver



DWHT66569-0

- The DEWALT MAX FIT® 6-way Multi-bit screwdriver is designed for maximum fit in fasteners and reduces the potential for stripped screws.
- The 6-way design allows for quick change out of bits as well as storage for your unused bits.
- This product also features a magnetic screw lock system, keeping fasteners secure during horizontal or vertical usage.

Technical data:	DWHT66569-0
Dimensions L×W×H	29.9×11.6×3.5 cm
Product weight	0.209 kg

Folding/Locking Hex Keys Metric



DWHT0-70263

- The DEWALT® Metric Hex Key features a push-button locking mechanism that secures the tool in three positions: 90°, 135°, and 180°, enhancing versatility.
- Its durable steel side plate ensures torque and ergonomic use.
- The set includes eight commonly used hex key sizes, making it a practical choice for various applications.

Technical data:	DWHT0-70263
Dimensions L×W×H	22.2×4.8×10.6 cm
Product weight	0.298 kg

16-in-1 Multi-Tool



DWHT0-71843

- This DEWALT® 16-in-1 Multi-Tool is designed for various tasks, combining functionality and convenience. It includes pliers, wire cutters, screwdrivers, a knife, and a bottle opener, all integrated into acompact design.
- Made from durable materials, it ensures reliability and longevity for everyday use. Ideal for DIY enthusiasts and professionals.

Technical data:	DWHT0-71843
Dimensions L×W×H	24.4×12.9×2.4 cm
Product weight	0.238 kg


DEWALT
DEWALT
DEWALT
DEWALT
DEWALT
DEWALT
8M/26'

PLIERS

LASER HARDENED CUTTING EDGE:
For maximum strength

IMPROVED HARDNESS DEPTH:
Hardness 61±2 HRc and depth is 1.5±0.5mm



Strike Zone

BLACK OXIDE TRIM:
For extended lifespan

Fish Tape Puller

High Leverage:
For increased jaw force

S-SHAPED HANDLE DESIGN:
For a more comfortable hand grip

2-ZONE COMFORT GRIPS:
Contoured for optimal cushion and control

340mm Fencing Pliers



DWHT0-70273

- The DEWALT® Fencing Pliers are extremely versatile with the ability to hammer, remove staples, stretch and splice wires and as an added bonus, includes two wire cutters.
- The product includes chrome vanadium steel for strength and durability, perfect for any project.

Technical data:	DWHT0-70273
Dimensions L×W×H	34×12×12 cm
Product weight	0.76 kg

250mm V-Jaw Pushlock Pliers



DWHT0-74431

- The DEWALT® 250mm V-Jaw Pushlock Pliers with its long jaw design provides more gripping area and a long reach.
- Its wide opening jaw can accommodate wider bolts, nuts or pipes, making this a must-have tool for your toolbox, workbench or tool belt.
- It also features a non-pinching handle for added comfort.

Technical data:	DWHT0-74431
Dimensions L×W×H	31×9.6×9.6 cm
Product weight	0.485 kg

300mm V-Jaw Pushlock Pliers



DWHT0-74432

- The DEWALT® 300mm V-Jaw Pushlock Pliers with its long jaw design provide more gripping area and a long reach.
- Its wide opening jaw can accommodate wider bolts, nuts or pipes, making this a must-have tool for your toolbox, workbench or tool belt. It also features a non-pinching handle for added comfort.

Technical data:	DWHT0-74432
Dimensions L×W×H	35.6×10.5×10.5 cm
Product weight	0.795 kg

200mm Diagonal Pliers with Prying Tip



DWHT0-74274

- The DEWALT® 200mm Diagonal Cutting Pliers have a low profile head making them a great choice for prying nails and staples in tight spaces.
- These pliers stay sharp with their induction hardened blades and have a low cutting edge for anear flush cut, and come with a2in1 functionality cut.

Technical data:	DWHT0-74274
Dimensions L×W×H	28×10×10 cm
Product weight	0.325 kg

190mm Compound Action Diagonal Pliers



DWHT0-70275

- The DEWALT® 190MM Compound Action Diagonal Pliers include induction-hardened cutting blades giving these pliers 70% more cutting power over standard cutting pliers.
- The bi-material handle allows for a strong grip and provides added comfort.

Technical data:	DWHT0-70275
Dimensions L×W×H	23.3×7.3×7.3 cm
Product weight	0.27 kg

200mm Compound Action Linesman Pliers



DWHT0-70276

- The DEWALT® 200mm Compound Action Linesman Pliers include induction-hardened cutting blades giving these pliers 70% more cutting power over standard cutting pliers.
- The bi-material handle allows for a strong grip and provides added comfort.

Technical data:	DWHT0-70276
Dimensions L×W×H	23.3×7.3×7.3 cm
Product weight	0.27 kg

250mm Compound Action Long Nose Pliers



DWHT0-70277

- The DEWALT® 250mm Compound Action Long Nose Pliers include induction-hardened cutting blades giving these pliers 70% more cutting power over standard cutting pliers.
- The bi-material handle allows for a strong grip and provides added comfort.

Technical data:	DWHT0-70277
Dimensions L×W×H	25.7×7.9×7.9 cm
Product weight	0.31 kg

160mm Diagonal Pliers



DWHT82796-0

- The DEWALT® 160mm Diagonal Pliers have an improved hardness depth, as well as a black oxide trim for extended lifespan.
- They also come complete with as-shaped handle with premium comfort grip for comfort and control.

Technical data:	DWHT82796-0
Dimensions L×W×H	8.9×22.2×2 cm
Product weight	0.21 kg

200mm Long Nose Pliers



DWHT82798-0

- The DEWALT® 200mm Long Nose Pliers have an improved hardness depth, as well as a black oxide trim for extended lifespan.
- They also come complete with as-shaped handle with premium comfort grip for comfort and control.

Technical data:	DWHT82798-0
Dimensions L×W×H	26.5×8.9×2.5 cm
Product weight	0.3 kg

160mm Combination Pliers



DWHT82808-0

- The DEWALT® 160mm Combination Pliers have an improved hardness depth, as well as a black oxide trim for extended lifespan.
- They also come complete with as-shaped handle with premium comfort grip for comfort and control.

Technical data:	DWHT82808-0
Dimensions L×W×H	22.5×8.8×2.5 cm
Product weight	0.235 kg

200mm Combination Pliers



DWHT82809-0

- The DEWALT® 200mm Combination Pliers have an improved hardness depth, as well as a black oxide trim for extended lifespan.
- They also come complete with as-shaped handle with premium comfort grip for comfort and control.

Technical data:	DWHT82809-0
Dimensions L×W×H	25×8.8×2.5 cm
Product weight	0.345 kg

Pliers Set (3 pcs.)



DWHT82813-0

- The DEWALT® LH Mixed 3 Piece Set includes 160mm Diagonal Pliers, 200mm Diagonal Pliers and 200mm Long Nose Pliers.
- All are VDE certified, complete with improved hardeness depth, a black oxide trim and premium 3 shot comfort grips for control and comfort when in use.

Technical data:	DWHT82813-0
Dimensions L×W×H	25×25.5×2.1 cm
Product weight	0.745 kg

160mm VDE LH Diagonal Plier



DWHT82801-0

- The DEWALT® 160mm Diagonal Pliers are VDE certified and have an improved hardness depth, as well as a black oxide trim for extended lifespan.
- They also come complete with as-shaped handle with premium comfort grip for comfort and control.

Technical data:	DWHT82801-0
Dimensions L×W×H	8.8×22.2×3 cm
Product weight	0.23 kg

200mm VDE LH Linemans Plier



DWHT82803-0

- The DEWALT® 200mm Linemans Pliers are VDE certified and have an improved hardness depth, as well as a black oxide trim for extended lifespan.
- They also come complete with as-shaped handle with premium comfort grip for comfort and control.

Technical data:	DWHT82803-0
Dimensions L×W×H	8.8×26.7×3 cm
Product weight	0.485 kg

200mm VDE LH Long Nose Pliers



DWHT82804-0

- The DEWALT® 200mm Long Nose Pliers are VDE certified and have an improved hardness depth, as well as a black oxide trim for extended lifespan.
- They also come complete with as-shaped handle with premium comfort grip for comfort and control.

Technical data:	DWHT82804-0
Dimensions L×W×H	8.8×25.6×3 cm
Product weight	0.268 kg

160mm VDE LH Combination Plier



DWHT82810-0

- The DEWALT® 160mm Combination Pliers are VDE certified and have an improved hardness depth, as well as a black oxide trim for extended lifespan.
- They also come complete with as-shaped handle with premium comfort grip for comfort and control.

Technical data:	DWHT82810-0
Dimensions L×W×H	22×8.8×3 cm
Product weight	0.24 kg

VDE Pliers Set (3 pcs.)



DWHT82811-0

- The DEWALT® VDE LH 160mm 3 Piece Set includes Diagonal Pliers, Combination Pliers and Long Nose Pliers.
- All are VDE certified, complete with improved hardeness depth, a black oxide trim and premium 3 shot comfort grips for control and comfort when in use.

Technical data:	DWHT82811-0
Dimensions L×W×H	25×25.5×3 cm
Product weight	0.745 kg

Compound Action Pliers Set (3 pcs.)



DWHT0-70485

- The DEWALT® 3 Pack of Compound Action Pliers feature induction hardened cutting blades for improved strength and durability.
- They also have across hatch tooth design for better gripping and locking mechanism for easy storage.

Technical data:	DWHT0-70485
Dimensions L×W×H	29.5×21×21 cm
Product weight	0.95 kg


DEWALT

SNIPS

SERRATED BLADE: Holds marterial in place with a clean cut

FLUSH HARDWARE: Allows for smooth cuts

EXTERNAL LATCH DESIGN: For ease of use

FORGED CHROME VANADIUM STEEL

REDUCED HANDLE SPAN: For ease of use and effort

SLIP RESISTANT ERGONOMIC GRIPS WITH TETHER POINT: For a better grip



EASY USE: 15% less muscle effort than existing snip

Bullnose Aviation Snip



DWHT14694-0

- The DEWALT® Bullnose Aviation Snip was designed with a reduced handle span, providing lower level of muscle effort required while working with tough materials.
- The flush hardware allows for smooth cuts.
- The tool has a slip resistant ergonomic grip and an external latch design for ease of use.

Technical data:	DWHT14694-0
Dimensions L×W×H	30×7.5×2.5 cm
Product weight	0.4 kg

HVAC 3-Blade Crimper



DWHT14687-0

- The DEWALT® 3 Blade Crimper was designed with a reduced handle span, providing lower level of muscle effort required while crimping tough materials.
- Crimps up to 22 gauge galvanised steel.
- The crimp has a slip resistant ergonomic grip and an external latch design for ease of use.

Technical data:	DWHT14687-0
Dimensions L×W×H	32.5×7.5×3.2 cm
Product weight	0.388 kg

ERGO Aviation Snips Left Cut



DWHT14673-0

- The DEWALT® Ergo Left Cut Aviation snips are designed with a reduced handle span, providing lower level of muscle effort required while cutting tough materials.
- The snip'sserrated cutting edge prevent materials from slipping during use and the slip-resistant, bi-material cushion grip ensures a firm, comfortable grip.

Technical data:	DWHT14673-0
Dimensions L×W×H	30×7.4×2 cm
Product weight	0.43 kg

ERGO Aviation Snip Right Cut



DWHT14674-0

- The DEWALT® Ergo Right Cut Aviation snips are designed with a reduced handle span, providing lower level of muscle effort required while cutting tough materials.
- The snip'sserrated cutting edge prevent materials from slipping during use and the slip-resistant, bi-material cushion grip ensures a firm, comfortable grip.

Technical data:	DWHT14674-0
Dimensions L×W×H	30.1×7.3×2.5 cm
Product weight	0.42 kg

ERGO Aviation Snip Straight Cut



DWHT14675-0

- The DEWALT® Ergo Straight Aviation Snips are designed with a reduced handle span, providing lower level of muscle effort required while cutting tough materials.
- The snip'sserrated cutting edge prevent materials from slipping during use and the slip-resistant, bi-material cushion grip ensures a firm, comfortable grip.

Technical data:	DWHT14675-0
Dimensions L×W×H	30×2×7.3 cm
Product weight	0.421 kg

ERGO Aviation Snips Set (3 pcs.)



DWHT14676-0

- The DEWALT® Ergo Aviation Snips, Left, Right and Straight, are designed with a reduced handle span, providing lower level of muscle effort required while cutting tough materials.
- The snip'sserrated cutting edge prevent materials from slipping during use and the slip-resistant, bi-material cushion grip ensures a firm, comfortable grip.

Technical data:	DWHT14676-0
Dimensions L×W×H	32.7×28.9×3.4 cm
Product weight	1.4 kg



HAMMERS AND DEMOLITION



The product featured is DWHT51009-0.

454g Curved Claw Steel Hammer



DWHT51002-0

- The balanced design of the DEWALT® 16oz. Steel Curve Claw Hammer offers a smooth, controlled swing while the adaptable side nail puller helps you swiftly remove framing nails, finishing nails, and staples.
- Take advantage of the anti-slip handle that was engineered to enhance your grip no matter the jobsite condition.
- This hammer also features a magnetic nail start for one-handed nail placement.

Technical data:	DWHT51002-0
Dimensions L×W×H	33.4×12×3.2 cm
Product weight	0.79 kg

567g Curve Claw Smooth Hammer



DWHT51009-0

- The DWHT51009-0 is a versatile 20oz. Hammer featuring a one-piece steel construction for enhanced durability and strength.
- Its balanced design reduces user fatigue, while the vibration-absorbing grip ensures comfort during prolonged use.
- The precision-engineered striking face improves accuracy, making it ideal for both professional and DIY projects, ensuring reliable performance.

Technical data:	DWHT51009-0
Dimensions L×W×H	35×13.1×3.5 cm
Product weight	0.775 kg

567g 1-Piece Steel Hammer



DWHT51138-0

- The DEWALT Mig Weld Rip Claw Hammer features an all-steel design for durability and longevity.
- Its lightweight construction allows for fast swings and reduced fatigue, delivering the impact of a 794g (28oz.) hammer.
- Equipped with a vibrationabsorbing grip for comfort and a magnetic nail starter for easy, one-handed use.

Technical data:	DWHT51138-0
Dimensions L×W×H	43×15.2×3.3 cm
Product weight	0.916 kg

450g Straight Claw Hammer



DWHT51003-0

- The balanced design of the DEWALT® 16oz. Rip Claw Steel Hammer helps deliver a smooth, steady swing while Tri-Pull technology helps you remove staples, framing nails, and finishing nails.
- The high-endurance hammer features one-piece steel construction for long-lasting performance and an integrated magnetic nail start for one-handed nail placement.

Technical data:	DWHT51003-0
Dimensions L×W×H	33.6×12.7×3.1 cm
Product weight	0.719 kg

570g Straight Claw Hammer



DWHT51004-0

- The balanced design of the DEWALT® 20oz. Rip Claw Steel Hammer helps deliver a smooth, steady swing while Tri-Pull technology helps you remove staples, framing nails, and finishing nails.
- The high-endurance hammer features one-piece steel construction for long-lasting performance and an integrated magnetic nail start for one-handed nail placement.

Technical data:	DWHT51004-0
Dimensions L×W×H	35.5×14×3.4 cm
Product weight	0.77 kg

624g Demo Hammer



DWHT51008-0

- The DWHT51008-0 Rip Claw Hammer boasts a one-piece steel construction for superior durability and strength.
- Its optimal weight distribution minimises user fatigue, while the vibration-reducing grip enhances comfort during extended use.
- The precision-machined striking face ensures accurate hits, making it perfect for both professional and DIY tasks.

Technical data:	DWHT51008-0
Dimensions L×W×H	42×14.8×3.5 cm
Product weight	0.903 kg

624g Claw Milled Hammer



DWHT51005-0

- The balanced design of the DEWALT® 22oz. Rip Claw Steel Milled Hammer helps deliver a smooth, steady swing while Tri-Pull technology helps you remove staples, framing nails, and finishing nails.
- The high-endurance hammer features one-piece steel construction for long-lasting performance and milled face, aiding frip to the nail head when striking.

Technical data:	DWHT51005-0
Dimensions L×W×H	40.1×14.4×3.2 cm
Product weight	0.982 kg

624g Rip Claw Smooth Hammer



DWHT51006-0

- The balanced design of the DEWALT® 22oz. Rip Claw Steel Hammer helps deliver a smooth, steady swing while Tri-Pull technology helps you remove staples, framing nails, and finishing nails.
- The high-endurance hammer features one-piece steel construction for long-lasting performance and an integrated magnetic nail start for one-handed nail placement.

Technical data:	DWHT51006-0
Dimensions L×W×H	40×14.4×3.6 cm
Product weight	0.874 kg

340g MIG (Metal Inert Gas) Weld Hammer - Smooth Face



DWHT51135-0

- The DEWALT® 12oz. Mig Weld Hammer, made of steel for durability and long life.
- It features a magnetic nail starter for easy, one-handed nail placement.
- Also features a vibration absorbing grip to improve user comfort.
- The mig weld can be used to not only drive nails but also remove them.

Technical data:	DWHT51135-0
Dimensions L×W×H	36.5×14.8×3.8 cm
Product weight	0.796 kg

400g MIG (Metal Inert Gas) Weld Hammer - Smooth Face



DWHT51145-0

- The DEWALT® 14oz. Mig Weld Hammer, made of steel for durability and long life.
- It features a magnetic nail starter for easy, one-handed nail placement.
- Also features a vibration absorbing grip to improve user comfort.
- The mig weld can be used to not only drive nails but also remove them.

Technical data:	DWHT51145-0
Dimensions L×W×H	42.5×14.8×3.7 cm
Product weight	0.86 kg

567g Bricklayer Hammer



DWHT51389-0

- The DEWALT® 20oz. Bricklayer Hammer for your next masonary or demolition job.
- Its extra-wide chisel blade makes it great for cutting brick.
- With a durable, 1 pc. steel construction, it is sure to withstand your demands on the jobsite.

Technical data:	DWHT51389-0
Dimensions L×W×H	28×17.2×5.8 cm
Product weight	0.85 kg

1.4kg Drilling Hammer



DWHT51388-0

- The DEWALT® 3 lb Drilling Hammer for your next demolition project.
- With its concentrated strike face, this hammer gives the user a clean and effective break.
- It can easily withstand some of the harshest jobsites out there with its durable, one-piece steel construction.

Technical data:	DWHT51388-0
Dimensions L×W×H	26.5×5×10.5 cm
Product weight	1.675 kg

1.81kg Fiberglass Blacksmith Hammer



DWHT56157-1

- This DEWALT® 4lb Fibreglass Blacksmith Hammer is built tough with a forged steel head, that'sgreat for metalworking or shaping.
- The durable handle is created with lightweight Fibreglass and has overstrike protection to reinforce where handles break most.
- It also has an over-mold textured grip to help provide comfort and control.

Technical data:	DWHT56157-1
Dimensions L×W×H	35.5×15.4×5.4 cm
Product weight	2.09 kg

1.81kg Fiberglass Engineer Hammer



DWHT56158-1

- This DEWALT® 4lb Fibreglass Sledge Hammer is built tough with a forged steel head, great for driving stakes and cold chisels.
- The durable handle is created with lightweight fibreglass and has overstrike protection to reinforce where handles break most.
- With an over-mold textured grip to help provide comfort and control of the tool.

Technical data:	DWHT56158-1
Dimensions L×W×H	35.5×14×5 cm
Product weight	2.17 kg

1.36kg Fiberglass Drilling Hammer



DWHT56152-1

- This DEWALT® 3lb Fibreglass Sledge Drilling Hammer is built tough with a forged steel head, great for driving stakes and cold chisels.
- The durable handle is created with lightweight fibreglass and has overstrike protection to reinforce where handles break most.
- With an over-mold textured grip to help provide comfort and control.

Technical data:	DWHT56152-1
Dimensions L×W×H	27×10×4.3 cm
Product weight	1.59 kg

567g 1-Piece Steel Campers Axe



DWHT51387-0

- The DEWALT® 20oz. Steel Camper's Axe features a scalloped cutting edge to make it easy to release from material.
- It comes with a plastic sheath for added safety, and to keep your blade protected. With its one-piece steel construction, this axe can easily withstand the harshest environments.

Technical data:	DWHT51387-0
Dimensions L×W×H	36×2.5×13.7 cm
Product weight	0.994 kg



KNIVES

3X BLADE RETENTION:
Mimicking lock strength of a fixed knife

4X SLIDER LIFE CYCLE:
Premium cast slider with debris resistance

2X DROP RATING: Reinforced body for superior impact resistance on board waterproof blade



JOBSITE TOUGH: Cast alloy body

STORAGE:
Holds 10 blades

SMOOTHEST BLADE INSTALL: Press-free insert reducing frustration when installing new blade

TEXTURED GRIP POINTS:
For controlled cutting

The product featured is DWHT10999-0.

Fixed Blade Tradesman Knife



DWHT1-10354

- The DEWALT® Fixed Blade Tradesman Knife features a durable 90mm stainless steel blade with secure plastic sheath cover.
- The rubber molded outer offers improved comfort and additional grip and atethered loop hole for added security.

Technical data:	DWHT1-10354
Dimensions L×W×H	24.6×5.4×45 cm
Product weight	0.14 kg

18mm Snap-off Knife with Auto-Lock Slider



DWHT0-10249

- The DEWALT® 18 mm Snap-Off Knife has an auto-locking slider for blade adjustments.
- The integrated blade snapper ensures you'll have a sharp cutting edge.
- The autoload function automatically draws ablade from the cartridge which can hold up to 6 blades.
- Supplied with 3 x carbide blades.

Technical data:	DWHT0-10249
Dimensions L×W×H	22.1×2.6×9.3 cm
Product weight	0.169 kg

Folding Retractable Auto Load Utility Knife



DWHT10261-0

- The DEWALT® Folding Retractable Auto-Load Utility Knife automatically loads the blade with the simple push of a button.
- By depressing the liner lock, you can easily fold the knife with one hand.
- Blade storage is yet another feature that makes this knife the perfect addition to your tool box.

Technical data:	DWHT10261-0
Dimensions L×W×H	18.4×8.9×2 cm
Product weight	0.19 kg

Push and Flip Folding Utility Knife



DWHT10991-0

- The DEWALT® Push and Flip Folding Utility Knife is designed to be carried comfortably on tough jobs.
- This knife features a onehanded flip-to-open operation.
- A quick blade replacement system helps blade retention and helps prevent unintentional blade release.
- Engineered with a metal handle for durability, this knife delivers high-performance for a variety of tasks.

Technical data:	DWHT10991-0
Dimensions L×W×H	20.5×8.9×2.3 cm
Product weight	0.13 kg

Push and Flip Folding Utility Knife with Blade Storage



DWHT10992-0

- The DEWALT® Push and Flip Folding Utility Knife is designed to be carried comfortably on tough jobs. this knife features a onehanded flip-to-open operation.
- A quick blade replacement system helps blade retention and helps prevent unintentional blade release.
- Comes with added blade storage for up to 1 blade.

Technical data:	DWHT10992-0
Dimensions L×W×H	20.4×8.8×2.8 cm
Product weight	0.15 kg

Folding Pocket Knife



DWHT10993-0

- The DEWALT® Folding Pocket Knife is ergonomically designed to be carried comfortably on tough jobs and features a smooth, flip-to-open operation.
- With just the flick of a wrist, access the blade fast.
- Engineered with a slim metal handle for durability and comfort, this knife delivers high-performance for a variety of demanding tasks.

Technical data:	DWHT10993-0
Dimensions L×W×H	22.6×8.7×1.5 cm
Product weight	0.13 kg

Non Folding Utility Knife



DWHT10998-0

- The DEWALT® Fixed Body Retractable Knife with Storage is ergonomically designed to be carried comfortably on tough jobs and features a 2 slider life cycle with smooth blade install.
- Engineered with a textured grip for durability and comfort, this knife delivers high-performance for a variety of demanding tasks.
- Hold up to 5 blades.

Technical data:	DWHT10998-0
Dimensions L×W×H	23.2×9.1×3.2 cm
Product weight	0.24 kg

TOUGHSERIES™ Non Folding Utility Knife



WHT10999-0

- The DEWALT® Tough Series Fixed Body Retractable Knife with Storage.
- Ergonomically designed to be carried comfortably on tough jobs, this knife features a 2 slider life cycle with smooth blade install.
- Engineered with a textured grip for durability and comfort, this knife delivers high-performance for a variety of demanding tasks.
- Hold up to 10 Blades


Technical data:	WHT10999-0
Dimensions L×W×H	23.3×9.3×2 cm
Product weight	0.285 kg



KNIFE BLADES

STRONGER AND MORE FLEXIBLE BLADE:
The blade undergoes a specific heat treatment to make it stronger and a more flexible blade.

UNIVERSAL FITMENT:
The profile is a standard utility blade so will fit most utility knives, globally.



INDUCTION HARDENED EDGE:
Provides a cutting edge that is +75% sharper and that stays sharp x2 longer than a standard carbon steel blade.

PLASTIC DISPENSER:
Releasing one blade.

The product featured is DWHT11004-2.

Induction Hardened Utility Blades (75 PK)



DWHT11004-7

- These DEWALT® Induction Hardened Utliity Blades are heat treated for durability.
- The blade-grinding geometry is designed to deliver first-cut sharpness.
- Each pack contains 75 blades.
- They are constructed to be used with most standard utility knives.

Technical data:	DWHT11004-7
Dimensions L×W×H	19.1×9.5×3 cm
Product weight	0.348 kg

Induction Hardened Utility Blades (10 PK)



DWHT11004-2

- These DEWALT® Induction Hardened Utliity Blades are heat treated for durability.
- The blade-grinding geometry is designed to deliver first-cut sharpness.
- Each pack contains 10 blades.
- They are constructed to be used with most standard utility knives.

Technical data:	DWHT11004-2
Dimensions L×W×H	15×1.8×4.9 cm
Product weight	0.054 kg

18mm Snap-off Induction Hardened Blade (3 PK)



DWHT11719-0

- The DEWALT® 18mm Snap-off Induction Hardened Utliity Blades allow for a sharp cutting edge without having to change a blade Each pack contains 3 blades.

Technical data:	DWHT11719-0
Dimensions L×W×H	17.9×4.8×0.5 cm
Product weight	0.024 kg

25mm Snap-Off Induction Hardened Blade (3 PK)



DWHT11726-0

- The DEWALT® 25mm Snap-off Induction Hardened Utliity Blades allow for a sharp cutting edge without having to change a blade Each pack contains 3 blades.

Technical data:	DWHT11726-0
Dimensions L×W×H	21.8×7.6×0.5 cm
Product weight	0.083 kg

Carbide Utility Blades (5 PK)



DWHT0-11131

- The DEWALT® Carbide Utility Blades stay 10X sharper than traditional utility blades.
- The steel body helps to prevent breaking of the blade.
- Each pack contains 5 blades.

Technical data:	DWHT0-11131
Dimensions L×W×H	15×5×0.5 cm
Product weight	0.023 kg

Carbide Utility Blades (50 PK)



DWHT8-11131

- The DEWALT® Carbide Utility Blades stay 10X sharper than traditional utility blades.
- The steel body helps to prevent breaking of the blade.
- Each pack contains 50 Blades.

Technical data:	DWHT8-11131
Dimensions L×W×H	19×3×9.5 cm
Product weight	0.251 kg

MANUAL FASTENING

DRIVES 18 GUAGE BRADS:
1 and 15mm brad nails

EASY SQUEEZE TECHNOLOGY:
Helps reduce actuation force



LIGHTWEIGHT DIE-CAST ALUMINIUM HOUSING: For durability.
Guaranteed Tough

DRIVES A VARIETY OF STAPLES:
Heavy duty, light duty, cable,
narrow flat staples 6,8,10,12,14mm

ANTI-JAM MAGAZINE: Prevents jams and misfires

The product featured is DWHT0-TR510.

5-in-1 Multi-Tacker



DWHT0-TR510

- The DEWALT® 5-in-1 Multi-Tacker can be easily squeezed, has an anti-jam mechanism to help prevent misfires, and is made of aluminum which is lightweight and durable.
- Drives a variety of staples heavy duty, light duty, cable, narrow flat staples 6,8,10,12,14mm.

Technical data:	DWHT0-TR510
Dimensions L×W×H	29.4×18×4.5 cm
Product weight	0.7 kg

2-in-1 Heavy Duty Staple and Brad Tacker



DWHTTR350-0

- The DEWALT® Heavy Duty Staple and Brad Tacker can be squeezed easily, has an anti-jam mechanism to help prevent misfires and is made of aluminium which is lightweight and durable.

Technical data:	DWHTTR350-0
Dimensions L×W×H	26.5×18.5×4.5 cm
Product weight	0.75 kg

2-in-1 Carbon Fiber Composite Staple Gun



DWHT80276-0

- The DEWALT® Carbon Fibre Composite Staple Gun features a carbon fibre light-weight composite housing which helps to reduce muscle fatigue.
- The quick and easy button load design and a low fastener indicator ensures the supply is ideal for repetitive jobs, like insulation and roofing or carpet underlaying.

Technical data:	DWHT80276-0
Dimensions L×W×H	24×4.2×20.7 cm
Product weight	0.46 kg

Carbon Fiber Composite Hammer Tacker



DWHT75900-0

- The DEWALT® Carbon Fibre Composite Hammer Tacker features a lightweight carbon fibre composite structure.
- The reduction in overall weight and vibration allows you to work longer with less muscle exertion.

Technical data:	DWHT75900-0
Dimensions L×W×H	37×4×12.8 cm
Product weight	1.894 kg

CLAMPING

272KG CLAMPING FORCE: Sustained force when clamping

95mm THROAT DEPTH: Suitable for a variety of construction materials

900MM I BEAM BAR: For strength and durability



REINFORCED NYLON BODY AND HEAT-TREATED BAR: For strength and durability

ONE-HANDED OPERATION: For speed and ease of use

REMOVEABLE JAW PADS: Helps reduce marring

QUICK CHANGE BUTTON: Allows for easy conversion to a spreader

The product featured is DWHT0-83140.

150mm Medium Trigger Clamp



DWHT0-83139

- The DEWALT® 150mm Medium Trigger Clamp is versatile and easy to use.
- Its reinforced nylon body and heat-treated steel bar are strong and durable.
- With 63kg of clamping force, 62mm throat depth, and removable jaw pads to help reduce marring.

Technical data:	DWHT0-83139
Dimensions L×W×H	30.7×2.1×17 cm
Product weight	0.293 kg

300mm Medium Trigger Clamp



DWHT0-83140

- The DEWALT® 12" Medium Trigger Clamp is versatile and easy to use. Its reinforced nylon body and heat-treated steel bar are strong and durable.
- With 63kg of clamping force, 62mm throat depth, and removable jaw pads to help reduce marring, this clamp was built to exceed the expectations of professional contractors.

Technical data:	DWHT0-83140
Dimensions L×W×H	45.7×17×3 cm
Product weight	0.353 kg

300mm Medium Trigger Clamp (2 pcs.)



DWHT0-83158

- The DEWALT® 2 Pack 300mm Large Trigger Clamp is versatile and easy to use. Its reinforced nylon body and heat-treated steel bar are strong and durable.
- With 135kg of clamping force, 82mm throat depth, quick change button for easy conversion to a spreader and removable jaw pads to help reduce marring.

Technical data:	DWHT0-83158
Dimensions L×W×H	58.4×22.4×3.7 cm
Product weight	0.69 kg

150mm Large Trigger Clamp



DWHT0-83192

- The DEWALT® 6" Large Trigger Clamp is versatile and easy to use.
- Its reinforced nylon body and heat-treated steel bar are strong and durable.
- With 135kg of clamping force, 82mm throat depth, quick change button for easy conversion to a spreader, and removable jaw pads to help reduce marring, this clamp was built to exceed the expectations of professional contractors.

Technical data:	DWHT0-83192
Dimensions L×W×H	34×23.2×3 cm
Product weight	0.58 kg

300mm Large Trigger Clamp



DWHT0-83193

- The DEWALT® 300mm Large Trigger Clamp is versatile and easy to use.
- Its reinforced nylon body and heat-treated steel bar are strong and durable.
- With 135kg of clamping force, 82mm throat depth, quick change button for easy conversion to a spreader and removable jaw pads to help reduce marring.

Technical data:	DWHT0-83193
Dimensions L×W×H	49×23.5×4 cm
Product weight	0.66 kg

600mm Large Trigger Clamp



DWHT0-83194

- The DEWALT® 24in Large Trigger Clamp is versatile and easy to use.
- Its reinforced nylon body and heat-treated steel bar are strong and durable.
- With 135kg of clamping force, 82mm throat depth, quick change button for easy conversion to a spreader, and removable jaw pads to help reduce marring, this clamp was built to exceed the expectations of professional contractors.

Technical data:	DWHT0-83194
Dimensions L×W×H	79.5×4×23.3 cm
Product weight	0.835 kg

900mm Large Trigger Clamp



DWHT0-83195

- The DEWALT® 36" Large Trigger Clamp is versatile and easy to use.
- Its reinforced nylon body and heat-treated steel bar are strong and durable.
- With 135kg of clamping force, 82mm throat depth, quick change button for easy conversion to a spreader, and removable jaw pads to help reduce marring, this clamp was built to exceed the expectations of professional contractors.

Technical data:	DWHT0-83195
Dimensions L×W×H	109.7×23.1×4 cm
Product weight	0.998 kg

300mm Extra Large Trigger Clamp



DWHT0-83185

- The DEWALT® 12" XL Trigger Clamp is versatile and easy to use.
- Its reinforced nylon body and heat-treated steel bar are strong and durable.
- With 272 kg of clamping force, quick change button for easy conversion to a spreader, and removable jaw pads to help reduce marring, this clamp was built to exceed the expectations of professional contractors.

Technical data:	DWHT0-83185
Dimensions L×W×H	53×25×4 cm
Product weight	1.31 kg

600mm Extra Large Trigger Clamp



DWHT0-83186

- The DEWALT® 24" XL Trigger Clamp is versatile and easy to use.
- Its reinforced nylon body and heat-treated steel bar are strong and durable.
- With 272 kg of clamping force, quick change button for easy conversion to a spreader, and removable jaw pads to help reduce marring, this clamp was built to exceed the expectations of professional contractors.

Technical data:	DWHT0-83186
Dimensions L×W×H	84.1×3.9×25 cm
Product weight	1.638 kg

900mm Extra Large Trigger Clamp



DWHT0-83187

- The DEWALT® 900mm Extra Large Trigger Clamp is versatile and easy to use.
- Its reinforced nylon body and heat-treated steel bar are strong and durable.
- With 270kg of clamping force, 95mm throat depth, quick change button for easy conversion to a spreader and removable jaw pads to help reduce marring.

Technical data:	DWHT0-83187
Dimensions L×W×H	113.9×4.2×25.3 cm
Product weight	1.9 kg

4.5m Nylon Band Clamp




DWHT83839-0

- The DEWALT® 4.5m (15ft) Band Clamp offers a clamp force up to 454kg (1,000 lb).
- The 4.5m length is a great choice for clamping irregular-shaped objects.
- Simply remove the corner guides in order to move the band around the object you're working with.

Technical data:	DWHT83839-0
Dimensions L×W×H	38.8×3.5×18.9 cm
Product weight	0.595 kg

300mm Metalworking F-Bar Clamp



DWHT83850-1

- The DEWALT® 300mm (12") Metalworking Bar Clamp is built tough with the ability to clamp up to 500 kg of force.
- Its 14 cm deep throat is a great choice for a variety clamping projects.

Technical data:	DWHT83850-1
Dimensions L×W×H	39.1×17.1×2.5 cm
Product weight	1.353 kg

90° Corner Clamp



DWHT83840-0

- The DEWALT® 90-Degree Corner Clamp offers a clamping force of up to 90kg (200 lbs).
- It is a must-have around the house for smaller scale corner clamping projects such as building a wood frame.
- Easily work on household projects by mounting this clamp directly to your workbench.

Technical data:	DWHT83840-0
Dimensions L×W×H	20.8×20.8×2.9 cm
Product weight	0.243 kg

90° Corner Clamp with Table Clamps



DWHT83853-0

- The DEWALT® 90-Degree Corner Clamp with Table Clamps is built tough enough to clamp up to 113kg (250 lbs) of force.
- It is a must-have around the house for smaller corner-clamping projects like building a book shelf.
- Easily work on household projects by mounting this clamp directly to your workbench.

Technical data:	DWHT83853-0
Dimensions L×W×H	38.2×20.3×7.5 cm
Product weight	1.3 kg

OTHER BUILDING

Wood Chisel Set (4 pcs.)



DWHT0-16063

- The DEWALT® 4 Piece Wood Chisel Set is quite durable with its tempered chrome carbon-steel blades.Includes 8, 12, 18, 25mm Wood Chisels.
- The bi-material handle allows for not only comfort but also control.

Technical data:	DWHT0-16063
Dimensions L×W×H	30.4×20.1×3.7 cm
Product weight	0.835 kg

Wood Chisel Set (6 pcs.)



DWHT16852-9

- The DEWALT® 6 Piece Wood Chisel Set is quite durable with its tempered chrome carbon-steel blades.
- Includes 6,13,19,25,32,38mm Wood Chisels.The bi-material handle allows for not only comfort but also control.

Technical data:	DWHT16852-9
Dimensions L×W×H	35.5×29.7×4.5 cm
Product weight	1.832 kg

25mm Side Strike Chisel



DWHT0-16065

- The DEWALT® 25mm Side Strike Chisel can be used for demolition and scraping.
- It's tempered carbon chrome steel blade and hardened strike cap make this a durable tool designed to last.

Technical data:	DWHT0-16065
Dimensions L×W×H	31×3.5×9.5 cm
Product weight	0.311 kg

Wood Side Strike Chisel Set (3 pcs.)



DWHT0-16148

- The DEWALT® 3 Piece Wood Chisel Set comes with a 18mm, 25mm, and 32mm chisel for different uses.
- All three chisel feature a cutting edge that can be used as a scraper and for demolition.
- It has a tempered chrome-steel blade for added durability and the bi-material handle offers both comfort and control.

Technical data:	DWHT0-16148
Dimensions L×W×H	30×20×4 cm
Product weight	0.955 kg

SAWS

TOOL FREE BLADE TENSIONING MECHANISM:
adjust the tension without the need for another tool

ON-BOARD BLADE STORAGE

LOW PROFILE:
for cutting in tight spaces



HACKSAW FRONT HANDLE:
becomes a pistol grip jab saw

45° OR 90° BLADE ANGLE:
used for standard and flush cuts

HIGH TENSION:
securely holds the blade up to 150kg|330lbs

FRONT BLADE FITMENT:
for long reach

The product featured is DWHT0-20547.

300mm Metal Bi-Metal Hacksaw Blades Set (3 pcs.)



DWHT0-20558

- The DEWALT® Mixed Hacksaw Blades are of bi-metal construction - hard wearing to prevent the blades from shattering and for longer blade life.
- This versatile pack contains 3 different blades 18 TPI, 24 TPI and 32 TPI, each one is 300mm (12") in length.

Technical data:	DWHT0-20558
Dimensions L×W×H	35.5×5×1 cm
Product weight	0.06 kg

300mm 5-in-1 Hacksaw



DWHT0-20547

- The DEWALT® 5-in-1 Multi-Function Hacksaw has a low profile which enables users to make cuts in tight spaces, while the high tension can securely hold blades up to 150kg.
- The 45 or 90 degree blade angles for standard and flush cuts. Complete with onboard storage for extra blades.

Technical data:	DWHT0-20547
Dimensions L×W×H	43.5×19.1×3.5 cm
Product weight	1.85 kg

Folding Jab Saw with Rasp



DWHT0-20123

- The DEWALT® Folding Jab Saw conveniently allows for both drywall cutting and plane cutting with one tool.
- Both the saw and the rasp fold into the handle for compact storage.
- The unit has a 160mm/4 in blade with triple grounded teeth.

Technical data:	DWHT0-20123
Dimensions L×W×H	3.5×12.5×32.9 cm
Product weight	0.201 kg



OTHER DEMOLITION



The product featured is DWHT55518-1.

300mm Flat Bar



DWHT55518-1

- The DEWALT® 300mm (12") Flat Bar has a wide prying end for leverage.
- This bar has multiple nail pullers and point bevelled ends for efficient nail removal. Ideal for ripping, striking, prying, and scraping applications.

Technical data:	DWHT55518-1
Dimensions L×W×H	32.8×6.4×7.6 cm
Product weight	0.592 kg

530mm Flat Bar



DWHT55528-1

- The DEWALT® 530mm (21in) Flat Bar has a wide prying end for leverage.
- This bar has multiple nail pullers and point bevelled ends for efficient nail removal. Ideal for ripping, striking, prying, and scraping applications.

Technical data:	DWHT55528-1
Dimensions L×W×H	56.1×6.4×8.3 cm
Product weight	1.016 kg

254mm Precision Claw Bar



DWHT0-55524

- The DEWALT® 10" Claw Bar with extra wide strike face helps to prevent damage to wood by exposing the head of the nail.
- Ideal for ripping, striking, prying, and scraping applications.

Technical data:	DWHT0-55524
Dimensions L×W×H	29×7.5×3.5 cm
Product weight	0.385 kg

254mm Molding Bar



DWHT0-55529

- The DEWALT® 254mm Molding Bar's extra wide strike surface coupled with it's extra wide head helps to prevent wall damage when prying trim and molding.
- Ideal for ripping, striking, prying, and scraping applications.

Technical data:	DWHT0-55529
Dimensions L×W×H	30.5×7.2×2 cm
Product weight	0.387 kg

600mm Wrecking Bar



DWHT55129-1

- The DEWALT® 600mm (24") Wrecking Bar is ideal for general demolition projects.
- Designed for comfort and strength, this bar has multiple nail pullers and point bevelled ends for efficient nail removal.

Technical data:	DWHT55129-1
Dimensions L×W×H	60.5×11×5 cm
Product weight	1.99 kg

1070mm Wrecking Bar



DWHT55132-1

- The DEWALT® 1070mm (42") Wrecking Bar is ideal for general demolition projects.
- Designed for comfort and strength, this bar has multiple nail pullers and point bevelled ends for efficient nail removal.

Technical data:	DWHT55132-1
Dimensions L×W×H	106.5×11×5 cm
Product weight	3.3 kg

SHORT TAPES

Abrasion & Corrosion-Resistant

Ultra tough housing protects tape measure from drops of 30m



Metric & Imperial Measurements

Double sided printing for more convenience while measuring overhead

Mylar-Coated Steel Blade & 3-Rivet True Zero End Hook

The product featured is DWHT36926-5.

3m x 13mm Pocket Tape Measure



DWHT36098-1

- The 3m x 13mm Pocket Tape Measure provides convenience in a compact size.
- Its rear magnet allows easy storage on metal toolboxes, while the 3M blade is ideal for measuring standard drywall and plywood sheets, making it a practical tool for quick, everyday measurements on the job or at home.

Technical data:	DWHT36098-1
Dimensions LxWxH	5.3×4.9×2.6 cm
Distance	3M
UoM	Metric

5m x 32mm Premium Tape Measure



DWHT36917-0

- The ToughSeries™ Tape Measure withstands 100 ft. drops and offers best in class reach for solo measuring.
- It features double-sided print, a removable magnet, patented hook technology, wear-resistant blade coating, and Rip-Shield™ protection, ensuring durability and convenience for demanding jobsites.

Technical data:	DWHT36917-0
Dimensions LxWxH	19×11.5×6 cm
Distance	5M
UoM	Metric

8m x 32mm Premium Tape Measure



WHT36928-0

- The ToughSeries™ Tape Measure withstands 100 ft. drops and offers best in class reach for solo measuring.
- It features double-sided print, a removable magnet, patented hook technology, wear-resistant blade coating, and Rip-Shield™ protection, ensuring durability and convenience for demanding jobsites.

Technical data:	WHT36928-0
Dimensions LxWxH	18×11.7×6.3 cm
Distance	8M
UoM	Metric

10m x 32mm Premium Tape Measure



DWHT36932-0

- The ToughSeries™ Tape Measure withstands 100 ft. drops and offers best in class reach for solo measuring.
- It features double-sided print, a removable magnet, patented hook technology, wear-resistant blade coating, and Rip-Shield™ protection, ensuring durability and convenience for demanding jobsites.

Technical data:	DWHT36932-0
Dimensions LxWxH	18×11.9× 6.2
Distance	10M
UoM	Metric

5m x 28mm Tape Measure



DWHT38114-0

- The DEWALT® Compact Tape Measure is 20% more compact for better grip and features a wear-resistant blade.
- It offers exceptional reach for solo use, an integrated finger brake for control, and easy-to-read fractional graphics with double-sided print for quick, versatile measurements.

Technical data:	DWHT38114-0
Dimensions L×W×H	14.5×9×5.5 cm
Distance	5M
UoM	Metric

8m x 28mm Tape Measure



DWHT38128-0

- The DEWALT® Compact Tape Measure is 20% more compact for better grip and features a wear-resistant blade.
- It offers exceptional reach for solo use, an integrated finger brake for control, and easy-to-read fractional graphics with double-sided print for quick, versatile measurements.

Technical data:	DWHT38128-0
Dimensions L×W×H	15×9×5.3 cm
Distance	8M
UoM	Metric

5m x 28mm Tape Measure



DWHT38113-5

- The DEWALT® Compact Tape Measure is 20% more compact for better grip and features a wear-resistant blade.
- It offers exceptional reach for solo use, an integrated finger brake for control, and easy-to-read fractional graphics with double-sided print for quick, versatile measurements.

Technical data:	DWHT38113-5
Dimensions L×W×H	14.5×9×5.4 cm
Distance	5M
UoM	Metric

8m x 28mm Tape Measure



DWHT38127-5

- The DEWALT® Compact Tape Measure is 20% more compact for better grip and features a wear-resistant blade.
- It offers exceptional reach for solo use, an integrated finger brake for control, and easy-to-read fractional graphics with double-sided print for quick, versatile measurements.

Technical data:	DWHT38127-5
Dimensions L×W×H	15×9×5.3 cm
Distance	8M
UoM	Metric

8m x 28mm Compact Series Tape Measure (2 PK)



DWHT38127-9

- The DEWALT® Compact Tape Measure is 20% more compact for better grip and features a wear-resistant blade.
- It offers exceptional reach for solo use, an integrated finger brake for control, and easy-to-read fractional graphics with double-sided print for quick, versatile measurements.

Technical data:	DWHT38127-9
Dimensions L×W×H	16×9×5.3 (×2) cm
Distance	8M
UoM	Metric


DEWALT
8M | TOUGH SERIES

LONG TAPES

Stainless Steel Crank Arm and Dirt Removal Window

5:1 Gear Ratio and Blade Release Button



12mm Steel Mylar-Coated Blade and Corrosion-Resistant

The product featured is DWHT0-34144.

30m Steel Long Tape Measure



DWHT0-34093

- The DEWALT® 30m Steel Long Tape Measure features a blade-release button and a 5-to-1 gear ratio for fast blade rewinds for efficiency. The long tape's stainless-steel crank arm provides durability for demanding job-sites. A spring-loaded carabiner attachment offers great portability.

Technical data:	DWHT0-34093
Dimensions L×W×H	20.5×18×5 cm
Distance	30M
UoM	Metric

30m Fiberglass Long Tape Measure



DWHT34218-0

- This 100-foot Fiberglass Long Tape features a 2X stronger hook connection* to protect the hook and blade at its weakest point. GUARANTEEDTOUGH®, this tape is ideal for landscapers, surveyors, assessors, and many others who need durable length. It has a double-sided fractional inch/decimal foot blade for added convenience.

Technical data:	DWHT34218-0
Dimensions L×W×H	25×19×5 cm
Distance	30M
UoM	Metric



LEVELS

RESISTANCE: Solid block vials for best durability and accuracy to 0.5mm/m. Virtually unbreakable, the vials are factory set and require no further adjustment

READABILITY: Magnified centre vial maximizes vial readability

360 VIAL: Rotating vial for specific angle measurements



DURABLE: Aluminium extruded box beam body for ultimate durability, the box beam design avoids twisting.

SHOCKPROOF END CAPS: Manufactured from an ABS plastic core with over-molded TPR rubber to provide best shock resistance

The product featured is DWHT0-43003.
Please see page 60 for more detail.

1800mm Box Beam Level



DWHT0-43172

- The DEWALT® Box Beam Level offers accuracy with its block vials and durability with its large cross section and metal and overmolded end caps.

Technical data:	DWHT0-43172
Dimensions L×W×H	185×8×5.1 cm
Length	1800mm/6ft
UoM	Metric

1200mm Box Beam Level



DWHT0-43248

- The DEWALT® Box Beam Level offers accuracy with its block vials and durability with its large cross section and metal and overmolded end caps.

Technical data:	DWHT0-43248
Dimensions L×W×H	122×8×4 cm
Length	1200mm/4ft
UoM	Metric

600mm Box Beam Level



DWHT0-43224

- The DEWALT® Box Beam Level offers accuracy with its block vials and durability with its large cross section and metal and overmolded end caps.

Technical data:	DWHT0-43224
Dimensions L×W×H	65×7.5×3.7 cm
Length	600mm/2ft
UoM	Metric

250mm 10" Torpedo Level



DWHT0-43003

- The DEWALT® 250mm Torpedo level has an extruded aluminum body for strength and durability.
- It also features rare earth magnets and a V-Groove base for use on metal and rounded surfaces.

Technical data:	DWHT0-43003
Dimensions L×W×H	23.5×5×2.5 cm
Length	250mm
UoM	Metric

165mm 6-1/2" Billet Torpedo Level



DWHT42525-0

- The DEWALT® 165mm (6.5") Billet Level is unbeatable for use in tight, confined places on the job site.
- Machined from an extruded aluminum, this level offers ultimate durability.
- Additional vial windows on the top and bottom allow for fast and accurate readings at any angle.
- The bottom surface v-groove and earth magnets make it easier to stabilize when working with pipes and conduits.

Technical data:	DWHT42525-0
Dimensions L×W×H	22×1.9×6.9 cm
Length	165mm/65in
UoM	Metric


DEWALT

TOUGHSERIES™ 30m 6:1 Chalk Reel with Red Chalk



DWHT48335RC-0

- This 6:1 Chalk Reel can be used for a wide variety of jobs from framing and wall layout to flooring and cabinet work.
- This reel includes a planetary gear system that prevents jams for long-lasting durability.
- Avoid chalk spillage with the extra-large flip cap for easy refill.
- This reel comes with a 4 oz. red chalk bottle for added convenience.

Technical data:	DWHT48335RC-0
Dimensions L×W×H	26×21×5.9 cm

TOUGHSERIES™ 30m 6:1 Chalk Reel



DWHT48335-0

- This 6:1 Chalk Reel can be used for a wide variety of jobs from framing and wall layout to flooring and cabinet work.
- This reel includes a planetary gear system that prevents jams for long-lasting durability.
- Avoid chalk spillage with the extra-large flip cap for easy refill.


Technical data:	DWHT48335-0
Dimensions L×W×H	27×21×5.9 cm



SQUARES

Stamped-in contrasting color graduations for better readability

Extra-thick extruded aluminum body holds up to heavy-duty use, ideal for use as saw guide



Large base helps provide better grip on materials

The product featured is DWHT25227-0.

180mm Metric Speed Square



DWHT25227-0

- Ideal for use as a saw guide, the 7" rafter square has an extra-thick aluminum body for heavy-duty use as well as stamped in contrasting color graduations for better readability.
- It also features a large base to provide grip on materials.

Technical data:	DWHT25227-0
Dimensions L×W×H	22×20×2.9 cm
Length	18cm
UoM	Metric

300mm Metric Speed Square



DWHT25228-0

- Ideal for use as a saw guide, the 12" rafter square has an extra-thick aluminum body for heavy-duty use as well as stamped in contrasting color graduations for better readability.
- It also features a large base to provide grip on materials.

Technical data:	DWHT25228-0
Dimensions L×W×H	30.6×31×3 cm
Length	30cm
UoM	Metric



DEWALT®

MOBILE STORAGE SYSTEM



GUARANTEED TOUGH®


DEWALT

STORAGE SYSTEMS

AS A PROFESSIONAL, YOU CERTAINLY DON'T WANT TO WASTE ANY TIME.

When your tools are neatly stored, you can work faster. Our customisable storage systems and extensive range of soft storage options, offer robust and durable solutions to protect your tools and keep them safe in your workshop and on site.

T STAK™

This extensive range of boxes, drawer modules, tool bags and organisers can be used separately, or connect them together to keep everything in one place. For added flexibility, use the Dewalt adaptor plate to connect your T STAK™ modules with TOUGHSYTEM® storage.



TOUGHSYSTEM® 2.0

With a wide choice of boxes, chests, tool bags and organisers you can build the ideal kit to suit your needs. Start from scratch or interconnect with your existing TOUGHSYSTEM® 1.0 or T STAK™ storage for added versatility.



SOFT STORAGE

Designed to be lightweight and robust, DEWALT® tool bags and tool belts include handy features to help keep accessories and hand tools organised and close to hand.



TSTAK™

DEWALT

TOUGHSYSTEM®

VERSATILE

Ideal storage for power tools, handtools, accessories and fixings.

CONNECTABLE

The two storage systems are interconnectable thanks to an adapter plate.

MODULAR DESIGN

Each component in the system combines perfectly with the next for maximum versatility.

CUSTOMISABLE

Configure your parts and accessories storage to the way you need it.

PORTABLE

Add a trolley option to the system for easy transportation of your kit.



	Product Code	System	
BOX	DWST1-70705	TSTAK™	
	DWST1-70706	TSTAK™	
	DWST83344-1	TSTAK™	
	DWST83345-1	TSTAK™	
	DWST83454-1	TSTAK™	
	DWST83343-1	TSTAK™	
	DWST83346-1	TSTAK™	
	DWST1-71228	TSTAK™	
	DWST83395-1	TSTAK™	
	DWST83535-1	TSTAK™	
ORGANISER	DWST82968-1	TSTAK™	
	DWST60981-1	TSTAK™	
	DWST83479-1	TSTAK™	

	Product Code	System	
TRANSPORT	DWST83347-1	TSTAK™	
	DWST17871-1	TSTAK™	
	DWST60809-1	TSTAK™	
	DWST60819-1	TSTAK™	
	DWST60817-1	TSTAK™	
	DWST1-71196	TSTAK™	
	DWST1-71229	TSTAK™	
	DWST83412-1	TSTAK™	
	DWST60490-1	TSTAK™	
ACCESSORIES	DWST1-72364	TSTAK™	
	DT70716-QZ	TSTAK™	
	DWST82732-1	TSTAK™	
SOFT STORAGE	DWST82990-1	TSTAK™	
	DWST82991-1	TSTAK™	

	Product Code	System	
BOX	DWST83293-1	TOUGHSYSTEM™ 2.0	
	DWST83294-1	TOUGHSYSTEM™ 2.0	
	DWST83342-1	TOUGHSYSTEM™ 2.0	
	DWST1-75654	TOUGHSYSTEM™ 2.0	
	DWST83529-1	TOUGHSYSTEM™ 2.0	
	DWST08330-1	TOUGHSYSTEM™ 2.0	
	DWST08035-1	TOUGHSYSTEM™ 2.0	
	DWST60480-1	TOUGHSYSTEM™ 2.0	
ORGANISER	DWST83392-1	TOUGHSYSTEM™ 2.0	
	DWST83394-1	TOUGHSYSTEM™ 2.0	
HANDY ON JOB SITE	DCB104	TOUGHSYSTEM™ 2.0	
	DCBPSC0550	TOUGHSYSTEM™ 2.0	
	DWST83470-GB	TOUGHSYSTEM™ 2.0	
	DWST1-75676	TOUGHSYSTEM™ 2.0	

	Product Code	System	
TRANSPORT	DWST83401-1	TOUGHSYSTEM™ 2.0	
	DWST60442-9	TOUGHSYSTEM™ 2.0	
	1-70-324	TOUGHSYSTEM™ 2.0	
	DWST83295-1	TOUGHSYSTEM™ 2.0	
	DWST83526-1	TOUGHSYSTEM™ 2.0	
	DWST83402-1	TOUGHSYSTEM™ 2.0	
ACCESSORIES	DWST83459-1	TOUGHSYSTEM™ 2.0	
	DWST08061-1	TOUGHSYSTEM™ 2.0	
	DWST08017-1	TOUGHSYSTEM™ 2.0	
	DWST83407-1	TOUGHSYSTEM™ 2.0	
	DWST83408-1	TOUGHSYSTEM™ 2.0	
	1-70-362	TOUGHSYSTEM™ 2.0	
SOFT STORAGE	DWST83522-1	TOUGHSYSTEM™ 2.0	
	DWST83524-1	TOUGHSYSTEM™ 2.0	

	Product Code	System	
BOX	DWST08510-1	TOUGHSYSTEM 2.0 DXL	
	DWST08520-1	TOUGHSYSTEM 2.0 DXL	
TRANSPORT	DWST08530-1	TOUGHSYSTEM 2.0 DXL	
	DWST60510-1	TOUGHSYSTEM 2.0 DXL	
	DWST60520-1	TOUGHSYSTEM 2.0 DXL	
	DWST60107-1		
SOFT STORAGE	DWST60101-1		
	DWST60104-1		
	DWST60106-1		
	DWST60102-1		
	DWST60103-1		
	DWST60105-1		
ACCESSORIES	DWST08550-1	TOUGHSYSTEM 2.0 DXL	

	Product Code	System	
TOOL BELT	DWST50112-1		
	DWST50113-1		
	DWST40603-1		
	DWST40101-1		
	DWST40201-1		
	DWST40901-1		
WORKSHOP	DWST82800-1		
	DWST82805-1		
	DWST82813-1		
	DWST82823-1		
	DWST82816-0		
	DWST82820-0		


DEWALT
TSTAK

T STAK™ RANGE

EASY TO FIT AND QUICK TO COMBINE

Equipped with sturdy connection system - side clips with metal hinges to link modules together

IP54* - protection against dust, harmful deposits and water from any angle

Connector system with metal pin

Durable metal latches

Customisable name panel insert for easy identification of contents, allowing equipment to be located quickly



T STAK™ Single Deep Drawers Storage Box



DWST1-70705

- Durable and compact storage box equipped with a ball-bearing drawer and a set of six removable containers provides better organization of tools and accessories.
- Durable and compact storage box with a single, deep drawer.
- Six removable, lockable containers for organizing small parts and accessories.
- Ball-bearing slides ensure smooth operation even under heavy loads.
- Two-component handle guarantees comfortable carrying.
- Set includes: two large and two small removable cups for small items.

Technical data:	DWST1-70705
External dimensions W×D×H	431x321x172 mm
Internal dimensions W×D×H	345×254×98 mm
Capacity	9 L
Product weight	3.680 kg
IP rating	none

T STAK™

T STAK™ Double Shallow Drawers Storage Box



DWST1-70706

- Durable and compact storage box.
- Equipped with two shallow ball-bearing drawers.
- Ball-bearing slides ensure smooth operation even under heavy loads.
- Removable, lockable containers for organizing small parts and accessories.
- Two-component handle provides comfortable carrying.

Technical data:	DWST1-70706
External dimensions W×D×H	431x321x172 mm
Internal dimensions W×D×H	347×254×45 mm (per drawer)
Capacity	7.8 L
Product weight	4.230 kg
IP rating	none

T STAK™

T STAK™ Shallow Storage Box with Top Organizer



DWST83344-1

- Durable and compact storage box equipped with a foam lining that protects tools during transport.
- Large and sturdy aluminum handle ensures comfortable carrying.
- Practical organizer in the lid with seven compartments allows convenient storage of drill bits, screwdriver bits, screws, and other small accessories (no IP54 protection).

Technical data:	DWST83344-1
E×ternal dimensions W×D×H	442×332×183 mm
Internal dimensions W×D×H	422×270×92 mm
Capacity	11 L
Carry capacity	30 kg
Product weight	2.634 kg
IP rating	none
Extras	Customisable foam insert to keep powertools safe during transportation.

T STAK™

T STAK™ II Shallow Storage Box with Foam Insert



DWST83345-1

- Durable and compact shallow storage box equipped with a foam lining that protects tools during transport.
- The box has two handles – one at the front and one on the top – for convenient carrying.
- Perfect for storing and transporting smaller tools.

Technical data:	DWST83345-1
E×ternal dimensions W×D×H	442×333×162 mm
Internal dimensions W×D×H	422×270×92 mm
Capacity	11 L
Load capacity	30 kg
Product weight	2.039 kg
IP rating	54
Extras	Customisable foam insert to keep powertools safe during transportation

T STAK™

T STAK™ II Shallow Storage Box without Foam Insert



DWST83454-1

- Durable and compact shallow storage box equipped without a foam lining that protects tools during transport.
- The box has two handles – one at the front and one on the top – for convenient carrying.
- Perfect for storing and transporting smaller tools.

Technical data:	DWST83454-1
E×ternal dimensions W×D×H	442×333×162 mm
Internal dimensions W×D×H	422×270×92 mm
Capacity	11 l
Load capacity	30 kg
Product weight	1.80 kg
IP rating	54

T STAK™

T STAK™ Deep Storage Box with Top Organizer



DWST83343-1

- Durable and deep storage box for large tools and accessories, providing better organization.
- Sturdy construction with a large, removable aluminum handle improves carrying comfort (no IP54 protection).
- Practical organizer in the lid features seven compartments for drill bits, screwdriver bits, screws, and other small items.
- Can be secured with a padlock (padlock not included in standard equipment).

Technical data:	DWST83343-1
External dimensions W×D×H	442×347×326 mm
Internal dimensions W×D×H	422×270×234 mm
Capacity	30 L
Load capacity	30 kg
Product weight	3.232 kg
Extras	Half size internal tote tray - for easy access to key hand tools, fixings and power tool accessories.

T STAK™

T STAK™ VI Deep Storage Box



DWST83346-1

- Durable, deep storage box features a long aluminum handle on the top.
- The handle provides maximum durability and comfort during carrying.
- The box is equipped with a removable container for small tools and accessories, ensuring easier organization.
- Ideal for storing larger tools and accessories.

Technical data:	DWST83346-1
External dimensions W×D×H	442×332×303 mm
Internal dimensions W×D×H	422×270×233 mm
Capacity	28 L
Load capacity	30 kg
Product weight	2.623 kg
Extras	Half size internal tote tray - for easy access to key hand tools, fixings and power tool accessories

T STAK™

T STAK™ Open Storage Box with Handle



DWST1-71228

- The open storage box provides ample space for storing power tools and cables.
- Made of durable polypropylene, it features a solid construction.
- Wide handles make it easy to carry or slide the box onto trolley supports or a workshop stand.

Technical data:	DWST1-71228
External dimensions W×D×H	440×320×273 mm
Internal dimensions W×D×H	365×290×265 mm
Capacity	27 L
Load capacity	10 kg
Product weight	1.971 kg

T STAK™

T STAK™ Organiser



DWST82968-1

- Heavy duty ergonomic handle: for easy and comfortable carrying.
- Anti-rust metal latches: for durability and long product life allowing the end user to see contents easily while maintaining product strength.
- 2 x large, 6 x medium and 2 x long compartments.

Technical data:	DWST82968-1
External dimensions W×D×H	440×335×122 mm
Internal dimensions W×D×H	420×280×85 mm
Capacity	7.8 L
Product weight	2.357 kg
IP rating	54

T STAK™

T STAK™ Deep Organizer Twin Pack



DWST60981-1

- Each organizer is equipped with 10 removable containers, allowing for separate storage of small parts and fasteners.
- Metal latches ensure durability and security.
- The handle with a textured surface provides comfortable carrying.

Technical data:	DWST60981-1
External dimensions W×D×H	446 × 356×116 mm
Product weight	4.200 kg
IP rating	54

T STAK™

T STAK™ Deep and Shallow Organizer Twin Pack



DWST83479-1

- Each organizer is equipped with 10 removable containers and side latches that allow two organizers to be connected.
- Drawers enable stacking and storage of small parts.
- Durable, transparent lids provide visibility of the contents.
- Metal components ensure durability.
- The textured handle increases user comfort.

Technical data:	DWST83479-1
Product weight	3.700 kg

T STAK™ Combo Storage Box Set



DWST83395-1

- The set consists of a shallow storage box with customizable foam (DWST83345-1) and two shallow drawers with removable dividers (DWST1-70706).
- The top box is equipped with an individually adjustable foam insert, allowing for safe transport of tools.
- The bottom box features two drawers with removable dividers, making it easier to store small items.
- Handles located at the front and on the top allow for convenient carrying both vertically and horizontally.
- Removable dividers let you customize the interior to your needs.

Technical data:	DWST83395-1
External dimensions W×D×H	442×350×672
Capacity	21.6 l
Product weight	6.230 kg
IP rating	54

T STAK™ Deep Storage Box with Top Organizer and Organiser



DWST83535-1

- The set consists of a T STAK™ Deep Storage Box with Top Organizer (DWST83343-1) and a T STAK™ Organiser (DWST82968-1).
- Provides effective protection and easy transport of tools and accessories.
- Long, aluminum top handle ensures maximum durability and comfortable carrying.

Technical data:	DWST83535-1
External dimensions W×D×H	451×345×457 mm
Load capacity	50 kg (combined)
Product weight	6.220 kg
IP rating	54

T STAK™ Mobile Storage Box



DWST83347-1

- Mobile storage box with large capacity, equipped with durable heavy-duty wheels and a sturdy telescopic handle for easy transport of heavy tools.
- The telescopic handle tilting system provides free and unrestricted access to the contents of the box.

Technical data:	DWST83347-1
External dimensions W×D×H	523×433×630 mm
Internal dimensions W×D×H	430×290×313 mm
Capacity	55 L
Load capacity	50 kg (30 kg as box)
Product weight	5.031 kg
IP rating	54
Extras	half size internal tote tray - for easy access to key hand tools, fixings and power tool accessories.

T STAK™ Quick-Access Storage Box



DWST17871-1

- The storage box with quick access function offers large capacity for storing both power tools and hand tools.
- Placing several boxes side by side allows you to organize a practical workstation.
- The lid with quick access function enables you to open one half of the box without disconnecting the modules.

Technical data:	DWST17871-1
External dimensions W×D×H	792×556×412 mm
Internal dimensions W×D×H	730×458×330 mm
Capacity	113 L
Load capacity	50 kg
Product weight	10.073 kg

T STAK™ Storage Box Tower Set (5 Modules)



DWST60809-1

The set consisting of 5 modules includes the following elements:
- 1 x T STAK™ Double Shallow Drawers Storage Box (DWST1-70706)
- 1 x T STAK™ Quick-Access Storage Box (DWST17871-1)
- 2 x T STAK™ Organiser (DWST82968-1)
- 1 x T STAK™ II Shallow Tool Box with Foam Insert (DWST83345-1)

Technical data:	DWST60809-1
External dimensions W×D×H	412×556×792 mm
Product weight	19 kg
IP rating	54

T STAK™ Storage Box Tower Set (4 Modules)



DWST60819-1

The set consisting of 4 modules includes the following elements:
- 1 x T STAK™ II Shallow Storage Box without Foam Insert (DWST83454-1)
- 1 x T STAK™ Quick-Access Storage Box (DWST17871-1)
- 1 x T STAK™ Organiser (DWST82968-1)
- 1 x T STAK™ Single Deep Drawers Storage Box (DWST1-70705)

Technical data:	DWST60819-1
Product weight	18 kg
IP rating	54


T STAK™ Storage Box Tower Set (3 Modules)



DWST60817-1

The set consisting of 3 modules includes the following elements:
- 1 x T STAK™ Quick-Access Storage Box (DWST17871-1)
- 1 x T STAK™ VI Deep Storage Box (DWST83346-1)
- 1 x T STAK™ Organiser (DWST82968-1)

Technical data:	DWST60817-1



T STAK™ Transport Trolley



DWST1-71196

- Foldable trolley with durable 4 wheels and an aluminum telescopic handle.
- Two rear, sturdy wheels ensure stability during transport, while two front 360° rotating wheels allow for exceptionally easy maneuvering in any direction.
- Large load capacity up to 100 kg enables transport of heavy boxes and tools.
- Compatible with the T STAK™ storage box system.

Technical data:	DWST1-71196
External dimensions W×D×H	580×540×1,043 mm
Load capacity	150 kg
Product weight	6.761 kg

T STAK™ Platform Trolley



DWST1-71229

- Platform trolley with 4 durable 360° swivel wheels allows for easy maneuvering even on rough terrain.
- Large load capacity up to 100 kg enables transport of heavy boxes and tools.
- Compatible with the T STAK™ storage box system.

Technical data:	DWST1-71229
External dimensions W×D×H	486×436×181 mm
Load capacity	100 kg
Product weight	3.641 kg

T STAK™ IP54-Rated Storage Box Tower Set (5 Modules)



DWST83412-1

The set consisting of 5 modules includes the following elements:

- 1 x T STAK™ II Shallow Storage Box without Foam Insert (DWST83345-1)
- 1 T STAK™ Organiser (DWST82968-1)
- 1 x T STAK™ VI Deep Storage Box (DWST83346-1)
- 1 x T STAK™ Single Deep Drawers Storage Box (DWST1-70705)
- 1 x T STAK™ Platform Trolley (DWST1-71229)

Technical data:	DWST83412-1
External dimensions W×D×H	490×455×940 mm
Load capacity	100 kg (combined)
Product weight	16.300 kg
IP rating	54

T STAK™ Storage Box Tower Set (5 Modules)



DWST60490-1

The set consisting of 5 modules includes the following elements:

- 1 x T STAK™ Open Storage Box with Handle (DWST1-71228)
- 1 x T STAK™ VI Deep Storage Box (DWST83346-1)
- 2 x T STAK™ Single Deep Drawers Storage Box (DWST1-70705)
- 1 x T STAK™ Platform Trolley (DWST1-71229)

Technical data:	DWST60490-1
External dimensions W×D×H	475×415×900 mm
Load capacity	100 kg (combined)
Product weight	14.250 kg
IP rating	54

T STAK™ Foam Insert



DWST1-72364

- Lining made of durable, high-quality foam resistant to deformation.
- Easy to cut and shape according to your needs.
- Effectively protects contents from mechanical damage, shocks, and scratches.
- Compatible with the T STAK™ storage box system.

Technical data:	DWST1-72364
External dimensions W×D×H	426×300×70 mm
Product weight	0.250 kg

T STAK™ Accessory Sets Caddy



DT70716-QZ

- The accessory organizer (also known as a carrier) allows convenient storage and transport of up to 5 small TOUGHCASE®+ cases and 4 Tic Tac cases.
- It enables organized accessories and quick access to the required items.
- The solid construction ensures durability and safety of the transported cases.
- Compatibility with the T STAK™ system allows easy integration with other modules.
- An ideal choice for those who value order and mobility in the workplace.

Technical data:	DT70716-QZ
Product weight	1.332 kg

T STAK™ Clipboard



DWST82732-1

- Versatile use thanks to the external work surface and internal storage for documents.
- Rubber protections increase durability and protect the clipboard from damage.
- Built-in LED lighting provides optimal illumination of the workspace.
- Compatible with the T STAK™ box system.

Technical data:	DWST82732-1
External dimensions W×D×H	415×285×35 mm
Product weight	0.913 kg

T STAK™ Soft Tool Bag



DWST82990-1

- The open design of the bag allows quick access to all tools.
- Equipped with numerous pockets and compartments for convenient arrangement of accessories.
- Made of durable material resistant to damage and tearing.
- Reinforced construction with rivets ensures greater durability and extends the service life.
- Reinforced bottom protects the contents from moisture and damage.
- Adjustable shoulder strap with a soft pad guarantees comfort during carrying.
- Compatible with the T STAK™ system.

Technical data:	DWST82990-1
External dimensions W×D×H	450×250×370 mm
Internal dimensions W×D×H	420×210×330 mm
Load capacity	30 kg
Product weight	2.355 kg

T STAK™ Soft Tool Bag



DWST82991-1

- The tool bag is made of soft material and features a shoulder strap and handle for convenient carrying, even of heavy items.
- Double stitching and steel rivets increase its durability.
- The plastic base protects the contents from moisture on wet surfaces.
- The bag is compatible with the T STAK™ system.
- Equipped with a zippered compartment for safe storage of tools.

Technical data:	DWST82991-1
External dimensions W×D×H	450×250×370 mm
Internal dimensions W×D×H	420×210×290 mm
Load capacity	30 kg
Product weight	1.975 kg


DEWALT
TSTAK

TOUGHSYSTEM® 2.0 RANGE

BUILT TO BE TOUGH AND VERSATILE

IP65**: Dust tight and water jet resistant from any angle

Can be combined with TOUGHSYSTEM® 2.0 half-width modules using the latches in the lid

Wide, sturdy handles with dual functionality - to carry the box or slide it onto trolley brackets or workshop racking. Each box is individually accessible.

Robust metal latches for maximum durability and added convenience

Auto-connect system* - Intuitive, easy and time-saving – modules connect automatically when pushed together and one press on the connectors is enough to release them again

Customisable name panel insert for easy identification of contents, allowing equipment to be located quickly



*Compatible with ToughSystem® 1.0
**Depending on modules

TOUGHSYSTEM® 2.0 Shallow Storage Box



DWST83293-1

- The TOUGHSYSTEM® 2.0 Shallow Storage Box (DS165) offers 20% more space for tools when used as part of a tower with the DS300 and DS400 from the TOUGHSYSTEM® 2.0 series.
- It features two large organizers with removable dividers, allowing optimal organization of tools.
- Maximum load capacity is 50 kg.
- The box is equipped with patented, automatically connecting side latches for one-handed operation.
- It has two-piece metal front latches that increase the security of stored tools.
- Water and dust protection (IP65 rating).
- Compatible with the TOUGHSYSTEM® 1.0 system.

Technical data:	DWST83293-1
External dimensions W×D×H	555×375×180 mm
Internal dimensions W×D×H	490×300×117 mm
Capacity	22 L
Load capacity	50 kg
Product weight	4.195 kg
IP rating	65
Extras	2 organisers each with 2 dividers and lid

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Medium Storage Box



DWST83294-1

- The TOUGHSYSTEM® 2.0 Medium Storage Box (DS300) offers 20% more space for tools when used as part of a tower with the DS165 and DS400 from the TOUGHSYSTEM® 2.0 series.
- Maximum load capacity is 50 kg.
- Inside, there is a removable tray that makes tool organization easier.
- It has two-piece metal front latches that increase the security of stored tools.
- Water and dust protection (IP65 rating).
- Compatible with the TOUGHSYSTEM® 1.0 system.

Technical data:	DWST83294-1
External dimensions W×D×H	555×375×317 mm
Internal dimensions W×D×H	490×300×252 mm
Capacity	43 L
Load capacity	50 kg
Product weight	4.580 kg
IP rating	65

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Deep Storage Box



DWST83342-1

- The TOUGHSYSTEM® 2.0 Deep Storage Box (DS300) offers 20% more space for tools when used as part of a tower with the DS165 and DS400 from the TOUGHSYSTEM® 2.0 series.
- Maximum load capacity is 50 kg.
- Inside, there is a removable tray that makes tool organization easier.
- It has two-piece metal front latches that increase the security of stored tools.
- Water and dust protection (IP65 rating).
- Compatible with the TOUGHSYSTEM® 1.0 system.

Technical data:	DWST83342-1
External dimensions W×D×H	555×375×415 mm
Internal dimensions W×D×H	490×300×352 mm
Capacity	60 L
Load capacity	50 kg
Product weight	5.362 Kg
IP rating	65

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® Open Storage Box with Handle



DWST1-75654

- The Open Storage Box provides ample space for storing power tools and cables.
- Made of durable polypropylene, it guarantees long-lasting performance.
- Wide handles make it easy to carry or slide the box onto trolley supports or a workshop stand.
- Grooves allow you to use your own dividers for better organization of tools.

Technical data:	DWST1-75654
External dimensions W×D×H	557×325×277 mm
Internal dimensions W×D×H	486×275×178 mm
Capacity	30 L
Load capacity	20 kg
Product weight	2.803 kg
IP rating	65

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Double Deep Drawers Storage Box



DWST83529-1

- The Storage Box with double deep drawers for storing tools and accessories.
- Drawers can be labeled for easy identification of contents.
- Ball-bearing slides ensure high durability and smooth, effortless opening of the drawers.

Technical data:	DWST83529-1
External dimensions W×D×H	553×314×320 mm
Internal dimensions W×D×H	450×283×100 mm (per drawer)
Capacity	12.7 L/drawer
Load capacity	11 kg/drawer
Product weight	8.152 Kg
IP rating	none

TOUGHSYSTEM® 2.0

TOUGHSYSTEM®2.0 Triple Drawer Storage Box



DWST08330-1

- The storage box with three deep drawers allows quick access without disassembling other modules, making it an ideal solution for tool storage.
- Ball-bearing slides ensure high durability and smooth, effortless opening of the drawers.

Technical data:	DWST08330-1
External dimensions W×D×H	553×314×320 mm
Internal dimensions W×D×H	450×283×58 mm (per drawer)
Capacity	7.3 L/drawer
Load capacity	6.6 kg/drawer
Product weight	9.562 Kg
IP rating	none

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Half Width Compact Deep Storage Box




DWST08035-1

- The deep, compact storage box provides excellent visibility and great interior organization.
- Features 4 compartments and an internal organizer that can be positioned horizontally or vertically to suit your needs.
- The box protects contents from water and dust according to IP65 standard.
- Smooth-operating front latches allow convenient one-handed operation.

Technical data:	DWST08035-1
External dimensions W×D×H	351.5×255×390 mm
Internal dimensions W×D×H	342×213×290 mm
Capacity	20 L
Load capacity	35 kg
Product weight	3.49 Kg
IP rating	65
Extras	4 dividers and 1 organiser with lid

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Foam Insert



DWST83459-1

- The insert is made of durable, high-quality foam with a cube pattern.
- It consists of square segments with a diameter of 20 mm, which can be easily broken off and shaped to fit power tools.
- Allows you to create compartments perfectly suited to individual needs.
- Provides safe and organized storage of tools.
- Designed for TOUGHSYSTEM® 2.0 system boxes.

Technical data:	DWST83459-1
External dimensions W×D×H	485×320×75 mm
Product weight	0.218 Kg

TOUGHSYSTEM® 2.0

18V XR® and 54V XR FLEXVOLT® 4-Port Fast Charger 8Ah



DCB104

- Parallel charging process allows simultaneous charging of up to 4 batteries with different specifications.
- Fast charging process with current up to 8 A in each slot.
- LED display indicates charging status and battery condition.
- Durable housing and practical wall-mounting system.

Technical data:	DCB104
Fits	all XR® batteries (10.8V to 18V) and 54V XR FLEXVOLT®
Power supply	Li-Ion
Charging current	4 / 8 A
Weight	3.5 kg

TOUGHSYSTEM® 2.0

POWERSHIFT™ 550 W Charger



DCBPSC0550

- 550 W charger for DEWALT® POWERSHIFT™ batteries.
- Two-stage charging cycle provides gentle charging with high efficiency, resulting in long battery life.
- LED indicator shows charge status (80% / 100%).
- Convenient transport thanks to integrated cable management system and multiple handle options.
- Ready for wall mounting.
- Battery charging time for POWERSHIFT™ 554 Wh battery (DCBPS0554): 80% in approx. 40 min, 100% in less than an hour.
- Compatible with TOUGHSYSTEM® 2.0®.

Technical data:	DCBPSC0550
Fits	POWERSHIFT™ 554 Wh battery
Charging current	550 W / 10 A
Dimensions (L x W x H)	50 x 34 x 29 cm
Weight	4,1 kg

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Charger Box



DWST83471

- The dual-port charger is designed as a box that can be connected with other TOUGHSYSTEM® 2.0 series elements.
- It serves multiple functions at once: battery charger, phone or e-book charger, and a spacious box that can hold up to 12 batteries.
- The device allows simultaneous charging of any two XR® or XR FLEXVOLT® Li-Ion batteries with 18V or 54V, regardless of capacity.
- The box meets IP54 rating, protecting the interior from dust and moisture.
- The power cable is routed outside, allowing charging with the lid closed.
- Additionally, the charger is equipped with USB-C and USB-A ports for charging mobile devices.

Technical data:	DWST83471
External dimensions W×D×H	366×244×270 mm
Internal dimensions W×D×H	330×213×140 mm
Capacity	10 L
Product weight	4.210 Kg
IP rating	65

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Half Width Organiser



DWST83392-1

- Functional and versatile organizer equipped with 6 deep containers that can be easily removed individually.
- The lid made of transparent, durable polycarbonate ensures durability and full visibility of the contents.
- Features front latches that increase the security of stored tools.
- The organizer is equipped with the modern AIRLOCK™ connection system, allowing quick and easy connection of TOUGHSYSTEM® modules.
- Water and dust protection (IP65 rating).
- Compatible with the TOUGHSYSTEM® 2.0 system.

Technical data:	DWST83392-1
External dimensions W×D×H	367×266×132 mm
Internal dimensions W×D×H	330×210×75 mm
Capacity	5 L
Load capacity	10 kg
Product weight	1.700 Kg
IP rating	65

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Organiser



DWST83394-1

- Organizer features a transparent polycarbonate lid for quick interior visibility without opening.
- Includes 10 deep, removable containers (8 single and 2 double), which can be further divided into smaller compartments.
- Compatible with half-width system.
- Equipped with sturdy front wire latches.
- Features a comfortable, two-component telescopic handle.

Technical data:	DWST83394-1
External dimensions W×D×H	540×375×130 mm
Internal dimensions W×D×H	485×295×80 mm
Capacity	11.4 L
Load capacity	20 kg
Product weight	3.28 Kg
IP rating	65

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Adjustable Work Light with Storage



DWST08061-1

- The Adjustable Work Light with Storage is a practical 2-in-1 solution that allows for simultaneous storage and transport of tools, as well as workplace illumination.
- The integrated, adjustable lamp features two rotating LED heads that can be switched on independently.
- Each head produces natural white light with up to 2000 lumens and offers three brightness levels.
- The heads rotate 360°, enabling precise illumination of the entire work area.
- The lamp is compatible with 18V XR®, POWERSTACK™, and XR FLEXVOLT® batteries (except model DCB549-XJ) and has a built-in charge level indicator.

Technical data:	DWST08061-1
External dimensions W×D×H	395×352×255 mm
Internal dimensions W×D×H	328×208×233 mm (box)
Capacity	15.9 L
Load capacity	25 kg
Product weight	5.082 Kg
IP rating	65

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Adapter



DWST08017-1

- The adapter (transition overlay) enables the connection of toolboxes from different systems.
- It allows additional T STAK™ cases and TOUGHCASE® + accessory boxes to be mounted on TOUGHSYSTEM® 2.0 toolboxes.
- This solution provides convenient and flexible transport of tools, tailored to the user's individual needs.
- The overlay is equipped with integrated slots on both sides, allowing power tools and accessories to be hung on tool belt hooks.
- The adapter is made of durable plastic, ensuring long service life and resistance to mechanical damage.

Technical data:	DWST08017-1
External dimensions W×D×H	537×342×52 mm
Product weight	1.334 Kg

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Shallow Internal Tray



DWST83407-1

- The tray designed for TOUGHSYSTEM® toolboxes allows for optimal use of interior space and increases storage functionality.
- It can be stacked and connected with other trays.
- Side handles enable easy connection of trays and convenient removal from the toolbox.
- The trays can be mounted inside the toolbox for better organization.

Technical data:	DWST83407-1
External dimensions W×D×H	467×306×60mm
Internal dimensions W×D×H	435×280×50mm
Capacity	6L
Load capacity	5kg
Product weight	0.645 Kg

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Deep Internal Tray



DWST83408-1

- The deep tray designed for TOUGHSYSTEM® toolboxes allows for optimal use of interior space and increases storage functionality.
- It can be stacked and connected with other trays.
- Side handles enable easy connection of trays and convenient removal from the toolbox.
- The trays can be mounted inside the toolbox for better organization.

Technical data:	DWST83408-1
External dimensions W×D×H	467×306×114 mm
Internal dimensions W×D×H	435×280×106 mm
Capacity	12.9 L
Load capacity	7.5 kg
IP rating	none

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® Workshop Racking Solution



DWST1-75694

- The workshop wall storage system is a universal rack designed for storing all TOUGHSYSTEM® 2.0 toolboxes.
- The system consists of two rails with 5 pairs of height-adjustable and easily removable brackets, allowing flexible customization to individual needs.
- The set also includes 2 support legs.
- The modular design enables expansion of the system as user requirements grow.
- Installation is quick and easy.
- A custom-made shelf can be mounted on the brackets to increase the rack's functionality.

Technical data:	DWST1-75694
External dimensions W×D×H	650×329×1,806 mm
Max. load capacity	200 kg
Max. load per pair of brackets	50 kg
Product weight	8.00 kg

TOUGHSYSTEM® 2.0

TOUGHYSTEM® Bracket Kit



1-70-362

- The set of 2 brackets for mounting TOUGHSYSTEM® 2.0 toolboxes is designed for TOUGHSYSTEM® 2.0 carts.
- It allows secure attachment of the toolbox to the tool cart.

Technical data:	1-70-362
External dimensions W×D×H	270×72×75 mm
Product weight	0.579 kg

TOUGHSYSTEM® 2.0

DWST83293-1







DWST83294-1









DWST83295-1













EASY TRANSPORT

SLIDE YOUR MODULES ONTO THE TROLLEY. EACH MODULE CAN BE ACCESSED SEPARATELY. OR STACK ADDITIONAL MODULES ON THE ROLLING BASE WITH STORAGE BOX

TOUGHSYSTEM® 2.0 Storage Box Tower Set (6 Modules)



DWST60480-1

The set consisting of 6 modules includes the following elements:
- 2 x TOUGHSYSTEM® 2.0 Half Width Compact Deep Storage Box (DWST08035-1)
- 2 x TOUGHSYSTEM® 2.0 Half Width Organiser (DWST83392-1)
- 1 x TOUGHSYSTEM® 2.0 Double Deep Drawers Storage Box (DWST83529-1)
- 1 x TOUGHSYSTEM® 2.0 Medium Storage Box (DWST83294-1)

Technical data:	DWST60480-1
External dimensions W×D×H	560×404×1011 mm
Load capacity	113 kg (combined)
Product weight	21.55 kg

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Storage Box Tower Set (4 Modules)



DWST83401-1

The set consisting of 4 modules includes the following elements:
- 1 x TOUGHSYSTEM® 2.0 Trolley DS Carrier (1-70-324)
- 1 x TOUGHSYSTEM® 2.0 Deep Storage Box (DWST83342-1)
- 1 x TOUGHSYSTEM® 2.0 Medium Storage Box (DWST83294-1)
- 1 x TOUGHSYSTEM® 2.0 Shallow Storage Box (DWST83293-1)

Technical data:	DWST83401-1
External dimensions W×D×H	700×620×1113 mm
Load capacity	120 kg (combined)
Product weight	33.77 kg

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Storage Box Tower Set (4 Modules)



DWST60442-9

The set consisting of 4 modules includes the following elements:
- 2 x TOUGHSYSTEM® 2.0 Half Width Organiser (DWST83392-1)
- 1 x TOUGHSYSTEM® 2.0 Double Deep Drawers Storage Box (DWST83529-1)
- 1 x TOUGHSYSTEM® 2.0 Mobile Storage Box (DWST83295-1)

Technical data:	DWST60442-9
External dimensions W×D×H	630×520×760 mm
Load capacity	113 kg (combined)

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Troley DS Carrier



1-70-324

- Durable metal cart with a quick locking and release system, allowing transport of up to five TOUGHSYSTEM® toolboxes.
- The cart features 8-inch polyurethane wheels that provide exceptionally quiet operation and high durability over rough terrain.
- The set includes three pairs of side brackets for secure mounting of three TOUGHSYSTEM® toolboxes.
- The handle load capacity is 80 kg, and the maximum platform load capacity is 120 kg.

Technical data:	1-70-324
External dimensions W×D×H	685×514×1,134 mm
Load capacity	120 kg (flat)/80 kg (on stairs)
Product weight	18.96 kg

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Mobile Storage Box



DWST83295-1

- The Mobile Storage Box (DS450) offers 20% more space for tools when used as part of a tower with the DS165 and DS300 from the TOUGHSYSTEM® 2.0 series.
- It features a wide, telescopic handle and 8-inch wheels, ensuring mobility and easy transport.
- The maximum load capacity is 130 kg.
- Inside, there is a removable tray that makes tool organization easier.
- It has two-piece metal front latches that increase the security of stored tools.
- Protection against water and dust (IP65 rating).
- Compatible with the TOUGHSYSTEM® 1.0 system.

Technical data:	DWST83295-1
External dimensions W×D×H	608×500×990 mm
Internal dimensions W×D×H	490×340×352 mm
Capacity	91 L
Load capacity	70 kg
Product weight	10.44 kg

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Storage Box Tower Set (3 Modules)



DWST83526-1

The set consisting of 3 modules includes the following elements:

- 1 x TOUGHSYSTEM® 2.0 Shallow Storage Box (DWST83293-1)
- 1 x TOUGHSYSTEM® 2.0 Deep Storage Box (DWST83342-1)
- 1 x TOUGHSYSTEM® 2.0 Mobile Storage Box (DWST83295-1)

Technical data:	DWST83526-1
External dimensions W×D×H	628×515×998
Load capacity	113 kg
Product weight	23.583 kg
IP rating	65

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 Storage Box Tower Set(3 Modules)



DWST83402-1

The set consisting of 3 modules includes the following elements:

- 1 x TOUGHSYSTEM® 2.0 Shallow Storage Box (DWST83293-1)
- 1 x TOUGHSYSTEM® 2.0 Medium Storage Box (DWST83294-1)
- 1 x TOUGHSYSTEM® 2.0 Mobile Storage Box (DWST83295-1)

Technical data:	DWST83402-1
External dimensions W×D×H	628×515×998
Load capacity	113 kg
Product weight	23.583 kg
IP rating	65

TOUGHSYSTEM® 2.0

Metal Folding Sawhorse (2 pcs.)



DWST1-75676

- Metal sawhorses are a set of two stands, ideal for workshop and construction work.
- Equipped with a V-groove, they allow stable securing and processing of slats and pipes.
- The metal frame and legs provide durability and strength.
- Rubber pads ensure stability during cutting.
- Flexible handles make it easy to carry and quickly set up the stands.
- Locking latches increase work safety.

Technical data:	DWST1-75676
Capacity per pair	900 kg
Product weight	11 kg
Working height	82.8 cm
Dimensions folded PAIR (cm)	26h x 111.7w x 12d
Dimensions open SINGLE (cm)	82.8h 111.7w x 43d

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 2.0 22” Soft Tool Bag



DWST83522-1

- 22" Soft Tool Bag with zipper closure.
- Made from durable, waterproof material – protects tools in all conditions.
- Numerous internal and external pockets, loops, and compartments make it easy to organize accessories.
- Comfortable plastic handle and long, adjustable shoulder strap ensure carrying comfort.
- Reinforced bottom with polypropylene insert allows safe placement of the bag on wet surfaces.
- Side clasps enable compatibility with the TOUGHSYSTEM® 2.0 system.

Technical data:	DWST83522-1
External dimensions W×D×H	569×384×335 mm
Internal dimensions W×D×H	500×275×305 mm
Capacity	55.5 L
Load capacity	35 kg
Product weight	3.210 kg

TOUGHSYSTEM® 2.0

TOUGHSYSTEM® 11" Soft Tool Bag



DWST83524-1

- 11" Soft Tool Bag with zipper closure
- Made from durable, waterproof material – protects contents in tough conditions.
- Numerous internal and external pockets, loops, and compartments make it easy to organize tools and accessories.
- Comfortable plastic handle and long, adjustable shoulder strap allow for comfortable carrying.
- Reinforced, durable bottom with polypropylene insert allows the bag to be safely placed even on wet surfaces.
- Side clasps enable compatibility with the TOUGHSYSTEM® 2.0 system.

Technical data:	DWST83524-1
External dimensions W×D×H	300×300×390 mm
Internal dimensions W×D×H	280×230×350 mm
Capacity	30 L
Load capacity	18 kg
Product weight	1.97 kg

TOUGHSYSTEM® 2.0



TOUGHSYSTEM® 2.0 DXL RANGE

Build your own connectivity solution with these top-of-the-line storage boxes, designed to deliver outstanding durability, easy transportability and customisable organisation.


Direct connectivity with DXL & TOUGHSYSTEM® 2.0 modules

Integrated locking bar for secure storage of tools on the jobsite

Weather seal to protect tools from water and dust on the jobsite

Auto-stacking latches for fast connectivity will all DXL & TOUGHSYSTEM® 2.0 half and full width modules

Caster brakes to secure the dolly and caster locking to switch between swivel and fixed modes.



TOUGHSYSTEM® 2.0 DXL Deep Drawer Storage Box




DWST08510-1

- The Deep Drawer Storage Box is a practical solution for storing tools and accessories.
- The spacious drawer allows convenient storage of larger tools.
- Durable, removable dividers make it easy to organize the interior.
- An integrated metal lock with a padlock slot protects the contents from theft.
- Side metal handles make it easy to carry the box.
- High-quality metal ball-bearing slides and an automatic closing mechanism ensure smooth and safe operation.
- Side rails allow you to hang power tools or hand tools, making work more efficient.

Technical data:	DWST08510-1
External dimensions W×D×H	64.5 cm x 47 cm x 14.5 cm
Capacity	47 L
Load capacity	25 kg
Product weight	18.245 kg

TOUGHSYSTEM® 2.0 DXL 2 Shallow Drawers Storage Box



DWST08520-1

- The box with two shallow drawers is a practical solution for storing tools and accessories.
- Two drawers with removable dividers make it easy to organize the interior.
- An integrated metal lock with a padlock slot protects the contents from theft.
- Side metal handles provide convenient carrying of the box.
- High-quality ball-bearing slides and an automatic closing mechanism ensure smooth operation.
- Side rails allow you to hang tools, making work more efficient.

Technical data:	DWST08520-1
External dimensions W×D×H	64.5 cm × 47 cm × 6 cm
Capacity	42.8 L
Load capacity	25kg (12.5 kg per drawer)
Product weight	23.416 kg

TOUGHSYSTEM® 2.0 DXL Dolly



DWST08530-1

- The durable and stable dolly (transport platform) allows convenient transportation of tool boxes and cases from the TOUGHSYSTEM® 2.0 series.
- It enables the transport of several cases at once, making it easy to create a mobile workshop.
- Boxes are secured to the platform with practical latches.
- Heavy-duty 6-inch wheels that rotate 360° and have brakes ensure ease of use in tight spaces and safety on uneven surfaces.
- Two integrated handles allow convenient carrying of the empty platform.

Technical data:	DWST08530-1
Load capacity	200 kg
Product weight	17.065 kg

TOUGHSYSTEM® 2.0 DXL Worktop



DWST08550-1

- The worktop allows you to create your own workstation by mounting it on a drawer organizer or any module from the TOUGHSYSTEM® 2.0 series.
- Combining the worktop with other system elements lets you build a professional, mobile workshop.
- The side handle makes it easy to carry the entire set.
- Integrated holes on both sides allow convenient hanging of power tools and accessories.
- The worktop is made of high-quality, thick plastic, ensuring durability even in demanding working conditions.

Technical data:	DWST08550-1
Load capacity	40 kg
Product weight	3.894 kg

TOUGHSYSTEM® 2.0 DXL Storage Box Tower Set (4 Modules)



DWST60520-1

- Possibility to personalize the arrangement of tools and accessories thanks to durable, removable dividers, both deep and shallow tool trays for TOUGHSYSTEM® 2.0, foam inserts, and tool sets (sold separately).
- Top surface with the option to expand and create a mobile worktop, thanks to integrated screw holes for mounting 2x4 beams or plywood.
- Drawers close and lock with metal ball-bearing slides and an automatic closing mechanism.
- Secure your tools and equipment by connecting the drawers with a padlock and using the integrated metal lock.
- Possibility to hang power tools or accessories on the side metal handles, making them easier to use during work.
- Ability to connect and stack TOUGHSYSTEM® 2.0 modules using patented latches with automatic connection function.
- Large swivel wheels allow movement in rough terrain and challenging conditions.
- Compatible with all products from the DEWALT® TOUGHSYSTEM® series.

Technical data:	DWST60520-1
IP rating	54
The set consisting of 4 modules includes the following elements:	• 1x TOUGHSYSTEM® 2.0 DXL Deep Drawer Storage Box (DWST08510-1) • 1x TOUGHSYSTEM® 2.0 DXL 2 Shallow Drawers Storage Box (DWST08520-1) • 1x TOUGHSYSTEM® 2.0 DXL Dolly (DWST08530-1) • 1x TOUGHSYSTEM® 2.0 DXL Worktop (DWST08550-1)

TOUGHSYSTEM® 2.0 DXL Storage Box Tower Set (5 Modules)



DWST60510-1

- Possibility to personalize the arrangement of tools and accessories thanks to durable, removable dividers, both deep and shallow tool trays for TOUGHSYSTEM® 2.0, foam inserts, and tool sets (sold separately).
- Reinforced top surface with the option to expand and create a mobile worktop, thanks to integrated screw holes for mounting 2x4 beams or plywood.
- Drawers close and lock with metal ball-bearing slides and an automatic closing mechanism.
- Secure your tools and equipment by connecting the drawers with a padlock and using the integrated metal lock.
- Possibility to hang power tools or accessories on the side metal handles, making them easier to use during work.
- Ability to connect and stack TOUGHSYSTEM® 2.0 modules using patented latches with automatic connection function.
- Large swivel wheels allow movement in rough terrain and challenging conditions.
- Compatible with all products from the DEWALT® TOUGHSYSTEM® series.

Technical data:	DWST60510-1
IP rating	54
The set consisting of 5 modules includes the following elements:	• 1x TOUGHSYSTEM® 2.0 DXL Deep Drawer Storage Box (DWST08510-1) • 2x TOUGHSYSTEM® 2.0 DXL 2 Shallow Drawers Storage Box (DWST08520-1) • 1x TOUGHSYSTEM® 2.0 DXL Dolly (DWST08530-1) • 1x TOUGHSYSTEM® 2.0 DXL Worktop (DWST08550-1)



TOUGH CASE+™
CONNECTABLE CASES

CHOOSE A BOX

DT70800-QZ
TicTac



DT70801-QZ
Small



DT70802-QZ
Medium



DT70839-QZ
Large



CHOOSE YOUR ACCESSORIES














FILL YOUR BOX








DEWALT
DEWALT
DEWALT
DEWALT



SOFT STORAGE

THE DEWALT TOOL BAGS ARE LIGHTWEIGHT AND ROBUST WITH A WATERPROOF BASE, IDEAL FOR ON-SITE USE. EASY TO BRING ALONG

QUICK-CLOSE ZIPPER – Store and retrieve tools quickly, even while wearing gloves, with the ergonomic U-shaped zipper pull.

CONSTRUCTED WITH DURABLE MATERIALS – Take on tough jobsites with durable 1680 denier fabric and dirt-repellant tarpaulin.

HI-VIS DESIGN – Get clear visibility of tools with yellow hi-vis internal fabric.

WITHSTAND ROUGH CONDITIONS - Help protect valuables with an IP54 water-resistant compartment and waterproof base.



Rolling Backpack



DWST60101-1

- Functional backpack with wheels designed for maximum comfort and work organization.
- Features 46 pockets and special holders for a drill and batteries, allowing you to store all necessary tools in one place.
- Durable wheels and a telescopic handle ensure easy maneuverability, even with heavier loads.
- Ergonomic back support system with an additional insert guarantees comfort during transport.

Technical data:	DWST60101-1
Dimensions (W×D×H)	350×240×540 mm
Max. load capacity	25 kg
Number of compartments	46
Volume	28.7 L
Product weight	3.6 kg

Backpack



DWST60102-1

- The tool backpack is equipped with 43 functional pockets for excellent tool organization.
- Special holders for a drill and batteries.
- Ergonomic back support system with an additional insert for greater carrying comfort.
- Separate pocket for a laptop up to 14 inches.
- Special pockets for bottles.
- Separate compartment for long tools.
- Practical latch for a tape measure.
- Durable metal carabiner for storing frequently used accessories.

Technical data:	DWST60102-1
Internal dimensions W×D×H	340×150×460 mm
Volume	23.8 l
Carry capacity	25 kg
Product weight	3.4 kg

16" Tool Bag



DWST60103-1

- The tool bag is equipped with 33 practical pockets and special holders for a drill and batteries, allowing convenient organization and quick access to all necessary tools.
- The injection-molded plastic base effectively protects the contents of the bag from moisture and dirt, even when working on wet floors.
- The solid and functional construction performs well in all conditions.

Technical data:	DWST60103-1
Internal dimensions W×D×H	400×220×300 mm
Volume	32 l
Carry capacity	25 kg
Product weight	2.3 kg

20" Tool Bag



DWST60104-1

- The tool bag is equipped with 33 practical pockets and special holders for a drill and batteries, allowing convenient storage and organization of essential tools.
- Additional straps for a level, a latch for a tape measure, and a metal carabiner make it easy to quickly find and access frequently used accessories.
- The thoughtful design of the bag ensures order and keeps all necessary items always within reach.
- The solutions used in the bag significantly increase comfort and work efficiency.

Technical data:	DWST60104-1
Dimensions (W×D×H)	508×290×310 mm
Max. load capacity	25 kg
Number of compartments	33
Product weight	2.3 kg

20" Open Tool Bag with Handle



DWST60106-1

- The tool bag is equipped with 36 practical pockets, making it easy to organize all necessary tools.
- The front pocket with a zipper allows safe storage of valuable personal items.
- The comfortable, tilting handle enables quick and convenient grabbing of the bag in any situation.
- The ergonomic C-shaped zipper pull provides easy access to tools, even when wearing work gloves.
- The padded shoulder strap increases carrying comfort.
- The integrated, durable metal carabiner allows you to attach spare tools or hang keys.
- The bag is a practical and solid solution for every professional.

Technical data:	DWST60106-1
Dimensions (W×D×H)	580×270×320 mm
Max. load capacity	25 kg
Number of compartments	36
Product weight	2.75 kg

11" Electrician Tool Bag



DWST60105-1

- The tool bag is equipped with 36 practical pockets, making it easy to organize all necessary tools.
- The front pocket with a zipper allows you to safely store valuable items.
- The comfortable, tilting handle ensures convenient carrying of the bag.
- The ergonomic C-shaped zipper pull allows quick access to tools, even when wearing work gloves.
- The soft, ergonomic shoulder strap provides extra comfort while carrying.
- The integrated, durable metal carabiner allows you to attach spare tools or hang keys.

Technical data:	DWST60105-1
Internal dimensions W×D×H	230×245×230 mm
Volume	15.16 l
Carry capacity	25 kg
Product weight	2.75 kg

Rolling Tool Bag



DWST60107-1

- The tool bag is equipped with 27 practical pockets, allowing convenient organization of tools and accessories.
- The front pocket with a zipper allows you to safely store valuable items.
- The injection-molded plastic base effectively protects the contents of the bag from moisture, even when working on wet floors.
- Durable wheels and a telescopic handle ensure easy maneuverability and comfortable transport in any conditions.
- The bag is a reliable solution for professionals who value order and convenience.

Technical data:	DWST60107-1
Internal dimensions W×D×H	455×245×350 mm
Volume	56.48 l
Carry capacity	25 kg
Product weight	4.1 kg









DEWALT
TSTAK




DEWALT
DEWALT



TOOL BELTS



KEEP EVERYTHING ORGANISED AND AT HAND WITH DEWALT TOOL BELTS.

These are extra strong and offer numerous clever storage solutions. Providing maximum carrying comfort by distributing the weight.

Leather Tool Apron



DWST50112-1

- Tool belt allows convenient organization of tools and accessories in 11 functional pockets.
- Made from high-quality nubuck leather, reinforced with rivets and double stitching for exceptional durability, even during intensive use.
- An excellent choice for professionals who expect reliability, practicality, and comfort.

Technical data:	DWST50112-1
Product weight	1.16 kg
Number of pockets	11
Number of handles	2
Number of hammer loops	2
Weight capacity	20 kg

Leather Tool Rig



DWST50113-1

- Tool belt enables convenient organization of tools and accessories in 18 practical pockets, ensuring excellent worksite efficiency.
- Made from high-quality nubuck leather, with reinforcements such as rivets and double stitching for durability and reliability even in the most demanding conditions.
- Ergonomic shape, additional padding, and a wide leather belt provide maximum comfort and support throughout the day.
- An ideal solution for professionals who value durability, functionality, and comfort.

Technical data:	DWST50113-1
Product weight	1.966 kg
Number of pockets	18
Number of handles	2
Weight capacity	20 kg

Tool Rig



DWST40603-1

- Tool belt features 25 functional pockets, providing quick and convenient access to tools and accessories during work.
- Made from extremely durable 1680 denier fabric and dirt-resistant canvas, ensuring strength even in the most demanding conditions.
- Wide, softly padded 14 cm belt and double buckle with strong metal hooks allow for attaching suspenders (available separately), offering extra support and comfort during long hours of work.

Technical data:	DWST40603-1
Product weight	1.896 kg
Number of pockets	25
Number of handles	2
Number of hammer loops	2
Niumber of pockets	25
Weight capacity	20 kg

Single Pouch with Tool Belt



DWST40101-1

- The set includes a 132 cm woven belt and a polyester pocket.
- The tool and accessory pocket offers 12 different holders, compartments, and loops, including dedicated spaces for screwdrivers.
- Made from durable 1680 denier polyester fabric, ensuring longevity even with intensive use.
- Wide, open design provides easy access to all tools.
- Practical handle at the top makes carrying convenient.

Technical data:	DWST40101-1
Product weight	0.75 kg
Number of pockets	12
Number of handles	1
Number of hammer loops	1
Weight capacity	10 kg

Pouch with Tool Belt



DWST40201-1

- The set includes a 132 cm woven belt and a tool bag.
- The polyester bag offers 13 different holders, hooks, pockets, and loops, including dedicated spaces for screwdrivers.
- Made from durable 1680 denier polyester fabric, ensuring longevity even with intensive use.
- The bag features a dedicated pocket for a tape measure, two smaller pockets, one large pocket, and numerous internal and external holders for screwdrivers.
- Additionally, it is equipped with a metal holder for attaching keys or a safety lanyard, which is especially useful when working at heights.

Technical data:	DWST40201-1
Product weight	0.72 kg
Number of pockets	13
Number of handles	1
Number of hammer loops	1
Weight capacity	10 kg

Professional Tool Belt Suspenders



DWST40901-1

- Lightweight, adjustable, and durable 4-point suspenders effectively transfer weight from the belt to the shoulders, providing comfort throughout the day.
- Shaped and padded with tough 1680 denier fabric, they stay securely on the shoulders and do not slip off.
- An additional chest strap increases stability.
- The front features a smartphone pouch and tool loops.

Technical data:	DWST40901-1
Product weight	0.45 kg
Number of compartments	1
Number of handles	1
Weight capacity	20 kg



ORGANISED WORKSHOP



KEEP YOUR TOUGHSYSTEM® MODULES NEATLY ORGANISED IN YOUR WORKSHOP

48" Van/Wall Mounting with Metal Rail



DWST82800-1

- A 48" metal wall-mount rail forms the foundation of the workshop storage system.
- Made from high-strength steel, ensuring durability and reliability even with heavy use.
- Two end caps provide a professional appearance and allow for seamless horizontal connection of multiple rails.
- The system enables flexible expansion by connecting additional rails.
- The set includes mounting hardware suitable for installation on wood or drywall.
- Easy installation and stable construction
- An ideal solution for organizing space in any workshop.

Technical data:	DWST82800-1
Carry capacity	180 kg
Product weight	1.792 kg

Short Hook



DWST82805-1

- The short, standard hook can be easily mounted directly onto the metal rail.
- Ideal for storing mowing equipment, sledgehammers, stools, and garden chairs.
- Made of durable steel, coated with a non-slip material.
- Effectively protects against scratches and corrosion.
- Patented snap-in system ensures secure and stable attachment of the hook to the rail.
- Guarantees safety and user convenience.

Technical data:	DWST82805-1
Carry capacity	22.6 kg
Product weight	0.283 kg

Plastic Bin (2 pcs.)



DWST82813-1

- Plastic containers can be easily and quickly mounted directly onto the metal rail.
- Installation does not require any tools or additional accessories.
- Ideal for storing small items such as nuts and bolts.
- Large opening in the front wall provides convenient and quick access to contents.
- Durable construction made from resilient composite plastic ensures longevity and reliability even with heavy use.

Technical data:	DWST82813-1
Carry capacity	4.53 kg / bin
Product weight	0.594 kg

Power Tool Holster




DWST82823-1

- Holder designed for most DEWALT® battery-powered pistol tools (12V and 18V).
- Allows safe mounting of a single device.
- Equipped with an innovative, patented snap-in system that ensures secure and stable attachment of the holder to the rail.
- Guarantees convenience and safety when storing tools.
- A practical solution that helps organize your workspace.

Technical data:	DWST82823-1
Carry capacity	4.53 kg
Product weight	0.453 kg

Hook Set (8 pcs.)



DWST82816-0

- The set includes 8 hooks for hand tools, designed for mounting on a metal rail.
- The set contains three different types of hooks, allowing optimal attachment of various tools and accessories.
- The hooks are made of durable composite plastic, ensuring longevity and safe storage.
- Easy and quick installation directly onto the rail.
- This solution helps maintain order and organization in the workshop.

Technical data:	DWST82816-0
Dimensions LxWxH	2.26 kg/ hook
Product weight	0.254 kg

Battery Holder (2 pcs.)



DWST82820-0

- The set includes two battery holders with a practical snap-in mechanism.
- Allows safe mounting of individual DEWALT® 12V, 18V, or 54V XR FLEXVOLT® batteries.
- Provides organized storage and easy access to batteries.
- Facilitates workspace organization in the workshop and on the job site.
- A functional and reliable solution for DEWALT® tool users.

Technical data:	DWST82820-0
Carry capacity	2.26 kg
Product weight	0.254 kg



DEWALT®

DEWALT® x McLaren F1 Team RANGE



GUARANTEED TOUGH®


DEWALT
McLaren
DEWALT
McLaren
DEWALT 5 AH
18V XR

LIMITED COLLECTION



The limited DEWALT® x McLaren F1 Team collection was created as a result of our shared pursuit of excellence. It combines power, innovation, and racing-inspired design to meet the needs of professionals working in demanding conditions. The collaboration between two industry leaders has resulted in tools, batteries, and storage systems distinguished by durability, advanced engineering, and exclusive Formula 1-inspired design. The papaya, or McLaren-inspired shade of orange, black accents, engraved DEWALT® x McLaren F1 Team logos, and edition numbering emphasize the collectible nature of the series. This is a proposition for those who value reliability, performance, and prestige—both on the jobsite and in the world of motorsport.

DEWALT® x McLaren F1 Team 18V XR® Brushless Hammer Drill Driver



DCD85MP2T-QW

- The Brushless Hammer Drill Driver is equipped with a 2-speed, durable gearbox and a 15-position clutch, allowing for exceptionally precise drilling and screwdriving.
- The gearbox, made entirely of metal gears, ensures the tool's durability and reliability.
- The mechanical hammer function enables efficient drilling in brick, stone, and concrete.
- The tool features a high-performance, brushless motor for long life and high work efficiency.
- Variable speed control via the trigger provides full control over every task.
- The built-in LED light with three-position tilt adjustment perfectly illuminates the work area.
- The compact and lightweight design makes it easy to work in hard-to-reach places.
- The ergonomic, rubberized grip, metal belt clip, and magnetic bit holder increase user comfort.
- The built-in anti-rotation system monitors the tool's operation and automatically shuts it off if uncontrolled rotation is detected, protecting the user's wrists.

Technical data:	DCD85MP2T-QW
Power supply	18V XR®
No-load speed	0 - 650 / 0 - 2000 rpm
Max. torque (soft / hard)	27 / 90 Nm
Max. drilling diameter in metal / concrete / wood	13 / 13 / 55 mm
Chuck diameter	1,5 – 13 mm
Weight	1,34 kg
Standard equipment	2 x 18V XR® / 5 Ah Batteries, 12V / 18V XR® 4Ah Charger (DCB1104), Belt Clip, T STAK™ Storage Box

DEWALT® x McLaren F1 Team 18V XR® Brushless 1/4" Impact Driver



DCF85MP2T

- The Brushless 1/4" Impact Driver is a versatile tool from the limited edition DEWALT® x McLaren F1 Team, distinguished by its unique design and exceptional style.
- Its compact size and robust construction make it perfect for use both in the workshop and on the construction site.
- The efficient brushless motor ensures long life, high work efficiency, and reduced energy consumption.
- Three speed and power settings allow precise adjustment of the tool for various tasks – from delicate assembly to demanding drilling.
- The built-in LED lighting with three diodes guarantees excellent visibility in dark and hard-to-reach areas, increasing comfort and safety at work.
- Overload protection safeguards the tool against overheating, resulting in a longer service life.

Technical data:	DCF85MP2T
Power supply	18V XR®
No-load speed	0 – 1000 / 2800 / 3250 rpm
Impact rate	0 – 3800 min^{-1}
Max. torque	208 Nm
Max. screw size	M16
Spindle end	1/4" HEX socket
Weight (with 2 Ah / 5 Ah battery)	1,3 / 1,5 kg
Standard equipment	2 x 18V XR® / 5 Ah Batteries, 12V / 18V XR® 4Ah Charger (DCB1104), T STAK™ Storage Box

DEWALT® x McLaren F1 Team 18V XR® 2-Tool Brushless Combo Kit



DCK200MP2T-QW

- The power tool set comes from the limited edition DEWALT® x McLaren F1 Team, standing out with its modern design and unique style.
- The set includes two versatile, brushless cordless tools: the 18V XR® Brushless Hammer Drill Driver (DCD85M) and the 18V XR® Brushless 1/4" Impact Driver (DCF85M).
- Both devices are powered by efficient 18V XR® 5 Ah batteries, ensuring long operation without frequent recharging.
- The cordless design of the tools guarantees maximum freedom of work in the workshop and on the construction site.
- The set is ready to use straight out of the box – it includes two batteries, a universal charger, and a practical T STAK™ system case.
- The T STAK™ modular system case makes it easy to transport, store, and organize tools, allowing for simple connection with other elements of the system.

Technical data:	DCK200MP2T
Standard equipment	18V XR® Brushless Hammer Drill Driver (DCD85M), 18V XR® Brushless 1/4" Impact Driver (DCF85M), 2x 18V XR® 5Ah Battery (DCB184), 12V / 18V XR® Charger 4Ah (DCB1104), T STAK™ Storage Box

DEWALT® x McLaren F1 Team T STAK™ Storage Box Tower Set (3 Modules)



DWST60452-1

- The T STAK™ storage set includes three of the most popular cases from the series: a mobile storage case, a deep case, and an organizer.
- The set contains 10 removable containers, allowing flexible organization of tools and accessories.
- Telescopic handle and durable 7-inch wheels make it easy to transport heavy tools over longer distances.
- All components meet the IP54 standard, providing effective protection for tools, accessories, and fasteners against dust and water.
- Durable metal latches guarantee maximum security and longevity of the set.
- The cases can be locked with a padlock for increased security of stored tools (the organizer cannot be locked, padlock not included).
- Side latches allow easy connection of modules, ensuring full compatibility with the entire T STAK™ mobile storage system.
- Maximum load capacity of the set is 50 kg.
- The set combines functionality, durability, and modern design—ideal for professionals and DIY enthusiasts.

Technical data:	DWST60452-1
Certification	IP54
Load capacity	50 kg
Standard equipment	T STAK™ Mobile Storage Box, T STAK™ VI Deep Storage Box, T STAK™ Organiser, 10 removable containers, 2 removable trays, telescopic handle, 7-inch wheels.



DEWALT® x McLaren F1 Team Impact Bit Set with Impact Ready Right Angle Attachment (33 pcs.)



DT70782-QZ

- The DT70782-QZ set is a special DEWALT® x McLaren F1 Team edition, designed for use with drill drivers and impact drivers.
- The set includes 33 pieces.
- Fully compatible with all TOUGHCASE®+ sets and fits the T STAK™ storage system.
- Ideal for working with fasteners in hard-to-reach places.
- The set includes: an Impact Ready Right Angle Attachment, a Magnetic Bit Holder r, 3pcs. Cleanable Nut Driver (8mm, 10mm, 13mm), 21pcs. FLEXTORQ® 25mm Impact Ready Bits, and 7 pcs. FLEXTORQ® 57mm Impact Ready Bits.

Technical data:	DT70782-QZ
Application	drill drivers and impact drivers
Standard equipment	1x Small TOUGHCASE®+, 1x Impact Ready Right Angle Attachment, 1x Magnetic Bit Holder, 1x 8mm Cleanable Nut Driver, 1x 10mm Cleanable Nut Driver, 1x 13mm Cleanable Nut Driver, 21x FLEXTORQ® 25mm Impact Ready Bits: -1x PH1, 3x PH2 -1x PZ1, 5x PZ2 -1x T15, 5x T20, 3x T25, 1x T27, 1x T30 7x FLEXTORQ® 57mm Impact Ready Bits: -1x PH1 -2x PZ2 -1x T20, 3x T25

DEWALT® x McLaren F1 Team Impact Bit Set with Impact Ready Magnetic Drive Guide (32 pcs.)



DT70900T-QZ

- The DT70900T-QZ set is a special edition DEWALT® x McLaren F1 Team, designed for use with drill drivers and impact drivers.
- The set contains 32 pieces.
- Fully compatible with all TOUGHCASE®+ sets and fits the T STAK™ storage system.
- Ideal for working with fasteners in hard-to-reach places.
- The set includes: an Impact Ready Magnetic Drive Guide, an Adapter ¼" - ¼" and 30pcs. FLEXTORQ® 25mm Impact Ready Bits.

Technical data:	DT70900T-QZ
Application	drill drivers and impact drivers (when using the appropriate adapter)
Standard equipment	1x Small TOUGHCASE®+, 1x Impact Ready Magnetic Drive Guide, 1x Adapter ¼" - ¼", 30x Impact Ready 25mm FLEXTORQ® Bits: -1xPH1, 5xPH2, 2xPH3, -1xPZ1, 10xPZ2, 3xPZ3, -1x T15, 1xT20, 2xT25, 1xT27, 3xT30

DEWALT® x McLaren F1 Team Impact Bit Set with Magnetic Bit Holder (32 pcs.)



DT70901T-QZ

- The DT70901T-QZ set is a special edition DEWALT® x McLaren F1 Team, designed for use with drill drivers and impact drivers.
- The set contains 32 pieces.
- Fully compatible with all TOUGHCASE®+ sets and fits the T STAK™ storage system.
- Ideal for working with fasteners in hard-to-reach places.
- The set includes: a Magnetic Bit Holder, an Adapter ¼" - ¼" and 30pcs. FLEXTORQ® 25mm Impact Ready Bits.

Technical data:	DT70901T-QZ
Application	drill drivers and impact drivers
Standard equipment	1x Small TOUGHCASE®+, 1x Impact Ready Magnetic Drive Guide, 1x Adapter ¼" - ¼", 30x Impact Ready 25mm FLEXTORQ® Bits: -1xPH1, 5xPH2, 2xPH3, -1xPZ1, 10xPZ2, 3xPZ3, -1x T15, 1xT20, 2xT25, 1xT27, 3xT30

DEWALT® x McLaren F1 Team Impact Bit Set with Impact Ready Magnetic Drive Guide (28 pcs.)



DT70902T-QZ

- The DT70902T-QZ set is a special edition DEWALT® x McLaren F1 Team, designed for use with drill drivers and impact drivers.
- The set contains 28 pieces.
- Fully compatible with all TOUGHCASE®+ sets and fits the T STAK™ storage system.
- Ideal for working with fasteners in hard-to-reach places.
- The set includes: an Impact Ready Magnetic Drive Guide, 7pcs. FLEXTORQ® 25mm Impact Ready Bits, and 20pcs. FLEXTORQ® 57mm Impact Ready Bits.

Technical data:	DT70902T-QZ
Application	drill drivers and impact drivers
Standard equipment	1x Small TOUGHCASE®+, 1x Impact Ready Magnetic Drive Guide, 7x FLEXTORQ® 25mm Impact Ready Bits: -1x PH2, -1x PZ1, 2x PZ2, 1x PZ3 -1x T20, 1x T25 20x FLEXTORQ® 57mm Impact Ready Bits: -1x PH1, 2x PH2, 1x PH3 -1x PZ1, 7x PZ2, 4x PZ3 -2x T20, 2x T25

DEWALT® x McLaren F1 Team Backpack



DWST60122-1

- The tool backpack is equipped with 43 functional pockets for excellent tool organization.
- Special holders for a drill and batteries
- Ergonomic back support system with an additional insert for greater carrying comfort.
- Separate pocket for a laptop up to 14 inches.
- Special pockets for bottles.
- Separate compartment for long tools.
- Practical clasp for a tape measure.
- Durable, metal carabiner for storing frequently used accessories.

Technical data:	DWST60122-1
Capacity	35 l
Dimensions (W x D x H)	360 x 230 x 480 mm

DEWALT® x McLaren F1 Team Rolling Backpack



DWST60101-9

- Functional backpack with wheels designed for maximum convenience and work organization.
- Features as many as 46 pockets and special holders for a drill and batteries, allowing you to store all necessary tools in one place.
- Durable wheels and a telescopic handle ensure easy maneuverability, even with heavier loads.
- Ergonomic back support system with an additional insert guarantees comfort during transport.

Technical data:	DWST60101-9
Capacity	28,7 l
Load capacity	25 kg
Dimensions (W x D x H)	350 x 240 x 540 mm
Height with the telescopic handle extended	1020 mm

DEWALT® x McLaren F1 Team 20" Tool Bag



DWST60104-9

- The tool bag is equipped with 33 practical pockets and special holders for a drill and batteries, allowing convenient storage and organization of essential tools.
- Additional straps for a spirit level, a clasp for a tape measure, and a metal carabiner make it easy to quickly find and access the most frequently used accessories.
- The well-thought-out design of the bag ensures order and keeps all necessary items within easy reach.
- The solutions used in the bag significantly increase comfort and work efficiency.

Technical data:	DWST60104-9
Capacity	30 l
Dimensions (W x D x H)	500 x 300 x 300 mm

DEWALT® x McLaren F1 Team 28" Duffle Bag



DWST83522-9

- The 28" tool bag on wheels with a telescopic handle is a limited edition DEWALT® x McLaren F1 Team, designed for convenient tool transport
- Made from durable, abrasion-resistant 1680 Denier material and stain-resistant Tarpaulin fabric, ensuring long-lasting performance
- Features 14 internal and 8 external pockets for easy tool organization
- Two plastic rails on the bottom of the bag reinforce its construction
- Ergonomic handle and shoulder strap make carrying easy, while two swivel wheels and a telescopic handle allow for effortless transport of heavier tools
- Wide top opening with an ergonomic double U-shaped zipper provides easy access to tools from any side

Technical data:	DWST83522-9
Capacity	75 l
Load capacity	25 kg
Dimensions (W x D x H)	700 x 330 x 330 mm

DEWALT®

GUARANTEED TOUGH®

https://cee.DEWALT.global